212112



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Bill Washburn Regulatory Manager Arysta LifeScience North America LLC 15401 Weston Parkway, Suite 150 Cary, NC 27513

FEB 2 1 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4 and 98-10

- 1. Update of company name
- 2. Added emergency telephone number(s)
- 3. Updated warranty statement

Dear Mr. Washburn:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated January 28, 2009 for:

EPA Registration 66330-308 EPA Registration 66330-240 EPA Registration 66330-348 Metsulfuron 60EG Turf Mepiquat Chloride 99% MC 6

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notices 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

đ

ć (2091
Please read instructions on reverse befo					0060, Approval expires 05-31-98
	United States ironmental Protectio		🗌 Registra		OPP Identifier Number
	Washington, DC 204	• •	<u> </u>	nent	
· · · · · · · · · · · · · · · · · · ·			Other:		
	Applicatio		sticide - Section	n I	
1. Company/Product Number 66330-308		LINDA	Product Manager		3. Proposed Classification
4. Company/Product (Name) METSULFURON 60EG TURF		PM# 2	5		None Restricted
5. Name and Address of Applicant (In	nclude ZIP Code)				ith FIFRA Section 3(c)(3) composition and labeling
Arysta LifeScience North Am		to:			
15401 Weston Parkway, Suit Cary, NC 27513	e 150		leg. No	NOTHFICAT	ION
		Produc	ct Name	6002	L 2 834
Check`if this is a new ac	ldress		······	FEB 21 20	09
		Section	on - II	NOIL	NOTIFICA
Amendment – Explain below.			Final printed lat	els in response to	Agency letter dated
Resubmission in response to A	gency letter dated	Me Too" Application			
Notification - Explain below.			Other - Explain		,
Explanation: Use additional Notification of label change					1. 11
requirements of EPA's regulations a the Confidential Statement of Formu EPA. I further understand that if the this product may be in violation of F Notification of label change regulations at 40 CFR 152.46, and r understand that it is a violation of 18 consistent with the terms of PR Noti	Ita for this product. I unders amendment is not consiste FRA and I may be subject to per PR Notice 98-10 to other changes have been USC Sec 1001 to willfully no ce 98-10 and 40 CFR 152.4	tand that it is nt with the re o enforceme . This notific made to the nake any fals	s a violation of 18 USC equirements of 40 CFR nt action and penalties ation is consistent with labeling or the confide se statement to EPA. I	Sec 1001 to willful §§ 156.10, 156.14 under sections 12 the provisions of F ntial statement of f further understand	ly make any false statement to 0. 156.144, 156.146, and 156.156, and 14 of FIFRA. PR Notice 98-10 and EPA formula of this product. I I that if this notification is not
penalties under sections 12 and 14	of FIFRA.	Saatii	on - III		^
1. Material This Product Will Be Pa	-line and law	Secu	on - m		······
Child-Resistant Packaging	Unit Packaging		Water Soluble Pac	kaging	2. Type of Container
Yes*	Yes		Yes	-	Metal
Νο	No No		No		Plastic
	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	
*Certification must					
be submitted 3. Location of Net Contents Informa	tion 4 Size(s) F	Retail Contai	ner	5 Location o	Other (Specify) f Label Directions
	ainer		lb., and 10 lb.	On Labe	
6. Manner in Which Label is Affixed		•	Other	·	
	⊠ Paper □ Stenci				ι
			on IV		
1. Contact Point (Complete items di	rectly below for identificatior	n of individua	al to be contacted, if neo		sthic application)
Name Bill Washburn	Titl	· .	ry Manager		Telephone [Jo. (include Area Code) < < < (5 901-432-5118
	Certificati			· · · · · · · · · · · · · · · · · · ·	6. Dete Application
I certify that the statements I have n acknowledge that any knowingly fal- under applicable law.	hade on this form and all att	achments th			Received
2. Signature					
Bier Washlum		Regulator	ry Manager		
4. Typed Name		5. Date	,,,,,		
Bill Washburn		01/28/09			

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete

•



January 28, 2009

00

Ms. Linda Arrington Document Processing Desk (NOTIF) Office of Pesticide Programs – 7504P U.S. Environmental Protection Agency One Potomac Yard, Room S-4900 2777 South Crystal Drive Arlington, VA 22202

Subject: METSULFURON 60EG TURF EPA Reg. No. 66330-308

Notification of Label Change per PR Notice 2007-4 and PR Notice 98-10

Dear Ms. Arrington:

Please find the following enclosed:

- Application for Pesticide Registration (Other) dated 01/28/09.
- One highlighted copy of subject label, showing all changes.
- One clean copy of the subject label.

Notification of label change per PR Notice 2007-4. This notification is consistent with guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140. 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if the amendment is not consistent with the requirements of 40 CFR §§ 156.10, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Also in this submission, we are using PR Notice 98-10 to update the name of the company, emergency telephone numbers and warranty. Arysta LifeScience North America Corporation was changed to Arysta LifeScience North America, LLC.

Please acknowledge acceptance of this notification by stamping the extra copy of this letter and server returning in the enclosed self-addressed stamped envelope. Should you have any questions or comments, please do not hesitate to contact me at 901-432-5118 or by e-mail at bill.washburn@arystalifescience.com

Sincerely,

je (exoshlenn

Bill Washburn Regulatory Manager

METSULFURON 60EG TURF

For control of Bahiagrass in Bermudagrass areas, broadleaf weeds, including rosette- and vining-type dicots, and annual and perennial weedy grasses

This Product Is Recommended For Use By Professional Turfgrass Managers

ACTIVE INGREDIENT:		
Metsulfuron Methyl		
Methyl 2-{{{(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-ar	nino}carbonyl}amino}sulfonyl}benzoate	60.0%
OTHER INGREDIENTS:		40.0%
	TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center or doctor.
	 Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER
EMERGENCY TELEPHONE NU	JMBERS: Have the product container or label with you when calling a poison control

EMERGENCY TELEPHONE NUMBERS: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE CALL: 1-866-303-6952

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300

NOTHFICATION

EPA Reg. No. 66330-308

FEB 2 1 2009

EPA Est. No. XXX-XX-XXX

ειές εειέ

AD 103105

NET CONTENTS:

Manufactured For: Arysta LifeScience North America, LLC 15401 Weston Parkway, Suite 150 Cary, NC 27513

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some of the materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category A on the EPA chemical-resistance category selection charts.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants.
- Shoes plus socks.

• Chemical-resistant gloves made of any waterproof material (such as polyethylene or polyvinylchloride). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

Users should:

USER SAFETY RECOMMENDATIONS

1. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

2. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff water may flow, during periods of intense rainfall or to saturated soils as off-target movement and injury may occur. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not apply this product through any type of irrigation system.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE EACH USE OF THIS PRODUCT. FOLLOW ALL LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the Agency responsible for pesticide regulation.



PR Notice 2007-4

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Workers Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Shoes and socks
- Chemical resistant gloves made of any waterproof material.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter treated areas without protective clothing until sprays have dried.

For use on Ornamental Turf, such as Lawns, Parks, Cemeteries, Golf Courses (Fairways, Aprons, Tees and Roughs) and on Sod Farms.

This product can be used for the control of the following perennial and annual weedy grasses: Bahiagrass, Foxtail and Ryegrass.

This product can be used for the control of the following broadleaf (dicot) weeds:

Annual sowthistle Dandelion Redroot pigweed Aster Dog fennel Redstem filaree Dollarweed Seedling dogfennel Bittercress False chamomile Shepherdspurse Blue mustard Brazil pusley Fiddleneck tarweed Sida (southern) Buckhorn Flixweed Smallseed flaxweed Field pennycress Bur buttercup Smooth pigweed Canada thistle Florida betony Spurweed Carolina geranium Florida puslev Tansv mustard Chicory Foxtail Treacle mustard Clover (sweet) Goldenrod Tumble mustard Clover (white) Ground ivy Virginia buttonweed Wild carrot Common chickweed Henbit Hoary cress (whitetop) Wild celery Common groundsel Wild garlic Common mullein Kochia Wild lettuce Common purslane Lambsquarters Wild mustard Common sunflower Lespedeza Common yarrow Miners lettuce Wild onion Conical catchfly Parsley-piert Wood sorrel (oxalis) Cow cockle Pennsylvania smartweed Creeping beggarweed Plantain Crown vetch Prickly lettuce Curly dock Prostrate knotweed Prostrate spurge Ragweed

This product should only be used on the following turf areas: Bermudagrass, Centipede, fine Fescue, Kentucky Bluegrass, St. Augustine grass and Zoysia grass.

3

PR Notice 2007

USE PRECAUTIONS

To diminish chlorosis of the turf, the lower recommended rates of application should be used.

To avoid turf injury, the application of this product should be avoided when turf is subject to stress from: Disease, drought, insects, high temperatures on cool season grasses (>85°F), low temperatures, or poor fertility.

Do not apply to turf less than 1 year old.

When Bahiagrass is the desired turf, use of this product should be avoided. This product will cause severe injury to Bahiagrass.

Following the final application of this product to the treatment area, do not plant ornamentals, such as trees and shrubs, for a minimum of one year or bedding plants for a minimum of two years.

IMPORTANT

To achieve maximum control, the use of a non-ionic surfactant of a minimum of 80% active ingredient at 0.25% by volume (1 quart per 100 gallons) is recommended. Please note, however, that use of surfactants may cause a temporary increase in chlorosis of the treated turf.

A one-week interval should be observed between treatments of this product or any other products which contain pesticides. If necessary due to severe disease or insect pressure, immediate re-treatment may be made.

DO NOT USE THIS PRODUCT ON FOOD OR FEED CROPS.

Except as otherwise directed by this label, follow the following directions to minimize or avoid loss of or injury to desirable trees or other plants:

- 1. Do not apply Metsulfuron 60 EG Turf on or near desirable trees or other plants
- 2. Do not drain or flush equipment near or on desirable trees or plants.

3. Do not drain or flush equipment on areas where desirable trees or other plants' roots may extend or in locations where the chemical may be washed or moved into contact with their roots.

A period of eight weeks should be observed between last application and overseeding.

Do not apply to any body of water including streams, irrigation water, or wells. Crop damage can occur when treating areas where runoff water flows onto agricultural land.

AVOIDING SPRAY DRIFT AT THE APPLICATION SITE IS THE RESPONSIBILITY OF THE APPLICATOR. Do not allow spray drift onto adjacent crops or other desirable plants or trees as injury may occur.

The interaction of many equipment-and-weather-related factors determines the potential for spray drift. The applicator is responsible for considering all these factors when making decisions.

Follow these practices to minimize drift:

- To avoid spray drift, do not apply under windy conditions. Wind speeds of more than 10 mph will heighten drift
 potential. Special care must be taken when sensitive plants are downwind. Application during gusty wind
 conditions must be avoided.
- Special care must be taken to avoid spray drift when sensitive plants are adjacent to the treatment area. The
 potential for spray drift is heightened during weather conditions of high temperatures, drought and low relative
 humidity.

• The most effective way to reduce drift potential is to apply large droplets.

• Recommended Spray Pressure: 35 PSI or less.

ιετις ι ειτι

PR Notice 2007-4

USE DIRECTIONS

For the following weeds, spray volumes of 20-80 gallons per acre and pressures of 25 to 35 psi at the following rates of product are recommended:

Apply 0.125 to 0.25 oz. Product/Acre Ryegrass (greens)

Apply 0.25 to 0.33 oz. Product/Acre Bittercress Blue mustard Bur buttercup Chickweed Chicory

Clover (white)

Apply 0.33 to 0.5 oz. Product/Acre Annual sowthistle Aster Carolina geranium Clover (sweet) Common yarrow Crown vetch Florida betony Ground ivy (Spring*) Henbit Lambsquarters

Apply 0.25 to 0.75 oz. Product/Acre Bahiagrass*

Apply 0.5 to 1 oz. Product/Acre Brazil pusley Buckhorn plantain Canada thistle** Curly dock Common groundsel Common purslane Creeping beggarweed Dandelion Field pennycress Ground ivy (Fall) Parsley-piert Prostrate spurge

Lespedeza Miners lettuce Plantain Prickly lettuce Ragweed Redroot pigweed Ryegrass (fairways) Seedling dogfennel Shepherdspurse Smooth pigweed

Common sunflower-

Hoarycress (whitetop)

Crabgrass

Dogfennel -

Dollarweed*

Foxtail

Florida pusley

Redstem, filaree Spurweed Wild carrot

Smallseed falseflax Tansy mustard Treacle mustard Tumble mustard Wild celery Wild garlic Wild lettuce Wild onion Woodsorrel (oxalis)

Kochia Pennsylvania smartweed Plantain Prostrate knotweed Sida (southern) Virginia buttonweed*** Wild mustard

....

* It may be necessary to make a second application in 4-6 weeks.

** Primary visible results of suppression include a noticeable decrease in competition as compared against an untreated area.

*** This product gives effective control of seedling Virginia buttonweed. Application to more mature plants will result in suppression only. It may be necessary to make a second application in 4-6 weeks.

MIXING INSTRUCTIONS

- 1. The tank should be ½ full of water.
- 2. Then add the required amount of METSULFURON 60EG TURF. Continuously agitate while adding, using mechanical or bypass agitation.
- 3. Add any adjuvants or other herbicides, while continuing to agitate. Do not add adjuvants or other herbicides prior to METSULFURON 60EG TURF.
- 4. Keep agitating and filling tank with water.
- 5. Be aware that the mixture will settle in the event it is not continuously agitated. The mixture must be completely agitated a second time prior to use if settling occurs.
- 6. While stable in alkaline mixtures, this product may degrade within twenty-four hours if in an acidic mixture.

Compatibility tests of tank mixtures should always be run prior to mixing of this product with other régistered herbicides. It is unnecessary to separately premix or pre-slurry this product with water before adding it to the spray

5

. . .

.

tank. Observe all tank-mix partner product label directions for use, recommendations, prohibitions and tank mixing compatibility instructions.

APPLICATION RECOMMENDATIONS

Kentucky Bluegrass and Fine Fescue: For effective weed control, make applications of 0.25-0.5 oz./A of this product. Within any nine-month period, use a maximum of 0.5 oz./A of this product.

St. Augustine grass, Bermudagrass and Zoysiagrass (Meyers and Emerald): For effective weed control, make applications of 0.25-1.0 oz./A of this product. Application of this product may cause some stunting or chlorosis of turfgrass.

Bahiagrass Control: For selective control of Bahiagrass in Bermudagrass turf, make applications of 0.25-0.75 oz./A of this product. For effective control of Argentine, Common and Paraguayan Bahiagrass, use the higher recommended rates. It may be necessary to make a second application in 4-6 weeks. Application of this product may cause some stunting or chlorosis of Bermudagrass.

Centipede grass: For effective weed control, make applications of 0.25-0.5 oz./A of this product. Application of this product may cause some stunting or chlorosis of turfgrass.

RECOMMENDED SPRAYER CLEANUP

Immediately after spraying thoroughly remove all traces of METSULFURON 60EG TURF from mixing and spray equipment as follows:

- 1. Drain tank, rinse interior surface of tank, then flush tank, boom and hoses with clean water for a minimum of 5 minutes.
- 2. Fill the tank with clean water, and then add an ammonia cleaning solution. Use one-gallon ammonia (containing 3% active) per 100 gallons of water. Turn on sprayer long enough to flush through boom, hoses and nozzles. Stop spraying, but keep agitator working in the tank for 15 minutes, then drain.
- 3. Repeat Step 2.
- 4. Repeat Step 1.
- 5. Nozzles and screens should then be removed and cleaned separately. To remove traces of cleaning solution, rinse the tank thoroughly with clean water and flush through hoses and boom.
- 6. Flush boom and hoses with clean water for 5 minutes just prior to using the sprayer for the first time after the METSULFURON 60EG TURF application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry, and secure place in its original container only. Store separately from water, other pesticides, fertilizer, food or feed to avoid contamination.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, by incineration, or by burning, if allowed by State and local authorities. If burned, stay out of smoke.

.....

Warranty and Disclaimer Statement

The directions for use of this product are believed to be adequate and must be tollowed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Such risks may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Arysta LifeScience North America, LC ("Arysta"), and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.



Arysta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. This warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to Arysta, and is subject to the inherent risks described above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA, MANUFACTURER, AND SELLER DISCLAIM AND SHALL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE. HANDLING, APPLICATION. STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE USER AND BUYER WAIVE ANY RIGHT THAT THEY MAY HAVE TO NO AGENT, REPRESENTATIVE OR EMPLOYEE OF ARYSTA IS SUCH DAMAGES. AUTHORIZED TO MAKE ANY WARRANTY, GUARANTEE OR REPRESENTATION BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF ARYSTA, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT ARYSTA'S ELECTION. THE REPLACEMENT OF THE PRODUCT.

NOTHFICATION

FEB 2 1 2009

7

METSULFURON 60EG TURF

This Product Is Recommended For Use By Professional Turfgrass Managers

ACTIVE INGREDIENT:

Metsulfuron Methyl

Methyl 2-{{{(4-methoxy-6-methyl-1,3,5-triazin-2-yl)

-amino}carbonyl}amino}sulfonyl}benzoate	60.0%
OTHER INGREDIENTS:	40.0%
	10.010
	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

CAUTION		
FIRST AID		
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment	
	advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by the poison control	
	center or doctor.	
	Do not give anything by mouth to an unconscious person.	
HOT LINE NUMBER		
EMERGENCY TELEP	PHONE NUMBERS: Have the product container or label with you when	
calling a poison control center or doctor, or going for treatment.		
FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE CALL: 1-866-303-6952		
FOR CHEMICAL EM 800-424-9300	ERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff water may flow, during periods of intense rainfall or to saturated soils as off-target movement and injury may occur Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not apply this product through any type of irrigation system.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE EACH USE OF THIS PRODUCT. FOLLOW ALL LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry, and secure place in its original container only. Store separately from water, other pesticides, fertilizer, food or feed to avoid contamination.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, by incineration, or by burning, if allowed by State and local authorities. If burned, stay out of smoke.

EPA Reg. No. 66330-308	Manufactured For:
EPA Est. No. XXX-XX-XXX	Arysta LifeScience North America, LLC
AD 103105	15401 Weston Parkway, Suite 150
NET CONTENTS:	Cary, NC 27513

BASE LABEL

NOTHFICATION FEB 2 1 2009