

66330-358

6/3/2009

1 of 14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Bill Washburn  
Arysta LifeScience North America, LLC  
15401 Weston Parkway, Suite 150  
Cary, NC 27513

JUN 03 2009

Subject: Notification of Label Change per PR Notice 98-10  
Acephate 75 SP Homeowner  
EPA Registration No. 66330-358

Dear Mr. Washburn:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 14, 2009 for the product Acephate 75 SP Homeowner. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have) been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-5967.

Sincerely,

A handwritten signature in cursive script that reads "Jennifer L. Gaines". The signature is written in black ink and is positioned above the printed name and title.

Jennifer Gaines  
Wildlife Biologist  
Insecticide-Rodenticide Branch  
Registration Division (7505P)  
Office of Pesticide Programs



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

2 of 14

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Bill Washburn  
Arysta LifeScience North America, LLC  
15401 Weston Parkway, Suite 150  
Cary, NC 27513

JUN 03 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Mr. Washburn:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated May 14, 2009 for:

<b>EPA Registration No. 66330-354</b>	<b>Acephate 75 SP</b>
<b>EPA Registration No. 66330-358</b>	<b>Acephate 75 SP Homeowner</b>
<b>EPA Registration No. 66330-359</b>	<b>Acephate 80S Seed Treater</b>
<b>EPA Registration No. 66330-360</b>	<b>Acephate 97 EG</b>

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-5967.

Sincerely,

A handwritten signature in cursive script that reads "Jennifer L. Gaines".

Jennifer Gaines  
Wildlife Biologist  
Insecticide-Rodenticide Branch  
Registration Division (7505P)  
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved,OMB No. 2070-0060, Approval expires 05-31-98



**EPA**

United States  
Environmental Protection Agency  
Washington, DC 20460

☐ Registration  
☐ Amendment  
☒ Other:

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number <b>66330-358</b>	2. EPA Product Manager <b>Venus Eagle</b>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Acephate 75 SP Homeowner</b>	PM# <b>1</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>Arysta LifeScience North America, LLC 15401 Weston Parkway, Suite 150 Cary, NC 27513</b>  <input type="checkbox"/> Check if this is a new address	6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: <b>NOTIFICATION</b> EPA Reg. No. _____ Product Name _____ <b>JUN 03 2009</b>	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)

**Notification of label change per PR Notice 2007-4.** This notification is consistent with guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if the amendment is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Notification of label change per PR Notice 98-10.** This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt.      No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt.      No. per container	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
--	--	--	---

**\*Certification must be submitted**

3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container <b>1.0 gal., 2.5 gal, 5.0 gal</b>	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Other _____ <input type="checkbox"/> Stenciled		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name <b>Bill Washburn</b>	Title <b>Regulatory Manager</b>	Telephone No. (Include Area Code) <b>901-432-5118</b>
------------------------------	------------------------------------	--

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both, under applicable law.

2. Signature <i>Bill Washburn</i>	3. Title <b>Regulatory Manager</b>	6. Date Application Received <b>(Stamped)</b>
4. Typed Name <b>Bill Washburn</b>	5. Date <b>14 May 2009</b>	



May 14, 2009

Ms. Venus Eagle  
Product Management Team (1)  
Insecticide Branch (7505P)  
Registration Division  
Office of Pesticide Programs  
Document Processing Desk (NOTIF)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 S. Crystal Drive  
Arlington, VA 22202

**Subject:** *Acephate 75 SP Homeowner  
EPA Reg. No. 66330-358*

**Notification of Label Change per PR Notice 2007-4 and PR Notice 98-10**

Dear Ms. Eagle:

Please find the following enclosed:

- Application for Pesticide Registration (Other) dated 05/14/09.
- One highlighted copy of subject label, showing all changes.
- One clean copy of the subject label.

Notification of label change per PR Notice 2007-4. This notification is consistent with guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if the amendment is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Also in this submission, we are using PR Notice 98-10 to update the name of the company, emergency telephone numbers and warranty. Arysta LifeScience North America Corporation was changed to Arysta LifeScience North America, LLC.

Should you have any questions or comments, please do not hesitate to contact me at 901-432-5118 or by e-mail at [bill.washburn@arystalifescience.com](mailto:bill.washburn@arystalifescience.com)

Sincerely,

Bill Washburn

**Bill Washburn**  
**Regulatory Manager**

Arysta LifeScience North America, LLC  
15401 Weston Parkway, Suite 150, Cary, NC 27513 Phone 919-678-4900 Fax 919-678-2194  
[www.arystalifescience.com](http://www.arystalifescience.com)

# NOTIFICATION

JUN 03 2009

PR Notice 2007-4

## ACEPHATE 75SP HOMEOWNER Low Odor

**CONTROLS:** Aphids, Armyworms, Bagworms, Budworms, Cankerworms, Cuban Laurel Thrips, Flower Thrips, Gypsy Moth, Lace Bugs, Leaf Beetles, Leafhoppers, Leaf Miners, Leafrollers, Leaf Tiers, Loopers, Mealybugs, Pine Tip Moth, Sawflies, Spittlebugs, Scale (crawlers), Spider Mites, Tent Caterpillars, Webworms, Whitefly, and other listed leaf eating caterpillars and worms.

**FOR USE ON:** Ornamentals, Trees, Shrubs and Flowers around the home.

For Outdoor Home Use Only  
Kills Imported Fire Ants Effectively  
Ready-to-use for Dry Treatment of Individual Fire Ant Mounds  
For use on Recreational Areas  
Around the Home for Control of Fire Ants

### ACTIVE INGREDIENT:

By Wt.

Acephate (O,S-dimethyl acetylphosphoramidothioate)	75%
OTHER INGREDIENTS	25%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See [Side] [Back] Panel For Additional Precautions

FIRST AID	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

PR Notice 2007-4

	Call a poison control center or doctor for treatment advice.
<b>IF ON SKIN OR CLOTHING:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
<b>IF INHALED:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
<b>NOTE TO PHYSICIAN</b> Acephate is a cholinesterase inhibitor. Atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine but should not be used alone.	
<b>EMERGENCY TELEPHONE NUMBERS:</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24 HOUR EMERGENCY MEDICAL ASSISTANCE CALL: 1-866-303-6952 FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300	

EPA Reg. No. 66330-358  
AD 121205

EPA Est. No. 51036-GA-1

Manufactured For:  
ARYSTA LIFESCIENCE NORTH AMERICA, LLC  
15401 Weston Parkway Suite 150  
Cary, NC 27513

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS**  
**CAUTION**

Harmful if swallowed. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse. When handling this product, wear chemical resistant gloves, long pants, and long sleeved shirt. When using outdoors, spray with the wind to your back and do not use when wind speeds are 10 mph or more. Wash the outside of the gloves with soap and water before removing. Do not allow people or pets to come into contact with treated surfaces until sprays have dried or until dusts have settled.

REGISTRATION/AMENDMENTS/ACEPHATE 75 HO (252-012802) First Aid update Submitted 9-29-05 jb  
EPA APPROVED ON 12-12-05 EPA RED revisions 122106 Clean Rev 060309 AD091007

**ENVIRONMENTAL HAZARDS**

This product is toxic to birds. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

ACEPHATE 75SP HOMEOWNER effectively controls many of the insects that attack trees, shrubs and flowers around the home. ACEPHATE 75SP HOMEOWNER controls insects on contact and is systemically absorbed by plants.

**DIRECTIONS**

**NOT FOR INDOOR RESIDENTIAL USE. DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT PEOPLE OR PETS.**

**NOT FOR USE ON HOME LAWNS (except for Fire Ant mound and Spot treatment).**

Mix thoroughly and spray entire plant covering both sides of foliage thoroughly. For specific directions refer to table below. May be applied with a teaspoon measure for dry powder or a sprinkling can as a drench for treating fire ant mounds.

**COMBINATION SPRAY WITH FUNGICIDE OR FERTILIZER ON ROSES**

ACEPHATE 75SP HOMEOWNER may be used together with triforine or captan or 8-12-4 rose fertilizers at the rates recommended on each product label. Apply fungicides on a regular schedule for disease control; add ACEPHATE 75SP HOMEOWNER only when necessary for insect control. Do not apply more than two consecutive applications of ACEPHATE 75SP HOMEOWNER in combination with any of the above fungicides.

Rate to apply: Apply 1 1/2 level Tablespoonfuls (or 9 grams) to 3 gallons water. Spray as aphids appear. Repeat if reinfestation occurs.

PR Notice 2007-4

PESTS	PLANTS
Aphids	Rose, Aster, Azalea, Calendula, Carnation, Chrysanthemum, Impatiens, Pansy, Snapdragon, Boxwood, Euonymus, Hibiscus, Pyracantha, Spirea, Arborvitae, Ash, Beech, Birch, Flowering Plum, Flowering Quince, Linden, Oak, Ornamental Pear, Sycamore, Viburnum, Willow, Flowering Almond, Fir, Ivy, Photinia, Maple, Periwinkle, Pittosporum

Rate to Apply: Apply 1 1/2 level Tablespoonfuls (or 9 grams) to 2 gallons water. Spray when insects are present or feeding injury is first noticed. Repeat if reinfestation occurs.

PESTS	PLANTS
Armyworms (Southern, Fall, Beet, Yellow-striped)	Crepemyrtle, Chinese Elm, Aster, Calendula, Rose, Petunia, Dahlia, Snapdragon
Bagworm	Arborvitae, Cedar, Juniper, Cypress, Pine, Maple, Sycamore, Locust, Boxelder, Linden, Willow
Budworms (Tobacco and Calendula)	Geranium, Ageratum, Snapdragon, Calendula
Cankerworms (Spring Calendula)	Maple, Oak, Linden, Birch, Hickory, Beech, Hawthorn, Cockspur Thorn, Silver Maple
Cuban Laurel Thrips	Cuban Laurel (Ficus)
Fall Webworm	Ash, Alder, Boxelder, Birch, Hickory, Linden, Poplar, Sycamore, Oak, Willow, Eastern Redbud
Gladiolus Thrips	Gladiolus
Gypsy Moth	Birch, Hawthorn, Oak, Poplar, Willow, Black Gum, Hickory, Maple, Sassafras, Hemlock, Cedar, Spruce, Pine
Honeylocust Pod Gall Midge	Honeylocust
Lace Bugs	Azalea, Pyracantha, Sycamore, Zinnia, Oak, Ash



PR Notice 2007-4

Leafhopper (Potato)	Calendula, Dahlia
Leafbeetles (Elm, Willow)	Elm (Chinese or Siberian), Willow
Leafminers	Birch, Holly, Locust, Columbine, Spruce, Alder, Oak, Yaupon, Zinnia
Leafrollers (Oblique-banded and Omnivorous)	Sycamore, Oak, Sweet Gum, Hickory, Boxelder, Locust, Holly, Staghorn Sumac, Flowering Cherry, Rose, Begonia, Oleander, Carnation
Leaftiers (Cherry Laurel, Sycamore and Sweet Gum)	Cherry Laurel, Sycamore, Sweet Gum
Loopers (Barberry, Omnivorous, Cabbage)	Mahonia, Gerbera, Chrysanthemum, Kalanchoe, Petunias, Ornamental Cabbage
Maple Shoot Moth	Maple
Mimosa Webworm	Mimosa, Honeylocust
Nantucket Pine Tip Moth	Pine
Obscure Root Weevil (Adults)	Rhododendrons, Azaleas, Viburnum, Roses Special Directions: Apply full coverage spray to the foliage in late spring, as soon as feeding damage is noticed (usually about May). Repeat every 4 weeks through September, (Mid-July through August are the peak feeding times.)
Plant Bug (Ash)	Ash
Planthopper (Viburnum)	Viburnum
Psyllids	Yaupon, Holly, Hackberry, Acacia, Laurel, Willow
Sawflies (Dusky Birch, Brownheaded Ash, Willow, Redheaded Pine, Pine, European Pine, Nesting Pine, Rose Stem)	Birch, Ash, Willow, Poplar, Pine, Rose

PR Notice 2007-4

Spittlebug	Rose, Chrysanthemum, Juniper, Euryops
Tent Caterpillars (Eastern, Western and Forest)	Maple, Oak, Poplar, Ash, Birch, Hawthorn, Flowering Cherry, Black Cherry, Willow, Choke Cherry, Black Gum, Alder
Tentmaker (Poplar)	Poplar, Willow
Tussock Moth	Pine, Holly, Fir, Hickory, Maple, Beech, Ash, Birch, Poplar, Willow, Boxelder, Wild Cherry, Oak, Elm (Chinese or Siberian), Sycamore
Catalpa Sphinx Moth	Catalpa
Cypress Tip Moth	Juniper, Cypress
Juvenile Dusky Wing Moth	Oak
Pine Tube Moth	Pine
Saddled Prominent	Rose, Beech, Maple, Oak, Poplar, Spirea
Sunflower Moth	Marigolds
Ash Hornworm	Ash
Rosy Maple Moth	Maple
Oleander Caterpillar	Oleander
Yellownecked Caterpillar	Oak, Birch, Pyracantha, Beech, Hickory, Linden
Walnut Caterpillar	Hickory, Beech, Honeylocust, Sumac, Willow
Spiny Elm Caterpillar	Elm (Chinese), Poplar, Willow
Variable Oak Leaf Caterpillar	Oak, Birch, Hawthorn
Oak Webworm	Oak
Orangestriped Oakworm	Oak
Casebearers	Slippery Elm, Sycamore
California Oakworm	Oak

PR Notice 2007-4

Redhumped Caterpillar	Birch, Flowering Plum, Locust, Poplar, Sweet Gum, Willow
Rose Midge	Rose

When to Use: Apply 1 1/2 Tablespoonfuls (or 9 grams) per 2 gallons water. Spray 2 to 3 times about 7 to 10 days apart to control the following hard-to-kill pests. Additional sprays may be needed if plants become re-infested.

PESTS	PLANTS
Flower Thrips	Rose, Daisy, Carnation, Gladiolus, Chrysanthemum, Snapdragon, Daylily, Alyssum, Aster, Dianthus, Celosia, Ageroum, Vinca, Zinnia, Hollyhock, Gardenia, Salvia, Petunia, Marigold, Calendula, Oleander
Mealybugs	Gardenia, Coleus, Yew (Taxus), Dieffenbachia, Croton, Azalea, Poinsettia, Oleander, Begonia, Gardenia, Camellia, Chrysanthemum, Ivy, Orchid, Fern
Whitefly	Gardenia, Poinsettia, Lantana, Azalea, Ageratum, Fuchsia, Gaklardia, Salvia, Zinnia, Privet, Camellia, Viburnum

For the following hard-to-control pests, apply 1 1/2 Tablespoonfuls (or 9 grams) per 1 1/2 gallons water. Spray 2 to 3 times about 7 to 10 days apart. For best results apply at first sign of infestations. Additional sprays may be needed if plants become re-infested.

PESTS	PLANTS
Scale (crawlers) (Japanese Wax, Tea, Cottony Cushion, Pine Tortoise, Hemlock, Pine Needle, Black Hemispherical, Kuno)	Holly, Euonymus, Azalea, Camellia, Gardenia, Elm (Chinese), Bottlebrush, Dogwood, Chinese Holly, Orchid, Yaupon, Oak, Magnolia, Pine, Poinsettia, Rose, Willow, Boxwood, Chrysanthemum, Cypress, Hibiscus, Hackberry, Geranium, Sweet Gum, Hemlock, Fir, Croton, Palm, Shrimp Plant, Beech, Oleander, Laurel, Pyracantha
Twospotted Mites	Rose, Marigold, Daylily, Chrysanthemum, Dahlia, Phlox, Viburnum
Spider Mites	Holly, Yaupon, Pine, Juniper, Bottlebrush, Cypress, Arborvitae,

	Honeylocust, Fir, Hemlock, Spruce, Camellia, Azalea, Oak, Rose
--	---

For the following hard-to-control pest: Apply 1 1/2 Tablespoonfuls (or 9 grams) per 2 gallons water. Apply with suitable equipment. Thoroughly spray foliage and soil beneath plants. Begin applications in mid-June and make 3 more applications at 3-week intervals.

PEST	PLANTS
Black Vine Weevil	Azalea, Rhododendron, Yew (Taxus sp.)

PEST	PLANTS
Imported Fire Ant	For use Only as a Mound or Spot Treatment

Entire colonies are destroyed within 3 to 7 days. Treat new mounds as they appear.

WHEN TO APPLY - For best results, apply in the early morning or late afternoon when ants are active. Applications made during the hottest part of the day or during prolonged hot or dry conditions may be ineffective due to ants being deep within the nest. Treat mounds when soil temperatures are between 60° to 80°F because that is the time of greatest foraging activity of the ants. Try not to disturb mounds while treating. Do not apply during a heavy dew or just before a rain. Grass in treated area may be killed.

#### Individual Mound Treatment

Dry Treatment - Sprinkle 2 teaspoonfuls dry powder over each mound. DO NOT WATER IN.

Note: This method of treatment is usually preferred over the drench treatment (see below) because it does not disturb the mound. This is important because unaffected fire ants may relocate the mound to a new area nearby if mound is disturbed. One pound applied as a dry powder treats up to 108 medium size mounds.

Drench Treatment - Mix at the rate of 1 ounce in 5 gallons of water. Apply one gallon of mix to each mound area by sprinkling the mound until it is wet and treat a 4 foot diameter circle around the mound. One pound will treat approximately 80 medium-sized mounds (1 to 2 ft. in diameter).

PR Notice 2007-4

Red Harvester Ants (Red Ants) - Follow above directions for Individual Mound Treatment. Treat all mounds and repeat treatment if ants reappear.

Keep children and domestic animals off treated areas until these areas are completely dry or until the dust has settled.

NOTE: Apply this product only as specified on this label. Arysta does not advise application on American Elm, Flowering Crabapple, Sugar Maple and Cottonwood, as foliage injury may occur. Clean sprayer after use by flushing with water. Do not use household bleach as a cleaning agent.

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

**PESTICIDE DISPOSAL:** Nonrefillable Container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of bag in a sanitary landfill or by incineration, if allowed by state and local authorities.

**IF PARTLY FILLED:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### Warranty and Disclaimer Statement

The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Such risks may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Arysta LifeScience North America, LLC ("Arysta"), and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

Arysta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. This warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to Arysta, and is subject to the inherent risks described above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA, MANUFACTURER, AND SELLER DISCLAIM AND SHALL NOT BE LIABLE FOR**

PR Notice 2007-4

ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE USER AND BUYER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES. NO AGENT, REPRESENTATIVE OR EMPLOYEE OF ARYSTA IS AUTHORIZED TO MAKE ANY WARRANTY, GUARANTEE OR REPRESENTATION BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF ARYSTA, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT ARYSTA'S ELECTION, THE REPLACEMENT OF THE PRODUCT.