

66330-365

05/30/2012

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

MAY 30 2012

Rodney Akers
Regulatory Manager
Arysta LifeScience North America, LLC
15401 Weston Parkway, Suite 150
Cary, NC 27513

Subject: Supplemental Labeling to add control of Red Imported Fire Ants
Aloft GC SC Insecticide
EPA Reg. No. 66330-365
Submissions dated October 18, 2011

Dear Mr. Akers:

The proposed Supplemental labeling to add control of Red Imported Fire Ants for EPA Reg. No. 66330-365, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable.

A stamped copy is enclosed for your records. If you have any questions, please contact Marianne Lewis at (703) 308-8043 or lewis.marianne@epa.gov.


Regards,

A handwritten signature in black ink that reads "Venus Eagle". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Venus Eagle, PM 01
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

RESTRICTED USE PESTICIDE
Toxic to Fish and Aquatic Organisms
For retail sale to and use only by certified applicators, or persons under their direct supervision and only for those uses covered by certified applicator's certification.



SUPPLEMENTAL LABELING

This supplemental label expires on 05/24/15 and must not be used or distributed after this date.

ACCEPTED
5/30/12
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 66330-365

GROUP	4A	INSECTICIDE
GROUP	3	INSECTICIDE

ALOFT® GC SC
INSECTICIDE

Supplemental Label to Add Red Imported Fire Ants to the Directions for Use.

INGREDIENTS

By wt.

Active Ingredients:

Clothianidin*	24.70%
Bifenthrin**	12.30%
Other Ingredients	63.00%
Total	100.00%

* (E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine.
** 2-methylbiphenyl-3-ylmethyl (1RS,3RS)-3-[(Z)-2-chloro-3,3,3-trifluoroprop-1-enyl]-2,2-dimethylcyclopropanecarboxylate (cis isomers 97% minimum, trans isomers 3% maximum)
Contains 2.22 lb of Clothianidin and 1.10 lb of Bifenthrin per gallon

KEEP OUT OF REACH OF CHILDREN
WARNING AVISO


Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle
(If you do not understand the label, find someone to explain it to you in detail.)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using **ALOFT GC SC** as permitted according to this supplemental label, read and follow all applicable directions, restrictions, worker protection standard requirements, precautions and limitations on the EPA registered label affixed to the **ALOFT GC SC (EPA Reg. No. 66330-365) container.**

This supplemental label must be in the possession of the user at the time of application.

TURFGRASS AND LAWNS	
APPLICATION RATE	INSECT PEST
<u>Control</u> 0.46 fl oz per 1,000 sq ft (20 fl oz/A) <u>Suppression</u> 0.33 fl oz per 1,000 sq ft (14.4 fl oz/A)	Fire Ants, Red Imported*
<p>*Red Imported Fire Ants: For mound treatments: If the soil is not moist, irrigate before application or use a high volume application. Apply one teaspoon ALOFT GC SC per gallon of water (this is equivalent to 14.4 fl oz ALOFT GC SC per acre applied in 87 gallons of water) and apply 1 – 2 gallons of finished spray per mound. The solution should be applied in such a manner to allow the solution to move into the mound. Also treat a four foot diameter circle around the mound. Apply in early morning or late evening hours when most of the foraging workers are in the colony.</p> <p>For broadcast applications: For suppression, apply 14.4 fl oz Aloft GC SC in at least 20 gallons of water per acre. Water in after application. If irrigation or rainfall is not expected within 48 hours of application, apply at least 50 additional gallons of water per acre. For control, apply 20.0 fl oz Aloft GC SC in at least 20 gallons of water per acre. Water in after application. If irrigation or rainfall is not expected within 48 hours of application, apply at least 50 additional gallons of water per acre.</p>	
<p>RESTRICTIONS</p> <p>Do not apply more than a total of 23.3 fl oz of ALOFT GC SC (0.4 lb of clothianidin active ingredient, 0.2 lb bifenthrin) per acre per year.</p> <p>If the maximum season limit of ALOFT GC SC has been applied and pest populations require additional treatments, use another registered pesticide labeled for control of the targeted insects that does not contain clothianidin. You may use additional products containing bifenthrin as long as the maximum amount of bifenthrin does not exceed 0.4 lb active ingredient per acre per year.</p>	



Arysta LifeScience North America, LLC
15401 Weston Parkway, Suite 150
Cary, NC 27513

ALOFT is a trademark of Arysta LifeScience North America, LLC.
 Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation