

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460 EPA Reg. Number:

·B·

Date of Issuance:

66330-411

MAY 17 2012

Term of Issuance:

Name of Pesticide Product:

Clethodim 70% MUP Herbicide

NOTICE OF PESTICIDE:

x RegistrationReregistration(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Arysta LifeScience North America, LLC 15401 Weston Parkway, Suite 150

Cary, NC 27513

Note: Changes six labeling differing in substance from that accepted in connection with this registration imist be submitted to and accepted by frequencing the submitted for any accepted by the submitted for accepted by the submitted for

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
- 2. Submit within one year of the date of this registration notice, storage stability (830.6317) and corrosion characteristics (830.6320) studies.
- 3. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 66330-411", and include the Establishment Number."

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:


Kathryn V. Montague Product Manager 23

Herbicide Branch

Registration Division (7505P

Date

MAY 17 2012



ACCEPTED

MAY 17 2012

Under the Federal Insecticide, Fougletde, and Nodenticide Act, in accounted, for the posticide distanced under a posticide

Clethodim 70% MUP Herbicide

ACTIVE INGREDIENT:	By Wt.
*Clethodim	70%
OTHER INGREDIENTS:	30%
TOTAL:	100%
*(E)-2[1-[[(3-chloro-2-propenyl)oxy]imino]propyl]-5-[2(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-	
Contains petroleum distillates.	

KEEP OUT OF REACH OF CHILDREN

WARNING

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
lf on skin or	Take off contaminated clothing.
clothing:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If swallowed:	Immediately call a poison control center or doctor.
•	Do not induce vomiting unless told to do so by the poison control center or
	doctor.
	Do not give any liquid to the person.
	 Do not give anything by mouth to an unconscious person.
If in eyes:	 Hold eye open and rinse slowly and gently for 15-20 minutes.
	Remove contact lenses, if present, after the first five minutes, then continue
	rinsing eye.
	 Call a poison control center or doctor for treatment advice.
If inhaled:	Move person to fresh air
	If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably by mouth-to-mouth, if possible.
	 Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSI hazard.	CIAN: Contains petroleum distillate. Vomiting may cause an aspiration pneumonia
Have the product	container or label with you when calling a poison control center or doctor, or going for
treatment.	
	HOT LINE NUMBER
FOR 24-HOUR E	MERGENCY MEDICAL ASSISTANCE CALL:
	-866-303-6952 or 651-632-8946 if calling from outside of the U.S.
FOR CHEMICAL	EMERGENCY: Spill, leak, fire, exposure, or accident call:
C	CHEMTREC 1-800-424-9300

EPA Reg. No. 66330-URR

FPA FST No			
	A ECT	NI.	

Manufactured for Arysta LifeScience North America, LLC 15401 Weston Parkway, Suite 150 Cary, North Carolina 27513 NET CONTENTS:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

Causes skin irritation. Harmful if swallowed. Causes moderate eye irritation. Do not get on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Avoid contact with eyes.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves such as Barrier Laminate or Viton ≥ 14 mils
- · Shoes plus socks
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL AND PAMPHLET. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

THIS PRODUCT IS FOR USE IN FURTHER PREPARATION OF HERBICIDE PRODUCTS. DO NOT USE FOR ANY OTHER PURPOSES.

Products formulated with Clethodim 70% MUP Herbicide will require registration with the Environmental Protection Agency.

Only for Formulation into Herbicide Products for the Following Use(s):

TERRESTRIAL, FOOD USES:

Alfalfa, Artichoke (Globe), Asparagus, Canola, Clover, Corn (Field), Cotton, Cranberry, Beans (Dry), Beets (Sugar), Flax, Garlic, Hops, Lettuce (Leaf), Mint, Mustard Greens, Mustard Seed, Peach, Peanuts, Safflower, Sesame, Soybeans, Strawberry, Sunflower, Tomatoes,

Root vegetables Crop Group Subgroup 1B [Beets (Garden), Burdock (edible), Carrot, Celeriac, Chervil (Turnip-rooted), Chicory, Ginseng, Horseradish, Parsley (Turnip-rooted), Parsnip, Radish, Radish (Oriental), Rutabaga, Salsify, Salsify (Black and Spanish), Skirret, Turnip],

Root vegetables Crop Group Subgroup 1C [Arracacha, Arrowroot, Artichoke (Chinese and Jerusalem), Canna (Edible), Cassava (Bitter and Sweet), Chayote (Root), Chufa, Dasheen, Ginger, Leren, Potato, Sweet Potato, Tainer, Tumeric, Turnip, Yam (Bean and True)],

<u>Leaves of Root and Tuber Vegetables Crop Group 2</u> [Beet (Garden and Sugar), Burdock (edible), Carrot, Cassava (Bitter and Sweet), Celeriac, Chervil (Turnip-rooted), Chicory, Dasheen (Taro), Parsnip, Radish, Radish (Oriental), Rutabaga, Salsify (Black), Sweet Potato, Tanier (Cocovam), Turnip, Yam (True)],

<u>Bulb Vegetables Crop Group 3</u> [Garlic (Bulb and Great head (Elephant)), Leek, Onion (Dry Bulb and Green, Welsh), and Shallot],

<u>Leafy Greens Crop Group Subgroup 4A</u> [Amaranth, Arugula, Chervil, Chrysanthemum (Edible leaved and Garland), Corn Salad, Cress (Garden and Upland), Dandelion, Dock, Endive, Lettuce, Orach, Parsley, Purslane (Garden and Winter), Radicchio (Red Chicory), Spinach (New Zealand and Vine)],

<u>Leafy Petioles Crop Group Subgroup 4B</u> [Cardoon, Celery, Celery (Chinese), Celtuce, Fennel (Florence), Rhubarb, Swiss Chard],

<u>Head and Stem Brassica Crop Group Subgroup 5A</u> [Broccoli, Broccoli (Chinese), Brussels Sprouts, Cabbage, Cabbage (Chinese (napa) and Chinese Mustard), Cauliflower, Cavalo Broccolo, Kohlrabil,

<u>Leafy Brassica Greens Crop Group Subgroup 5B</u> [Broccoli Raab, Cabbage (Bok Choy), Collards, Kale, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens],

Legume Vegetables Crop Group 6 (except soybeans) [Bean (Lupinus spp.) (includes grain lupin, sweet lupin, white lupin, and white sweet lupin), Bean (Phaseolus spp.) (includes field bean, kidney bean, lima bean, navy bean, pinto bean, runner bean, snap bean, tepary bean, wax bean), Bean (Vigna spp.) (includes adzuki bean, asparagus bean, blackeyed pea, catjang, Chinese longbean, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, yardlong bean), Broad bean (fava bean) (Vicia faba), Chickpea (garbanzo bean) (Cicer arietinum), Guar (Cyamopsis tetragonoloba), Jackbean (Canavalia ensiformis), Lablab bean (hyacinth bean) (Lablab purpureus), Lentil (Lens esculenta), Pea (Pisum spp.) (includes dwarf pea, edible-pod pea, English pea, field pea, garden pea, green pea, snow pea, sugar snap pea), Pigeon pea (Cajanus cajan), and Sword bean (Canavalia gladiata)],

<u>Fruiting Vegetables (Except Cucurbits) Crop Group 8</u> [Eggplant, Groundcherry, Pepino, Pepper including bell pepper, chili pepper, cooking pepper, pimento and sweet pepper, Tomatillo, and Tomato],

Cucurbit Vegetables Crop Group Melon Subgroup 9A [Citron Melon, Muskmelon, and Watermelon]

<u>Cucurbit Vegetable Crop Group Squash/Cucumber Subgroup 9B</u> [Chayote (fruit), Chinese Waxgourd, Cucumber, Gherkin, Gourd (Edible), *Momordica* spp., Pumpkin, Squash (Summer and Winter)],

Berry and Small Fruit Crop Group Caneberry Subgroup 13-07A [Blackberry, Loganberry, raspberry (Red and Black), Wild Raspberry, cultivars, varieties and/or hybrids of these],

Berry and Small Fruit Crop Group Bushberry Subgroup 13-07B [Aronia Berry, Blueberry (Highbush and Lowbush), Buffalo Currant, Chilean Guava, Currant (Black and Red), Elderberry, European Barberry, Gooseberry, Cranberry (Highbush), Honeysuckle (Edible), Huckleberry, Jostaberry, Juneberry, Lingonberry, Native Currant, Salal, Sea Buckthorn, Cultivars, varieties and/or hybrids of these],

Herbs and Spice Crop Group, Herbs Subgroup 19A [Angelica, Balm, Basil, Borage, Burnet, Camomile, Catnip, Chervil (Dried), Chive, Chive (Chinese and Clary), Coriander (Leaf), Costmary, Culantro (Leaf), Dillweed, Horehound, Hyssop, Lavender, Lemongrass, Lovage (Leaf), Marigold, Marjoram (Origanum spp.), Nasturtium, Parsley (Dried), Pennyroyal, Rosemary, Rue, Sage, Savory (Summer and Winter), Sweet Bay, Tansy, Tarragon, Thyme, Wintergreen, Woodruff, and Wormwood].

TERRESTRIAL, GREENHOUSE, SHADEHOUSES, LATHHOUSES, AND OUTDOORS, NON-FOOD USES: Christmas Trees, Conifer Trees, Fallow Land (and other non-producing agricultural areas), Non-Bearing Food Crops, Non-Crop or Non-Planted Areas, and Ornamentals.

Uses for which US EPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and Uses for experimental purposes that are in compliance with US EPA requirements.

STORAGE AND DISPOSAL

Do not contaminate water, feed or food by storage and disposal.

PESTICIDE STORAGE:

Store product in original container only. Store in a cool, dry place.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Containers equal to or less than 5 gallons: Nonrefillable container.

Do not reuse or refill this container. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Containers greater than 5 gallons: Nonrefillable container.

Do not reuse or refill this container. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or incineration, or by other procedures approved by state and local authorities.

REFILLABLE CONTAINERS: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into manufacturing equipment. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into manufacturing equipment. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Warranty and Disclaimer Statement

The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Such risks may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Arysta LifeScience North America, LLC ("Arysta"), and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. All such risks shall be assumed by the user or buyer.

Arysta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. This warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to Arysta, and is subject to the inherent risks described above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA, MANUFACTURER, AND SELLER DISCLAIM AND SHALL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE USER AND BUYER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES. NO AGENT, REPRESENTATIVE OR EMPLOYEE OF ARYSTA IS AUTHORIZED TO MAKE ANY WARRANTY, GUARANTEE OR REPRESENTATION BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF ARYSTA, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT ARYSTA'S ELECTION, THE REPLACEMENT OF THE PRODUCT.

CLETHODIM 70% MUP Herbicide (PENDING) 05/13/12