

66352-1

5481287 $\frac{300}{18}$

FEB - 8 1995

Garlic Research Labs
3550 Wilshire Blvd. #200
Los Angeles, CA 90010

Attention: Mr. Bill Brock

Subject: Garlic Barrier
✓ EPA File Symbol 66352-1
Your letter of November 14, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the revisions specified below you print the final labeling for this product.

1. On the Front Panel, rewrite the CAUTION statement to read:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN
CAUTION

Avoid contact with eyes.

If in eyes: Flush with plenty of water.

PERSONAL PROTECTIVE WORK CLOTHING:

Applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks.

2. Revised your Ingredient Statement as follows:

Active Ingredient:

Garlic Juice 10.0%

Inert Ingredients: 90.0%
100.0%

3. Add the following Worker Protection Standard (WPS) language after the misuse statement at the beginning of use directions:

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI).

Do not enter or allow workers entry into treated areas during the REI of 12 hours. PPE and work clothing required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, waterproof gloves, and shoes plus socks.

For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

Submit a revised Confidential Statement of Formula (CSF) to reflect your revised ingredient statement.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

- Enclosures: 1. Stamped label
2. A-79 Enclosure

Peacock WP#5:A:66352-1:305-5407,-6600:2/8/95

BEST AVAILABLE COPY

SHAKE & WELL

MIXING DIRECTIONS

Thoroughly mix one part of Garlic Barrier to 10 parts of water for one minute.

APPLICATION DIRECTIONS

TIMING: For vegetables, spray several days before blooming. DO NOT apply just prior to or during pollination as Garlic Barrier repels bees and, therefore, adversely affects pollination.

METHODS OF APPLICATION: Garlic Barrier may be applied by air or ground equipment.

RATE OF APPLICATION: Set equipment to apply diluted spray to the point of runoff, or about one gallon per acre.

MAXIMUM NUMBER OF APPLICATIONS: Two applications per season.

AFTER TASTE: Garlic Barrier will leave no "After Taste".

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: Rinse thoroughly. Offer for recycling.



7 52601 00033 9

ACTIVE INGREDIENTS: 100% GARLIC WATER

GARLIC BARRIER

INSECT REPELLENT

Keeps insects from getting on plants and trees
Applied product becomes odorless in minutes

CAUTION: KEEP OUT OF REACH OF CHILDREN
HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Avoid contact with eyes. If in the eyes flush with plenty of water.

PERSONAL PROTECTIVE WORK CLOTHING: Applicators and handlers must wear long sleeved shirt, long pants, socks, shoes

NET WEIGHT PER GALLON: 8.25 lbs / 3.7854 L

SHA

DIRECTIONS

It is a violation in a manner inc

USE RESTRICT

Garlic Barrier Sites and Pests

SITES: TERRE

FRUIT TREES -

NUT TREES - A

CITRUS TREES

VEGETABLES -

Carrots, Corn, L

Potatoes, Pump

VINE CROPS -

PESTS: Aris, A

Loopers, Leafro

Thrips, Whitefl

EPA Registrati

EPA EST No. 55

Manufactured

Garlic Research

3550 Wilshire B

Los Angeles, Ca

Made in USA

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the purpose of registered products

6652-1
EPA Reg. No. 55-1000-01
EPA EST. No. 55-1000-01

ACCEPTED
with COMMENTS
EPA Letter Date
EB - 8 1995