

FRONT PANEL (66352-1, Page 1 of 5)

Garlic Barrier Insect Repellent

Active Ingredient:

Garlic Juice 10.0%

Inert Ingredients: 90.0%
100.0%

[Contains (insert number) lbs Garlic Juice per
Gallon]

Keeps insects from getting on plants and trees.
Applied product becomes odorless in minutes.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN

CAUTION

Avoid contact with eyes.
If in eyes: Flush with plenty of water.

PERSONAL PROTECTIVE WORK CLOTHING:

Applicators and other handlers must wear: Long-
sleeved shirt and long pants, shoes plus socks.


Manufactured by:

Garlic Research Labs
3550 Wilshire Blvd. #200
Los Angeles, CA 90010

EPA Reg. No. 66352-1
EPA Est. No. 66352-CA-01

Net Weight:

Notice: Distributor and Manufacturer disclaim all crop liability
for product users (farmers, etc.) when product is used in a
manner inconsistent with labeling.



14

LEFT PANEL (66352-1, Page 2 of 5)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI).

Do not enter or allow workers entry into treated areas during the REI of 12 hours. PPE and work clothing required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, waterproof gloves, and shoes plus socks.

For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

USE RESTRICTIONS:

Garlic Barrier is registered for the following sites and pests:

Pome Fruit Trees (Apples, Pears, Crabapples, Mayhaws, and Quince):
For Repelling Codling Moths, Appleworms, Maggots, Curculios,
Aphids, Leafrollers, Leafminers, Leafhoppers, Plantbugs,
Casebearers, Psylla, Mealy Bugs, Sawflies, Mites, and Scale.

Stone Fruit Trees (Apricots, Sweet and Sour Cherries, Nectarines,
Peaches, and Plums): For repelling Fruit Flies, Fruit Moths,
Leafminers, Aphids, Borers, Beetles, and Mites.

Nut Trees (Almonds, Beech Nut, Brazil Nuts, Butternut, Chestnuts,
Chinquapin, Filberts, Hickory Nuts, Macadamia Nuts, Pecans, and
Walnuts): For Repelling Aphids, Mites, Weevils, Gall Wasps,
Spittlebugs, Curculios, Webworms, Borers, Shuckworms, Leafminers,
Beetles, Scale, Carpenterworms, Catocalas, Casebearers, Bud Moths,
Phylloxera, Sawflies, Plant Bugs, Twig Girdlers, and Walnut
Caterpillars.

Citrus (Oranges, Grapefruits, Lemons, Limes, Calamondin, Tangelos,
Kumquats, and Tangerines): For Repelling Aphids, Cutworms, Thrips,
Leafrollers, Mites, Scale, and Whiteflies.

Small Fruits and Berries (Grapes, Blueberries, Raspberries,
Strawberries, Blackberries, Boysenberries, Cranberries, Currants,
Dewberries, Elderberries, Gooseberries, Huckleberries, Olallie
Berries, and Youngberries): For Repelling Aphids, Mites, Maggots,
Borers, Fruitworms, Weevils, Beetles, Leafrollers, Curculios,
Scale, Plant Bugs, Tortrix, Sawflies, Chafers, Leafhoppers, Tree
Crickets, Grubs, Stem Girdlers, Cambium and Leaf Miners, Mealybugs,
Phylloxeras, Rootworms, Ants, Cutworms, Earwigs, Slugs,
Spittlebugs, Borers, Thrips, Whiteflies, Whitegrubs, and Wireworms.

Legume Vegetables (Beans including *Phaseolus spp.*, *Lupinus spp.*, and *Vigna spp.*, Broad Beans, Chick Peas, Guar, Jackbean, Lablab Beans, Lentils, Peas, and Soybeans): For Repelling Aphids, Beetles, Leafrollers, Thrips, Loopers, Earworms, Curculios, Cutworms, Borers, Lygus Bugs, Leafhoppers, Maggots, Mites, Plant Bugs, Cutworms, Whiteflies, and Wireworms.

Brassica Vegetables (Broccoli, Brussels Sprouts, Cabbages, Chinese Mustard, Cauliflower, Collards, Kale, Kohlrabi, and Mustard Greens): For Repelling Aphids, Loopers, Caterpillars, Cutworms, Beetles, Maggots, Weevils, Whiteflies, and Wireworms.

Cucurbit Crops (Cucumbers, Gherkins, Gourds, Cantaloupe, Casaba Melons, Honeydew Melons, Mango Melons, Muskmelons, Pumpkins, Summer and Winter Squash, and Watermelons): For Repelling Aphids, Leafhoppers, Loopers, Beetles, Leafhoppers, Leafminers, Pickleworms, Mites, Thrips, Whiteflies, and Wireworms.

Fruiting Vegetables (Tomatoes, Bell Peppers, Chile Peppers, Cooking Peppers, Pimentos, Sweet Peppers, Eggplant, Ground Cherry, Pepinos, and Tomatillo): For Repelling Aphids, Beetles, Loopers, Cutworms, Hornworms, Leafminers, Mites, Plant Bugs, Fruitworms, Whiteflies, Wireworms, and Mealybugs.

Peanuts For Repelling Aphids, Armyworms, Earworms, Cutworms, Leafhoppers, Rootworms, Thrips, and Mites.

Kiwj For Repelling Japanese Beetles.

Root and Tuber Vegetables (Artichokes, Beets, Burdock, Carrots, Cassava, Chicory, Ginger, Ginseng, Horseradish, Parsley, Parsnip, Potatoes, Radish, Rutabaga, Salsify, Sweet Potatoes, Turnips, and Yams): For Repelling Rust Flies, Leafhoppers, Weevils, Wireworms, Armyworms, Beetles, Chinch Bugs, Symphylans, Grasshoppers, Leafminers, Plant Bugs, Psyllids, Tuberworms, Slugs, Mites, Thrips, Whiteflies, and White Grubs.

Cereal Grains (Barley, Buckwheat, Corn, Millet, Oats, Popcorn, Rye, Wheat, and Wild Rice): For Repelling Earworms, Aphids, Rootworms, Beetles, Cutworms, Borers, Beetles, Grasshoppers, Mites, Maggots, Armyworms, White Grubs, and Wireworms.

Leafy Vegetables (Celery, Cress, Endive, Fennel, Lettuce, Orach, Spinach, and Swiss Chard): For Repelling Aphids, Loopers, Earworms, Grasshoppers, Leafhoppers, Wireworms, Whiteflies, Sowbugs, Webworms, and Leafminers.

Bulb Vegetables (Garlic, Leek, Onion, and Shallot): For Repelling Leafminers, Maggots, Armyworms, Thrips, and Wireworms.

Cotton For Repelling Aphids, Armyworms, Bollworms, Boll Weevils, Fleahoppers, Lygus Bugs, Thrips, Mites, Whiteflies, Loopers, Cotton Leafperforator, Cutworms, Webworms, and Saltmarsh Caterpillar.

Ornamentals (Trees, Shrubs, and Flowers): For Repelling Aphids, Mites, Leafminers, Whiteflies, Bagworms, Webworms, Spittlebugs, Cutworms, Borers, Chafers, Beetles, Leafrollers, Maggots, Curculios, Leafhoppers, Plantbugs, Mealybugs, Sawflies, and Scale.

Forage Crops (Alfalfa, Clovers, Timothy, Vetch, and Grasses): For Repelling Aphids, Weevils, Spittlebugs, Caterpillars, Cutworms, Grasshoppers, Lygus bugs, Leafhoppers, Mites, Thrips, Armyworms, Webworms, Chinch bugs, and Japanese Beetles.

MIXING DIRECTIONS

Thoroughly mix one part of Garlic Barrier to 10 parts of water for one minute

APPLICATION DIRECTIONS

TIMING: For vegetables, spray several days before blooming. DO NOT apply just prior to or during pollination as Garlic Barrier repels bees and, therefore, adversely affects pollination.

METHOD OF APPLICATION: Garlic Barrier may be applied by air or ground equipment.

RATE OF APPLICATION: Set equipment to apply diluted spray to the point of runoff, or about one gallon per 1/5th acre

MAXIMUM NUMBER OF APPLICATIONS: Two applications per season.

AFTER TASTE: Garlic Barrier will leave no "After Taste".

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

STORAGE Store only in original container in a cool, dry place inaccessible to children and pets

DISPOSAL Rinse thoroughly Offer for recycling