ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams; ponds, estuates, oceans or public waters unless in accordance with the requirements of a Mational Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT, Mix only with water. Use clean, dry (itensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gasses, and possible generation of fire and explosion. In case of contemination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

KEEP CONTAINER TIGHTLY CLOSED STORE IN A COOL, DRY PLACE DO NOT STORE AT ELEVATED TEMPERATURES

E.P.A. REG. NO. 66397-3 E.P.A. EST. NO. 66397-0.K.-1

Manufactured by:

MID-CONTINENT PACKAGING, Inc.

1200 North 54th Street, Enid. Oklahoma 73701



Tablets

Brominating disinfectant for swimming pools

ACTIVE INGREDIENTS: 1-bromo-3-chloro-5,5-dimethylhydantoin 60.0% INERT INGREDIENTS: 2.0%
Available Bromine: 39.2% TOTAL 100.0% Available Chlorine: 44.4%

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT
For eye contact, flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. If physician is not available, flush for additional 15 minutes, Get immediate medical attention.

For skin contact, immediately wipe away excess material with a dry cloth while removing contaminated clothing and shoes. Under a safety shower, wash affected areas thoroughly with large amounts of water, and soap if available, for at least 15 minutes. Got immediate medical attention. Discard or deconfaminate clothing and shoes.

If inhaled, remove from area to fresh air. If not breathing, clear already and start mouth-to-mouth

artificial respiration or using a bag-mask respirator. Get immediate medical attention. If victim is having trouble breathing, transport to medical care and, if available, give supplemental oxygen.

If swallowed, Immediately give several glasses of water, DO NOT Induce vomiting. If vomiting occurs, give fluids again. Have physician determine if patient's condition allows induction of vonniting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person. Get

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage.

NET WEIGHT 25 LBS. (11.25 kg.)

This product is a new form of brominating disinfectant for swimming pools, it is easily adaptable for use in etanimord virsolamorus ci bezu erebeet noizore commercial and residential pools.

When used as directed, this product will disinfect pool water, keeping it clear and free of odors. This product gives the effectiveness of chlorine without the chlorine

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To start up a new pool, open a pool for the season or convert from a chilorine based program, backflush or clean the filter, chemically balance the calcium hardness and alkalinity and adjust pH to 7.2-7.8. Sliperoxidate to obtain a residual of 10-20 ppm available bromine (5-10 ppm available chlorine) as determined by a suitable test kit. Swimming may begin when the bromine level drops below 6 ppm.

When the bromine level drops below 1-3 ppm, add 0.2 voten the profile level drops below 1-3 ppil, and 0.2-2.0 ounces of this product per 1,000 gallons daily (1-10 tablets per 1,000 gallons every two weeks) or as needed to maintain 1-3 ppm available bromine, Bogin by adding the minimum dosage of 1 tablet per 1,000 gallons every 14 days; monitor bromine residual daily at first and adjust dosage accordingly. High temperatures, the presence of organic debris, increased bather use and other factors may require more frequent treatments. Add this product to a suitable feeding device, adjusting the feeder in accordance with the manufacturer's instructions so as to maintain 1-3 ppm levels of available bromine. The pH of the water must be maintained between 7.2 and 7.6.

Superoxidation: Water soluble, non-filterable wastes can accumulate in pool water and cause dull or cloudy water and can stimulate algal growth. Superoxidation or superchlorination with a suitable oxidizing shock treatment should be done weekly or bi-weekly, after extremely heavy bather loads or heavy tain storms. Sultable oxidizing agents are those based on calcium hypochlorite, lithium hypochlorite, sodium hypochlorite or potassium peroxymonopersulfate.

Each tablet weighs 2.8 ounces (78 grams)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in a well ventilated area away from heat or open flame. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides.

CONTAINER DISPOSAL TRIPLE MUSE THE FIBER AND PLASTIC CONTAINERS: BEFORE destroying by perforation of crushing. The mised containers may be

MAR | 8 1996

Under the Act, as amended, for the pesticide registered wider