Reg # 66514-1	PM-31								
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGPAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	TERM OF ISSUANCE								
NOTICE OF PESTICIDE: HEGISTRATION	NAME OF PESTICIDE PRODUCT								
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Flamecoat AF-100 Antifoulant Coating								
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)									
Γ	¬								
Plastic Flamecoat Systems Inc 1613 Highway 3 League City, TX 77573									
L	7								
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.									
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.									
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.									
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.									
This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:									
1. Submit/cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.									
2. Make the labeling changes listed below before you release the product for shipment:									
a. Add the phrase "EPA Registration No. 66514-1".									
b. Revise the percentage of inert ingredients from .6% to read: 0.6%									
c. The headings: Active Ingredient and Inert Ingredient must be printed in the type of the same size and be given equal prominence.									

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

DATE

LABEL TEXT - FRONT

FLAMECOAT® AF-100 ANTIFOULANT COATING

*ACCEPTED with COMMENTS in El A Letter Dated:

NOV 12 1993

ACTIVE INGREDIENT:

COPPER POWDER . . . INERT INGREDIENTS:. 99.4 Hader the Federal Inserticids . 6%s appropried, for the posturies

100. Offerintered units Bith Bury has

66514-1

KEEP OUT OF REACH OF CHILDREN

WARNING

Plastic FLAMECOAT® Systems, Inc. 1613 Highway 3

EPA REG. NO. 66514-

League City, Texas 77573

EPA EST. NO. 066514-TX-001

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

Causes eye and skin irritation. Harmful if absorbed through skin. Avoid contact with skin. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, and hat. May be fatal if swallowed or inhaled. Do not breathe dust. While spraying, wear a mask or respirator jointly approved by the Mine Safety and Health Administration and the National Institute of Occupational Safety and Health. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT:

EYE CONTACT: Flush eye with sufficient amounts of water for at least fifteen minutes. If irritation persists, consult a physician.

SKIN CONTACT: Wash with soap and water to remove powder.

IF SWALLOWED: Consult a physician.

Expose to fresh air. If respiratory distress IF INHALED:

persists, consult a physician.

ENVIRONMENTAL HAZARD:

This pesticide is toxic to fish. Do not apply directly to water by ' cleaning of equipment or disposal of wastes. Do not allow.chips and dust generated during coating removal to enter water. Dispose of coating debris in an approved landfill.

NET CONTENTS: 20 pounds

BEST AVAILABLE COPY

- 2 **-**

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

John H. Lee T'
Product Manager (31)

Antimicrobial Program Branch Registration Division (H7505C)

Enclosures

1

11

CONCURRENCES								
SYMBOL								
SURHAME					***************************************			
DATE								
	ARGIGIN FILE CODY							

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

BACK LABEL TEXT

With COMMENTS in EPA Letter Dates:

NOV 12 1993

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product inconsistent with the labeling.

Under the Perfect Inscendide Prinsally Evil Industrian Act as a sended, for the restaute regularist materials (PA Roy, No. 66514-

FLAMECOAT® AF-100 is an effective antifoulant product— against attachment of barnacles and other aquatic life when applied to boat hulls and used in salt or fresh water.

Only FLAMECOAT® application equipment should be used to install AF-100 by operators trained by Plastic FLAMECOAT® Systems Representatives. This product is intended for both commercial and non-commercial use.

- 1. FLAMECOAT® AF-100 should be flamesprayed over FLAMECOAT® thermoplastic coatings: PF111 for steel or aluminum surfaces, and PF113 for fiberglass surfaces. Follow all FLAMECOAT® specifications for proper base preparation.
- 2. FI-AMECOAT® AF-100 is applied at a continuous coverage of approximately 15 grams per square foot to a FLAMECOAT® surface preheated to 220°F, minimum. AF-100 is applied in a single coat process, resulting in a continuous, uniform coating.
- Once the coating has cooled, it may be placed in the water immediately. Water may be used to accelerate the cooling process.
- 4. Any worn areas may be repaired by preheating the polymer substrate and reapplying AF-100 until the surface is continuous.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Store in original, sealed container.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or removed coating is a violation of Federal Law. If waste cannot be disposed of as regulated by local, state, or federal guidelines, contact your state pesticide; or environmental control agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Return empty container to Plastic FLAMECOAT® Systems or dispose of by procedures approved by local, state, or federal authorities.

BEST AVAILABLE COPT