

66544-1

10/18/2000

Page 1 of 3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OCT 18 2000

Mr. Vi jay Rastogi
President
MVTechnologies, Inc.
2855 W. Market Street, Suite 214
Akron, OH 44333

Dear Mr. Roastogi:

Subject: Compliance with PR Notice 2000-3 for PROMAC 2000SB
EPA Registration Number 66544-1
Your Application Dated September 22, 2000

The amended labeling referred to the above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped label is enclosed for your records.

Please note that at the next printing of the final label, the "Environmental Hazards Statement" must be revised to read as follow:


"This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters".

CONCURRENCES

CONCURRENCES								
SYMBOL								
SURNAME								
DATE								

If you have any questions concerning this letter please contact Drusilla Copeland at (703) 308-6224.

Sincerely,

A handwritten signature in black ink, appearing to read 'A. Heyward', with a long horizontal flourish extending to the right.

Adam Heyward
Product Manager
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive, causes eye damage and skin irritation. Harmful or fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty containers.

STORAGE: Because this product is moderately hygroscopic, it should be stored in a cool, dry place. Partly used bags should be promptly resealed.

SPILL OR LEAK: If container is damaged, stop spills by repositioning the container or by patching or otherwise repairing the damage. Flush small quantities into public sewer. Material is biodegradable.

DISPOSAL: Completely empty bags into application equipment. Dispose of waste and empty bags in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ProMac

MINE ACID CONTROL SYSTEMS

PATENT PROTECTED

PROMAC 2000SB

ACTIVE INGREDIENT:

Sodium Dodecylbenzene Sulfonate

88.0%

INERT INGREDIENTS:

TOTAL

12.0%

100.00%

Contains 44.0 lb. active ingredient per 50 lb.

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

- If swallowed**
- Call poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- If on skin or clothing**
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call poison control center or doctor for treatment advice.
- If in eyes**
- Hold eye open and rinse slowly and gently with plenty of water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- If inhaled:**
- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 - Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Question? Call 1-330-864-7450.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

MANUFACTURED BY:

MVTechnologies, Inc.
2855 W. Market St., Ste. 214
Akron, OH 44333-4034, USA

ESTABLISHMENT NO:

33686-IL-001

EPA REGISTRATION NO:

66544-1

NET CONTENTS:

50 lb.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

For control of bacteria causing mine acid formation on active mine sites, mineral stockpiles and reclamation of disturbed lands, apply product at a rate not to exceed 500 lb. (or 10 bags) with up to 3000 gal. of water/acre. The exact dosage is site-specific and will be determined by the on-site MVTI authorized applicator. Dosage and dilution depend upon soil absorption, permeability, slope, chemistry, etc., e.g., on compacted coal refuse with 2:1 slope and low neutralization potential, the dosage is likely to be 300 lb./acre diluted in 2000 gal. of water.

THE PRODUCT IS TO BE USED ONLY UNDER THE DIRECT SUPERVISION OF THE ON-SITE MVTI AUTHORIZED APPLICATOR.

INTENDED USES AND DIRECTIONS FOR APPLICATION

For control of bacteria to retard acid generation on active mine sites, mineral storage areas, mineral waste disposal areas and reclamation of disturbed mine lands.

Apply product to site using a hydroseeder or other spraying or spreading equipment. Do not apply if raining or rain is expected within 24 hours.

MVTechnologies, Inc. (MVTI)

ACCEPTED WITH COMMENTS
EPA LETTER LABEL
OCT 78 2000

66544-1

3
3