

### Coverage

Estimate 150 to 300 sq. ft. per gallon for brush coat or 5 to 10 Gallons per 1000 board feet for dipping dimensional lumber.

### Recommended for

COPPER GREEN® Wood Preservative is an easy to use wood preservative for above ground, ground contact and below ground uses: e.g. window sills, trellises, greenhouse benches, foundations, sills, planter boxes, fence posts, subflooring, lawn furniture and decks. For use wherever wood meets soil or water. Should not be applied to food or feed contact surfaces.

**FOR EXTERNAL USE ONLY.** Application of this product may produce a strong, lingering, unpleasant odor.

Wood to be protected against subterranean termites should be treated before use in construction. Termites will not attack wood treated with COPPER GREEN® Wood Preservative.

### Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Wood to be treated should be dry and well seasoned before treatment with COPPER GREEN® Wood Preservative. Lumber and wood products should be dip treated for at least 3 minutes per inch of thickness. If dipping is not possible, treat with several flowing coats by brush or spray. The more COPPER GREEN® Wood Preservative the wood absorbs, the better it will be protected. Do not try to extend the coverage.

Fence posts and heavy timbers should be free from bark, dry and well seasoned and should be immersed in COPPER GREEN® Wood Preservative for 12-48 hours to give effective control for wood destroying pests.

Apply prior to use in construction. Ends or edges cut or bored after initial treatment should be brushed or sprayed with COPPER GREEN® Wood Preservative. Do not install treated articles until thoroughly dry.

Use one coat on materials to be finished with paint or stain. If no finish is to be used, apply two liberal coats within the hour. Thoroughly cover the ends. The more preservative absorbed into the wood, the longer and more effective the protection.

The copper fungicide gives a green cast to COPPER GREEN® Wood Preservative. This product is not intended for use as a stain. The green color will fade within a few months when exposed to sunlight. Oil or alkyl stains or paints can be applied over COPPER GREEN® Wood Preservative after thorough drying (about 48 hours), but the green may bleed through lighter colors.

This product is supplied at proper application consistency and is to be applied without thinning or diluting under normal environmental and application conditions. Brushes and other application equipment may be cleaned with paint thinner (mineral spirits).

In case of medical questions, emergencies or Accidents involving this product, call INFOTRAC at (800) 535-5053

# Copper-Green®

## Wood Preservative

**Use Wherever Wood Meets Water and Soil Prevents Deterioration Caused by:**

- Termites ■ Fungus
- Rot ■ Decay

Seals Wood  
Kills Termites and Wood Eating Insects

Keep Out of Reach of Children  
**WARNING**

See Side Panels for Additional Precautionary Statements

Active Ingredients	10.0%
*Copper Naphthenate	90.0%
Inert Ingredients	100.0%

**COMBUSTIBLE:** Contains Petroleum Distillates  
\*Copper as metallic, 1%  
Max. V.O.C. = 350 grams per liter  
Green's Products,  
118 Market Ave.,  
Bismarck, ND 58101-1725  
EPA Est. No. 000007124 EPA REG. NO. 60691-1

Contents 1 Gallon (3.79 Liters)

This Product  
Will Turn Wood Green

### PRECAUTIONARY STATEMENTS

Hazard to humans and domestic animals  
**WARNING: HARMFUL OR FATAL IF SWALLOWED**  
Causes eye and skin irritation. Harmful if absorbed through skin. Do not breath vapors or mist during brush, roll, spray and dip application. Do not get into eyes or skin or on clothing. When spraying for continued or prolonged use of this product or for frequent use of this product, wear an NIOSH/MHSA-approved mist/Vapor respirator. Wash thoroughly with soap and water after handling. Contaminated clothing should be removed and washed thoroughly before reusing. Use in a well-ventilated area.

### Statement of Practical Treatment

- If in eyes: Immediately flush with a large quantity of water and get medical attention.
- If in skin: Wash thoroughly with plenty of soap and water. Get medical attention if irritation persists.
- If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.
- If swallowed: Do not induce vomiting. CALL A PHYSICIAN IMMEDIATELY.

### Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate when disposing of equipment washwaters. Apply this product only as specified on the label.

### Physical or Chemical Hazards

Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container when not in use.

### Storage and Disposal

**Storage:** Store in a secure, well ventilated area, protected from extreme temperatures. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in the original container only. Do not contaminate water, food or feed by storage or disposal. Keep container closed when not in use.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticides, spray mixture, or rinsale is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.  
**Container Disposal:** Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse container. Rinse thoroughly before discarding in trash.



# ACCEPTED

APR 22 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 60691-1

PM 34  
66591-1  
4/22/98  
Page 1