

66923-2

10/26/2011

1 of 3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

NOTIFICATION

OCT 26 2011

Mr. Peter S. Winn
Hedley Technologies (USA) Inc.
202 North Avenue #102
Grand Junction, CO 81501

Subject: Notification to add storage and disposal language
EPA Registration Number: 66923-2
Decision: 444866

Dear Mr. Winn:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN)98-10 dated July 13, 2009, for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Samantha Hulkower at (703) 603-0683.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Suarez".

Mark Suarez
Product Manager 13
Insecticide Branch
Registration Division (7505P)

Enclosures: Copy of Label Stamped "Notification"



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 66923-2	2. EPA Product Manager Richard Gebkin	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Hedley Technologies (USA) Inc. - Protect-It	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Hedley Technologies (USA) Inc. 202 North Avenue #102, Grand Junction CO 81501 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

See attached page.

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 15 lbs, 22 lbs		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Peter S. Winn	Title Registration Manager	Telephone No. (Include Area Code) 970 242 7108
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped)
2. Signature	3. Title Registration Manager	
4. Typed Name Peter S. Winn	5. Date July 13, 2009	

SIZE ON CONTAINER
15 9" x 12"

NOTIFICATION
OCT 26 2011

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use adequate ventilation and avoid breathing dust. Wear an N-95 dust mask when using this product during prolonged exposure.

BINS & SILOS - Three steps for optimum stored product protection:
For optimum effectiveness, good quality stored grain or seed should be below 14.5% moisture content with relative humidity at 70% or less. Protect-It® is most effective when given several days to work.

Step 1) Structural Treatment: Clean equipment, structures and empty storage containers before applying Protect-It®. Apply Protect-It® at a rate of 0.6 lb. per 1000 sq. ft. about two weeks before filling storage containers. Treat cracks, crevices and void spaces with a bulb duster or similar applicator. For empty bins and silos, apply Protect-It® through the running aeration fan or use a portable blower to blow it in through an upper hatchway (silos) or lower hatchway (steel bins). For wet application, mix 1 lb. of Protect-It® with 1 gallon of water and spray as a fine mist at the rate of 1.5 gallons per 1000 sq. ft.

Step 2) Grain Treatment: For optimum protection, both the product to be stored or transported and the storage or transportation container or package must be free from insect infestation. If grain is infested prior to use of Protect-It®, no assurance of control is afforded.

Option I - Apply Protect-It® at a uniform rate to the entire grain mass (indicated in the chart to right) as it is transferred by auger or conveyor feeder system; OR

Option II - Using the same application method as in Option I above, treat the bottom 3 feet and the top 3 feet of the grain mass (layer treatment rates indicated in table). Where layer treatment is necessary for more than 20% of the total grain mass, treat only the top layer to minimize effects on grain flowability and test weight; OR

Option III - If it is not possible to use layer treatment (e.g., flat storage) or the top 3 foot layer accounts for more than 20% of the grain mass (grain in bins less than 15 feet deep), refer to the FLAT STORAGE directions.

Step 3) Top Dressing Treatment: After filling granary and applying Protect-It® to the grain mass or top layer as indicated in the table, apply 3 lbs. of Protect-It® per 1000 sq. ft. of the grain surface area. To help prevent the entry of insects through the surface of the grain mass in cases where the bin has been filled but the grain has not been treated with Protect-It®, apply Protect-It® to the surface of the grain mass at 40 lbs. per 1000 sq. ft. Contact Hedley Technologies for information on application equipment.

FLAT STORAGE - Two steps to help prevent the entry of insects through the surface of the grain mass:
Step 1) Structural Treatment: Clean equipment, structures and storage containers before applying Protect-It®. Use a compressed air or electric blower to apply Protect-It® at a rate of 0.6 lb. per 1000 sq. ft. about two weeks before filling storage containers.

Step 2) Grain Treatment: Load insect free grain. Apply Protect-It® to the surface of the grain mass at 40 lbs. per 1000 sq. ft. Aerate to cool grain.

Warranty Statement: As its sole express warranty, Hedley Technologies (USA) Inc. warrants that this product conforms to the ingredient statement on this label. This product is reasonably fit for the purposes stated on this label only when used in strict accordance with the Directions for Use set forth on this label. Only as permitted by applicable law, Hedley Technologies (USA) Inc. (i) in the event of a breach of this limited warranty, shall not be liable for consequential damages and (ii) does not make nor authorize anyone to make any warranty of fitness or merchantability, express or implied, concerning Protect-It®.

EPA Reg. No. 66923-2 Patent No. 5,773,017
EPA Est. No. 071421-CAN-002 Printed in Canada 11-JUS

How Protect-It® Works: Enhanced Protect-It® contains diatomaceous earth and silica gel. Diatomaceous earth consists of siliceous fossil shells of diatoms, a type of green algae. Protect-It® absorbs the outer waxy layer from the insect, causing dehydration - a physical rather than chemical method of protection against insect infestation. Application rates differ because the rate of dehydration varies depending on the insect species and the type of stored product.

Use Sites: Protect-It® can be used in the stored products listed below and in and around containers, equipment and buildings (structures) where any products are stored, transported or processed, such as, harvesting equipment, augers, bins, silos and elevators, truck trailers, rail cars and ships, bags, cans, drums and other packages, warehouses, food processing plants (including flour mills, bakeries, and egg, meat and poultry plants), pet food plants, feed mills, maintenance buildings, etc.

Protect-It® is approved for use on the following stored products: barley, beans, birdseed mix, corn, oats, peas, peanuts in shell, popcorn, rough rice, rye, sunflower seed, sorghum (milo) and wheat. In addition, Protect-It® can be used in and around equipment, manufacturing facilities and empty storage and transportation containers that may be used for other stored products not specifically listed. Stored products can be used as intended (food, feed, seed and oil) immediately after treatment, without removal of Protect-It®.

Protect-It® is effective against the following stored product insects:

Commodity	Pest	Option I - Rate for grain mass	Option II - Rate for layer treatment
Wheat	weevils & lesser grain borers all others	18.0 lbs/1000 bu 18.0 lbs/1000 bu	24.0 lbs/1000 bu 18.0 lbs/1000 bu
Barley	weevils & lesser grain borers all others	14.4 lbs/1000 bu 14.4 lbs/1000 bu	19.2 lbs/1000 bu 14.4 lbs/1000 bu
Oats	weevils & lesser grain borers all others	9.6 lbs/1000 bu 9.6 lbs/1000 bu	12.8 lbs/1000 bu 9.6 lbs/1000 bu
Rye	weevils & lesser grain borers all others	16.8 lbs/1000 bu 16.8 lbs/1000 bu	22.4 lbs/1000 bu 16.8 lbs/1000 bu
Rough rice	weevils & lesser grain borers all others	13.5 lbs/1000 bu 13.5 lbs/1000 bu	22.5 lbs/1000 bu 13.5 lbs/1000 bu
Corn	all listed species	NA	56.0 lbs/1000 bu
Popcorn	weevils & lesser grain borers all others	NA	54.1 lbs/1000 bu 42.0 lbs/1000 bu
Sorghum (milo)	all listed species	NA	56.0 lbs/1000 bu
Beans, Peas	all listed species	18.0 lbs/1000 bu	18.0 lbs/1000 bu
Peanuts in shell	all listed species	NA	0.25 lbs/cwt
Birdseed mix	all listed species	1.0 lb/1000 lbs	NA
Sunflower seed	Indianmeal moth	NA	0.1 lbs/cwt

maize weevil rusty grain beetle
rice weevil granary weevil
grain weevils red flour beetle
bean weevil flat grain beetle
merchant grain beetle

Notice: Depending on the type of commodity and the amount of Protect-It® used, test weight and grain handling properties may be affected. To minimize these effects, layer treatment is recommended for affected commodities. Protect-It® is not considered to be a foreign material in treated product and will not cause treated product to be reduced to sample grade as set out in GIPSA/FCIS Program Directive 9180.49, September 1996.

Application Rate Chart: Follow Directions for Use (left column). For grain or seed with moisture content of 12% or lower, reduce rates listed below by 15%.



Manufactured in Canada for
Hedley Technologies (USA) Inc.
202 North Avenue #102, Grand Junction CO 81501
www.hedleytech.com

ACTIVE INGREDIENTS:
Diatomaceous Earth 90%
Silica Gel 10%
TOTAL 100%

**KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID: If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Storage:** Store in original container in a dry place. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste facility. **Container Disposal:** Nonrefillable container. Clean container promptly after emptying. Offer for recycling if available.

Net Weight 15 lbs / 6.8 kg (contents may settle)

ONLY CHANGE