

67003-23

02/07/2000

1/61



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
67003-23

Date of Issuance:
FEB - 7 2000

NOTICE OF PESTICIDE:
 x Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
T.I.C.A. Granular

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

ICI Americas, Inc.
P.O. Box 8340
Wilmington, DE 19803-8340

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c) (5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 67003-23".
- b. In the Ingredient Statement delete "and related isocyanurates".
- c. On front panel of label, delete (12 point) after "Keep Out of Reach of Children" and (18 point) after the "Signal Word".
- d. In the Ingredient Statement the correct spelling for the Active Ingredient is "Trichloro-s-triazinetrione".

Page 1 of 2

Signature of Approving Official:

Robert S. Brennis, PM 32

Date:

FEB - 7 2000

- e. Align the Ingredient Statement and the available chlorine to read:

Active Ingredient	
Trichloro-s-triazinetriene	99.0%*
Other Ingredients	1.0%
Total	100.0%

*Available Chlorine 90%

- f. SPAs and Hot Tubs must be deleted from the label. The chlorinated isocyanurates (active ingredient, trichloro-s-triazinetriene) RED does not include spas and hot tubs as a use site for this active ingredient.
 - g. The EPA Establishment Number must be place on the label.
 - h. On page 31, under "Eating Establishment Food Handling Area (Food Contact)" change "Food Contact" to read: (Non Food Contact).
3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6 e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



MASTER LABEL

(Front Panel)

**T.I.C.A. Granular
(Trichloroisocyanurate)**

Active Ingredient:
Trichloro-s-triazine and related isocyanurates.....99.0% *

Other Ingredients.....1.0%

* Available chlorine.....90%

KEEP OUT OF REACH OF CHILDREN (12 point)

DANGER (18 point)

FIRST AID:

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE ADDITIONAL PRECAUTIONS ONSIDE PANEL

Sold by

**ICI Americas Inc.
Concord Plaza, 3411 Silverside Road
P.O. Box 8340
Wilmington, DE 19803-8340**

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 7 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No

67003-23

(Left Panel)

**Precautionary Statements
Hazards to Humans and Domestic Animals**

DANGER CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood with large volumes of water if necessary.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Keep product dry in tightly closed container when not in use. Store in cool well-ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

.....
EPA Est. No. XXXXX-XX

EPA Reg. No. 67003-XX

NET WEIGHT: 100 POUNDS

), , , ,)

) , , , ,)
) , , , ,)
) , , , ,)
) , , , ,)
) , , , ,)
) , , , ,)
) , , , ,)
) , , , ,)
) , , , ,)

) , , , ,)

) , , , ,)

) , , , ,)

(Right Panel)

GENERAL NOTES

T.I.C.A. Granular is a concentrated form of chlorine designed for chlorination of swimming pools; spas and hot tubs; air washer systems; sewage systems; pasteurizers/warmer/cannery cooling water systems; once-through cooling water systems; recirculating cooling water systems; commercial air conditioner/refrigeration condensate and dehumidifier basins or drip pans; wastewater treatment systems; pulp and paper mills; transportation cleaning; commercial, industrial and institutional premises and equipment (Non Medical) sanitization or disinfection of nonporous non-food contact surfaces; commercial, industrial and institutional premises and equipment (Non-Medical) sanitization or disinfection of porous food contact surfaces; sanitizing rinse for animal premise use; oil recovery drilling mud's and packer fluids; secondary oil recovery systems; bathroom sanitization; refuse/solid waste containers; non-potable water; lakes, ponds, reservoirs, ornamental ponds and fountains (w/o humans or wildlife); toilet bowl water sanitizer and cleaner; household laundry sanitizers; laundry sanitization (hospitals, commercial and institutional); industrial processing water; farm premises and equipment; hospital premises and equipment.

SWIMMING POOLS

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Proper conditioning of water is necessary to insure maximum effectiveness of T.I.C.A. Granular. Previously unconditioned pools should be treated with stabilizer. Follow instructions on the stabilizer label.

Adjust pool water pH to 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

BLACK ALGAE CONTROL: Turn off pump before application. Brush black algae spots before adding T.I.C.A. Granular. Sprinkle T.I.C.A. Granular over pool walls and floor on which algae appears. Use one pound T.I.C.A. Granular per 10,000 gallons of pool water. For severe cases, the dosage may be doubled. Filter pump should be turned on after T.I.C.A. Granular has been added to pool and then run for at least 8 hours.

MAINTENANCE DOSE: For every 10,000 gallons of water, sprinkle 1 pound T.I.C.A. Granular every 7 to 10 days. Check pool water frequently with a test kit and maintain 1.0 - 1.5 ppm chlorine residual and pH of 7.2 - 7.8.


SHOCK TREATMENT: During extremely hot weather and/or heavy bather loads, a shock dosage of chlorine may be obtained by broadcasting T.I.C.A Granular directly into pool water. 1 ounce of T.I.C.A. Granular for each 6,000 gallons of pool water will provide 1.1 ppm of chlorine.

NOTE: Reentry into treated pool is prohibited above chlorine levels of 3 ppm.

HOW TO CALCULATE POOL CAPACITY*

- Dimensions in feet

<u>SHAPE OF POOL</u>	<u>GAL. OF WATER</u>
Rectangular.....	Ave. Depth x Ave Length x Ave Width x 7.5



Circular..... Diameter x Diameter x Ave. Depth x 7.5

Irregular..... Consult Pool Builder

SPAS AND HOT TUBS

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Proper conditioning of water is necessary to insure maximum effectiveness of T.I.C.A. Granular. Previously unconditioned pools should be treated with stabilizer. Follow instructions on the stabilizer label.

Adjust pool water pH to 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

CHLORINATE: Add one-half oz. of T.I.C.A. Granular per 700 gallons of water in spa or hot tub. Wait 5 minutes and then check chlorine residual. Residual chlorine must read between 2 – 3 ppm. If it does not, additional amounts of T.I.C.A. Granular should be added until it does. Once the chlorine residual is established in the 2 – 3 ppm range, the spa/hot tub may be entered.

MAINTENANCE DOSE: T.I.C.A. Granular should be added daily or as necessary to maintain 2 – 3 ppm residual chlorine. Frequent checks should be made of residual chlorine using a reliable test kit. The T.I.C.A. Granular should be broadcast over the surface of the water and allowed at least 5 minutes mix time before sampling.

NOTE: Reentry into treated spas/hot tubs is prohibited above levels of 3 ppm chlorine. Heavy bather usage or the use of oils or lotions may increase the chlorine demand of the pool resulting in the need for more frequent checks on chlorine residual.

POULTRY HOUSES AND FEEDING AND WATERING APPLIANCES

When used as directed, this product may be used to sanitize poultry houses and feeding and watering equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

PREMISE TREATMENT: Ventilate buildings, coops and other closed spaces. Remove food and animals from premises prior to treatment. Remove feed and water prior to treatment. Remove all litter and droppings from floors, walls, and surfaces of premises. Thoroughly clean all surfaces with soap or detergent and rinse with water. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). The pH of the solution must be in the range of 7.2 to 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet the surfaces of the premises with the solution and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes,

streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FEEDING AND WATERING APPLIANCES: Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). Thoroughly wet surfaces of appliances and let air dry.



EGG HANDLING EQUIPMENT

When used as directed, this product may be used to sanitize commercial egg handling equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

SPRAY/FOG METHOD: Pre-clean all surfaces to be treated. Add sufficient amount of this material to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). Use fogging or spray equipment that can resist chlorine solutions. Thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



EGG WASHING TREATMENT

When used as directed, this product may be used to sanitize eggs.

Directions For Use


It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WASH METHOD: Pre-clean egg surfaces. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). Thoroughly wash egg surfaces. Rinse with potable water and let eggs air dry.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION METHOD: Pre-clean egg surfaces. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). Immerse eggs into the sanitizing solution. Let eggs air dry.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge



Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY METHOD: Pre-clean egg surfaces. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). Use spray equipment that can resist chlorine solutions. Thoroughly wet egg surfaces with spray. Let eggs air dry.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



DAIRY FARM MILK-HANDLING FACILITIES/EQUIPMENT

When used as directed, this product may be used to sanitize dairy farm milk-handling facilities and equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON METHOD: Pre-clean surfaces. Add sufficient amount of this material to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Brush on sanitizing solution and keep wet for at least two minutes. Let surfaces air dry.

MOP METHOD: Pre-clean surfaces. Add sufficient amount of this material to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Use a mop to apply solution to surfaces to be sanitized and keep wet for at least two minutes. Let surfaces air dry.

WIPE-ON METHOD: Pre-clean surfaces. Add sufficient amount of this material to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Use a cloth to apply solution to surfaces to be sanitized and keep wet for at least two minutes. Let surfaces air dry.




DAIRY FARM MILKING EQUIPMENT

When used as directed, this product may be used to sanitize dairy farm milking equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

CIRCULATE -IN-PLACE METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) sanitizing solution equal to 110% of the volume capacity of the equipment. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under



pressure for at least 10 minutes to ensure contact with all internal surfaces. Rinse the system with potable water prior to use.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) sanitizing solution. Use spray equipment that can resist chlorine solutions. Thoroughly wet surfaces to be sanitized. Keep wet for at least 10 minutes. Let air dry.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a 97ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) sanitizing solution. Rinse surfaces with sanitizing solution and let air dry.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



AGRICULTURAL/FARM STRUCTURES/BUILDING AND EQUIPMENT

When used as directed, this product may be used to sanitize agricultural buildings and equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

PREMISE TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet the surfaces of the premises with the solution. Rinse with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

EQUIPMENT TREATMENT: Thoroughly clean equipment. Add sufficient amount of this product to water to prepare a sanitizing solution containing 971 ppm available chlorine (1 ounce T.I.C.A.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Granular per 7.2 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet the surfaces of the premises with the solution. Rinse with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION METHOD: Add sufficient amount of this product to water to prepare a sanitizing solution containing 971 ppm available chlorine (1 ounce T.I.C.A. Granular per 7.2 gallons water) in a tank suitable for immersing equipment. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Immerse the equipment into the solution. Rinse equipment with potable water after removal from sanitizing solution.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FEEDING AND WATERING APPLIANCE TREATMENT: Thoroughly clean equipment. Add sufficient amount of this product to water to prepare a sanitizing solution containing 971 ppm available chlorine (1 ounce T.I.C.A. Granular per 7.2 gallons water). After thoroughly cleaning appliances, rinse equipment with potable water.



AGRICULTURAL/FARM PREMISES

When used as directed, this product may be used to sanitize agricultural and farm premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

PREMISE TREATMENT: Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 971 ppm available chlorine (1 ounce T.I.C.A. Granular per 7.2 gallons water). Thoroughly wet all surfaces to be sanitized.



HOUSEHOLD/DOMESTIC DWELLING INDOOR FOOD HANDLING AREAS

When used as directed, this product may be used to sanitize household indoor food handling areas.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

entire label and use strictly in accordance with precautionary statements and directions.

SPONGE-ON TREATMENT: Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). Using a sponge, thoroughly wet all surfaces to be sanitized. Keep wet for at least 1.5 minutes. Rinse surfaces with potable water.

WIPE-ON TREATMENT: Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water). Using a pad, thoroughly wet all surfaces to be sanitized. Keep wet for at least 1.5 minutes. Let air dry.

.....
FOOD PROCESSING PLANT PREMISES (NONFOOD CONTACT)

When used as directed, this product may be used to sanitize nonfood contact surfaces on food processing plant premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 - 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 - 21 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

BRUSH-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes. Rinse with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

MOP TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution

containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for several minutes. Remove items and let air dry.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements

of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
DAIRIES/CHEESE PROCESSING PLANT PREMISES (NONFOOD CONTACT)

When used as directed, this product may be used to sanitize nonfood contact surfaces on dairies and cheese plant premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 - 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 - 21 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

BRUSH-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution

containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes. Rinse with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

MOP TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

WIPE-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for several minutes. Remove items and rinse with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
MEAT PROCESSING PLANT PREMISES (NONFOOD CONTACT)

When used as directed, this product may be used to sanitize nonfood contact surfaces on meat processing plant premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 - 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 - 21 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

BRUSH-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes. Rinse with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

MOP TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

WIPE-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of

the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. In accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for several minutes. Remove items and rinse with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging

unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

PREMISE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 110 ppm available chlorine (1 ounce T.I.C.A. Granular per 64 gallons water). Thoroughly wet all surfaces to be sanitized. Keep surfaces wet for 2 – 5 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
POULTRY PROCESSING PLANT PREMISES (NONFOOD CONTACT)

When used as directed, this product may be used to sanitize nonfood contact surfaces on poultry processing plant premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

BRUSH-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes. Rinse with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements

of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

MOP TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

WIPE-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for several minutes. Remove items and rinse with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of

the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

PREMISE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 110 ppm available chlorine (1 ounce T.I.C.A. Granular per 64 gallons water). Thoroughly wet all surfaces to be sanitized. Keep surfaces wet for 2 – 5 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



FISH/SEAFOOD PROCESSING PLANT PREMISES (NONFOOD CONTACT)

When used as directed, this product may be used to sanitize nonfood contact surfaces on fish and seafood processing plant premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

BRUSH-ON TREATMENT (POROUS SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 10 minutes. Rinse with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to

When used as directed, this product may be used to sanitize nonfood contact surfaces of food processing plant equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for at least 2 minutes. Remove items and let air dry. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

CIRCULATE -IN-PLACE METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) equal to 110% of the volume capacity of the equipment. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves

and hold under pressure for at least 20 minutes to ensure contact with all internal surfaces. Rinse the system with potable water prior to use.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

EQUIPMENT TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 327 ppm available chlorine (1 ounce T.I.C.A. Granular per 21.5 gallons water) in a pressure sprayer. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized completely wet for at least 20 minutes. Rinse surfaces with potable water.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION METHOD: Thoroughly clean surfaces to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) in a suitable tank. Immerse items into the sanitizing solution for at least 10 minutes. Let items air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



DAIRIES/CHEESE PROCESSING PLANT EQUIPMENT (FOOD CONTACT)

When used as directed, this product may be used to sanitize food contact surfaces of dairy and cheese processing plant equipment.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for at least 2 minutes. Remove items and rinse with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

CIRCULATE -IN-PLACE METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) equal to 110% of the volume capacity of the equipment. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 20 minutes to ensure contact with all internal surfaces. Rinse the system with potable water prior to use.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

EQUIPMENT TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 327 ppm available chlorine (1 ounce T.I.C.A. Granular per 21.5 gallons water) in a pressure sprayer. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for at least 2 minutes. Rinse with potable water before use.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION METHOD: Thoroughly clean surfaces to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) in a suitable tank. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Immerse items into the sanitizing solution for at least 10 minutes. Let items air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



MEAT PROCESSING PLANT EQUIPMENT (FOOD CONTACT)

When used as directed, this product may be used to sanitize food contact surfaces of meat processing plant equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333-572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 - 21 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes. Rinse surfaces with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 95-333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 - 74 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for at least 2 minutes. Remove items and rinse with potable water.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

EQUIPMENT TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 110 ppm available chlorine (1 ounce T.I.C.A. Granular per 64 gallons water) in a pressure sprayer. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for 2-5 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

CIRCULATE -IN-PLACE METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) equal to 110% of the volume capacity of the equipment. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 20 minutes to ensure contact with all internal surfaces. Rinse the system with potable water prior to use.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION METHOD: Thoroughly clean surfaces to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) in a suitable tank. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Immerse items into the sanitizing solution for at least 10 minutes. Let items air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



POULTRY PROCESSING PLANT EQUIPMENT (FOOD CONTACT)

When used as directed, this product may be used to sanitize nonfood contact surfaces of poultry processing plant equipment.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 333-572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 – 21 gallons water). Using a brush, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes. Rinse surfaces with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge

Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a mop, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

SOAK TREATMENT (HARD SURFACES): Thoroughly clean items to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 95-333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 - 74 gallons water) in a container suitable for soaking the items. Let items soak in sanitizing solution for at least 2 minutes. Remove items and rinse with potable water.

WIPE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a cloth, thoroughly wet all surfaces to be sanitized. Keep wet for at least 2 minutes.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

CIRCULATE -IN-PLACE METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) equal to 110% of the volume capacity of the equipment. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 20 minutes to ensure contact with all internal surfaces. Rinse the system with potable water prior to use.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

EQUIPMENT TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 327 ppm available chlorine (1 ounce T.I.C.A. Granular per 21.5 gallons water) in a pressure sprayer. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for at least 2 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION METHOD: Thoroughly clean surfaces to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) in a suitable tank. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Immerse items into the sanitizing solution for at least 10 minutes. Let items air dry. Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



FISH/SEAFOOD PROCESSING PLANT PREMISES (FOOD CONTACT)

When used as directed, this product may be used to sanitize food contact surfaces on fish and seafood processing plant premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

RINSE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly rinse all surfaces to be sanitized. Keep wet for at least 10 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

CIRCULATE –IN-PLACE METHOD: Thoroughly clean equipment after use. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) equal to 110% of the volume capacity of the equipment. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 20 minutes to ensure contact with all internal surfaces.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

EQUIPMENT TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 327 ppm available chlorine (1 ounce T.I.C.A. Granular per 21.5 gallons water). in a pressure sprayer. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for at least 2 minutes. Rinse with potable water prior to use.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in fogging unit. Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to

raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION METHOD: Thoroughly clean surfaces to be sanitized. Add sufficient amount of this product to water to prepare a sanitizing solution containing 100 ppm available chlorine (1 ounce T.I.C.A. Granular per 70 gallons water) in a suitable tank. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Immerse items into the sanitizing solution for at least 10 minutes. Let items air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water) in a pressure sprayer. Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



EATING ESTABLISHMENTS FOOD HANDLING AREAS (FOOD CONTACT)

When used as directed, this product may be used to sanitize food contact surfaces of eating establishments food handling areas.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

SPONGE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 97 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 gallons water). Using a sponge, thoroughly wet all surfaces to be sanitized. Keep wet for at least 1.5 minutes.

SPONGE-ON TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Using a sponge, thoroughly wet all surfaces to be sanitized. Keep wet for at least 1.5 minutes.

EQUIPMENT TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 572 ppm available chlorine (1 ounce T.I.C.A. Granular per 12 gallons water). Thoroughly wet all surfaces to be sanitized.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
ANIMALS (LABORATORY/RESEARCH)

When used as directed, this product may be used to sanitize laboratory animal research premises and feeding and watering appliances.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

FEEDING AND WATERING APPLIANCE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 971 ppm available chlorine (1 ounce T.I.C.A. Granular per 7.2 gallons water). Thoroughly wet all surfaces to be sanitized. Rinse with potable water prior to use.

PREMISE TREATMENT (HARD SURFACES): Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 971 ppm available chlorine (1 ounce T.I.C.A. Granular per 7.2 gallons water). Thoroughly wet all surfaces to be sanitized. Rinse with potable water prior to use.

.....
EGG PLANTS/HATCHERIES/BROODER ROOMS/SHOE BATHS (HATCHING)

When used as directed, this product may be used to sanitize hatching egg plants, hatcheries, brooder rooms and shoe baths.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

EQUIPMENT TREATMENT (HARD SURFACES): Remove food and animals from premises prior to treatment. Remove feed and water prior to treatment. Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 327 ppm available chlorine (1 ounce T.I.C.A. Granular per 21.5 gallons water) in a pressure sprayer. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for at least 10 minutes. Rinse with potable water prior to use.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

IMMERSION TREATMENT (HARD SURFACES): Remove food and animals from premises prior to treatment. Remove feed and water prior to treatment. Thoroughly clean all surfaces prior to applying sanitizing solution. Add sufficient amount of this product to water to prepare a sanitizing solution containing 327 ppm available chlorine (1 ounce T.I.C.A. Granular per 21.5 gallons water) in a pressure sprayer. The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used. Keep all surfaces to be sanitized wet for at least 10 minutes. Rinse with potable water prior to use.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....

**PASTEURIZERS/WARMER/CANNERY COOLING WATER SYSTEMS
(AQUATIC NON-FOOD INDUSTRIAL)**

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in pasteurizers, warmer and cannery cooling water systems (aquatic nonfood industrial).

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT, CONTINUOUS FEED (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Continuously add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, CONTINUOUS FEED (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Continuously add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water). Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES permit. For guidance,

contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, INTERMITTENT (SLUG) (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Periodically, add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, INTERMITTENT (SLUG) (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Periodically, add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....

**PASTEURIZERS/WARMER/CANNERY COOLING WATER SYSTEMS
(INDOOR NON-FOOD)**

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in pasteurizers, warmer and cannery cooling water systems (indoor nonfood).

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 4-5 ppm available chlorine (1 ounce T.I.C.A. Granular per 1,406 - 1,758 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 1 ppm available chlorine (1 ounce T.I.C.A. Granular per 7,000 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the

sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (INITIAL): Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 47-98 ppm available chlorine (1 ounce T.I.C.A. Granular per 72 - 150 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (SUBSEQUENT/MAINTENANCE): Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 9-49 ppm available chlorine (1 ounce T.I.C.A. Granular per 144 - 780 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, CONTINUOUS FEED (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Continuously add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, CONTINUOUS FEED (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Continuously add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, INTERMITTENT (SLUG) (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Periodically, add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, INTERMITTENT (SLUG) (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Periodically, add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....

AIR WASHER WATER TREATMENT

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in air washer water.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT, CONTINUOUS FEED (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Continuously add sufficient amount of this product to the water to be sanitized to achieve a concentration of 4-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 1,758 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, CONTINUOUS FEED (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Continuously add sufficient amount of this product to the water to be sanitized to achieve a concentration of 1-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 7,000 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements

of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, INTERMITTENT (SLUG) (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Periodically, add sufficient amount of this product to the water to be sanitized to achieve a concentration of 4-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 – 1,758 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT, INTERMITTENT (SLUG) (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Periodically, add sufficient amount of this product to the water to be sanitized to achieve a concentration of 1-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 – 7,000 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 4-5 ppm available chlorine (1 ounce T.I.C.A. Granular per 1,406 – 1,758 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 1 ppm available chlorine (1 ounce T.I.C.A. Granular per 7,000 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Use suitable agents such as sodium bisulfite to lower pH and soda ash to raise pH. Follow instructions on the label of the product used.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT-CONTINUOUS FEED (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT-CONTINUOUS FEED (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT-INTERMITTENT (SLUG) (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT-INTERMITTENT (SLUG) (SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11-53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 4-10 ppm available chlorine (1 ounce T.I.C.A. Granular per 700 - 1,758 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge

Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 1 ppm available chlorine (1 ounce T.I.C.A. Granular per 7,000 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



Commercial/Industrial Cooling Systems

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in commercial and industrial cooling systems.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 10 ppm available chlorine (1 ounce T.I.C.A. Granular per 700 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (SHOCK/SLUG): Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 10 ppm available chlorine (1 ounce T.I.C.A. Granular per 700 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 2 - 3 ppm available chlorine (1 ounce T.I.C.A. Granular per 2,350 - 3,500 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER ONCE THROUGH TREATMENT: If the system is noticeably fouled, drain, clean and refill

prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 3 ppm available chlorine (1 ounce T.I.C.A. Granular per 2,350 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (CONTINUOUS FEED)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (CONTINUOUS FEED)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (INTERMITTENT)(SLUG)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (INTERMITTENT)(SLUG)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority

has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 3 - 33 ppm available chlorine (1 ounce T.I.C.A. Granular per 213 - 2,350 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



Evaporative Condenser Water Systems

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in evaporative condenser water systems.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 4 - 5 ppm available chlorine (1 ounce T.I.C.A. Granular per 1,406 - 1,758 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 1 ppm available chlorine (1 ounce T.I.C.A. Granular per 7,000 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (CONTINUOUS FEED)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (CONTINUOUS FEED)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 4 - 20 ppm available chlorine (1 ounce T.I.C.A. Granular per 350 - 1,758 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 1 - 10 ppm available chlorine (1 ounce T.I.C.A. Granular per 700 - 7,000 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (SHOCK/SLUG): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 10 ppm available chlorine (1 ounce T.I.C.A. Granular per 700 gallons water). The pH of the solution should be in the range of 7.2 – 7.6.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (CONTINUOUS FEED)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 47 – 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 150 gallons water). The pH of the solution should be in the range of 7.2 – 7.6.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (CONTINUOUS FEED)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 9 – 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 780 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



ORNAMENTAL PONDS/AQUATIC

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in ornamental ponds:

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER RECIRCULATING SYSTEM TREATMENT (INITIAL): Use a portable chlorinator unit. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 – 7.8.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(INITIAL): Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.8.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(INITIAL): Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.8.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
SECONDARY OIL RECOVERY INJECTION WATER

When used as directed, this product may be used in secondary oil recovery water system, such as oil field water flood or salt water disposal systems for the control of sulfate-reducing bacteria and aerobic slime-forming bacteria which impair the efficacy of the system..

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....

Sewage Systems

When used as directed, this product effectively controls the growth of slime-forming bacteria, fungi and algae in sewage systems including leach fields, tank lines, lagoons, sewers, cesspools, septic tanks, sewage settling ponds, sludge beds, storm drains and street culverts..

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

SEWAGE TREATMENT (CONTINUOUS FEED)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 – 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SEWAGE TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 – 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SLUDGE TREATMENT (INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 – 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....

HEAT EXCHANGER WATER SYSTEMS

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in heat exchanger water systems.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER RECIRCULATING SYSTEM TREATMENT (INITIAL): If the system is noticeably fouled,

drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 9 - 20 ppm available chlorine (1 ounce T.I.C.A. Granular per 350 - 780 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER RECIRCULATING SYSTEM TREATMENT (SUBSEQUENT/MAINTENANCE): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 3 - 10 ppm available chlorine (1 ounce T.I.C.A. Granular per 700 - 2,350 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (CONTINUOUS FEED)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (CONTINUOUS FEED)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(SUBSEQUENT): If the system is noticeably fouled,

drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....

LAKES, PONDS/RESERVOIRS (WITHOUT HUMAN OR WILDLIFE USE)

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in lakes, ponds and reservoirs (without human or wildlife use).

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT (CONTINUOUS FEED)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (CONTINUOUS FEED)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority

has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



INDUSTRIAL SCRUBBING SYSTEMS

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in industrial scrubbing systems.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WATER TREATMENT (CONTINUOUS FEED)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (CONTINUOUS FEED)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(INITIAL): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WATER TREATMENT (INTERMITTENT)(SLUG)(SUBSEQUENT): If the system is noticeably fouled, drain, clean and refill prior to initial treatment. Add sufficient amount of this product to the water to be sanitized to achieve a concentration of 11 - 53 ppm available chlorine (1 ounce T.I.C.A. Granular per 133 - 640 gallons water).

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
EATING ESTABLISHMENTS FOOD HANDLING AREAS (NONFOOD CONTACT)

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae in industrial scrubbing systems.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

INDOOR PREMISE TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). Thoroughly wet hard surfaces with sanitizing solution. Rinse surfaces with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

POUR-ON TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). Thoroughly wet hard surfaces with sanitizing solution. Rinse surfaces with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). Use spray equipment that can resist chlorine solutions. Thoroughly wet hard surfaces with sanitizing solution. Rinse surfaces with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior

to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



EATING ESTABLISHMENTS FOOD SERVING AREAS (NONFOOD CONTACT)

When used as directed, this product may be used to sanitize nonfood contact surfaces in eating establishments food serving areas.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). Using a brush, thoroughly wet hard surfaces with sanitizing solution. Rinse surfaces with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SWAB TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 333 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). Using a cloth, thoroughly wet hard surfaces with sanitizing solution. Rinse surfaces with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SOAK TREATMENT: Add sufficient amount of this product to water in a suitable container to prepare a sanitizing solution containing 333 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). Immerse the items in the sanitizing solution. Rinse items with potable water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



HOSPITALS/MEDICAL INSTITUTIONS PREMISES (HUMAN/VETERINARY)

When used as directed, this product may be used to sanitize surfaces in human and veterinary hospitals and medical institution premises.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm available chlorine (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a brush, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

FOG TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 - 7.6. Thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a mop, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPONGE-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a sponge, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 - 7.6. Using a sprayer, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a cloth, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



HOSPITAL NONCRITICAL ITEMS (BEDPANS/FURNITURE)

When used as directed, this product may be used to sanitize hospital non-critical items such as bedpans and furniture.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a brush, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a mop, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPONGE-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a sponge, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements

of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a cloth, thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



HOSPITALS/MEDICAL INSTITUTIONS NONCONDUCTIVE FLOORS

When used as directed, this product may be used to sanitize non-conductive floors in hospitals and medical institutions.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BRUSH-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a brush, thoroughly wet floor surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

MOP TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a mop, thoroughly wet floor surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPONGE-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range

of 7.2 – 7.6. Using a sponge, thoroughly wet floor surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WIPE-ON TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Using a cloth, thoroughly wet floor surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
COMMERCIAL/INSTITUTIONAL/INDUSTRIAL PREMISES/EQUIPMENT (INDOOR)

When used as directed, this product may be used to sanitize indoor surfaces of equipment and the premises of commercial, institutional and industrial sites.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

FOG TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). Use fogging equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 – 7.6. Thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

RINSE TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SPRAY TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). Use spray equipment that can resist chlorine solutions. The pH of the solution should be in the range of 7.2 - 7.6. Thoroughly wet all surfaces and let air dry.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
COMMERCIAL/INSTITUTIONAL/INDUSTRIAL FLOORS

When used as directed, this product may be used to sanitize floors of commercial, institutional and industrial sites.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

SURFACE TREATMENT: Pre-clean all surfaces to be treated. Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water).

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....
LEATHER/LEATHER PRODUCTS

When used as directed, this product may be used to control the growth of slime-forming bacteria, fungi and algae on leather and leather products.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

PRESERVATIVE TREATMENT (SUBSEQUENT/MAINTENANCE): Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Thoroughly wet all surfaces.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

.....

OIL RECOVERY DRILLING MUDS/PACKER FLUIDS

When used as directed, this product may be used to control the growth of bacteria such as anaerobic sulfate-forming bacteria (*Desulfotribrio cesulfuricans*) and aerobic slime-forming bacteria (*Pseudomonas sp.* and *Bacillus sp.*) which impair the efficacy of the muds and fluids..

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

PRESERVATIVE TREATMENT: Add sufficient amount of this product to water to prepare a sanitizing solution containing 11 - 106 ppm (1 ounce T.I.C.A. Granular per 66 - 640 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a metering pump, completely fill the system.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



LAUNDRY (COMMERCIAL)

When used as directed, this product may be used to sanitize laundry (washable fabrics such as clothing, linens, sheets, towels, blankets, uniforms, etc.) in commercial, institutional and medical establishments such as schools, restaurants, hotels, motels, athletic facilities and hospitals.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

WASH: Pre-clean very dirty items. Add sufficient amount of this material to water to prepare a sanitizing solution containing 176 - 355 ppm available chlorine (1 ounce T.I.C.A. Granular per 20 - 40 gallons water). The pH of the solution should be in the range of 7.2 - 7.6. Using a washing machine, thoroughly wash items.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



LAUNDRY (HOUSEHOLD/COIN OPERATED)

When used as directed, this product may be used to sanitize laundry (washable fabrics such as clothing, linens, sheets, towels, blankets, uniforms, etc.) in households and coin operated laundries..

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

SOAK: Add sufficient amount of this material to water to prepare a sanitizing solution containing 341 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Using a washing machine, allow items to soak in the sanitizing solution for at least 11 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

WASH: Add sufficient amount of this material to water to prepare a sanitizing solution containing 341 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Using a washing machine, agitate items in the sanitizing solution for at least 5 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.



BATHROOM PREMISES

When used as directed, this product may be used to sanitize bathroom surfaces (floors, walls, sinks, bathtubs, shower stalls, toilet seats, toilet bowl surfaces, urinals and fixtures).

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

SURFACE TREATMENT (HARD SURFACES): Pre-clean all surfaces to be treated. Add sufficient amount of this material to prepare a sanitizing solution containing 341 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Using a suitable tool (e.g. sponge or pad), thoroughly wet surfaces to be sanitized. Keep wet for at least 1.5 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.

SURFACE TREATMENT (POROUS SURFACES): Pre-clean all surfaces to be treated. Add sufficient amount of this material to water to prepare a sanitizing solution containing 341 ppm (1 ounce T.I.C.A. Granular per 21 gallons water). The pH of the solution should be in the range of 7.2 – 7.6. Using a suitable tool (e.g. sponge or pad), thoroughly wet surfaces to be sanitized. Keep wet for at least 1.5 minutes.

Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. For guidance, contact your State Water Board or Regional Office of the EPA.