

Best Available Image

THOR**ACTICIDE® 14**

Industrial microbiocide for use in metal working fluids, metal cleaning fluids, hydraulic fluids, adhesives, tackifiers, dispersed pigments, paints, building materials and polymer latices.

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 10.2%
2-Methyl-4-isothiazolin-3-one 4.0%

INERT INGREDIENTS: 85.8%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly large quantities of water. Avoid alcohol. Call a physician immediately.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.


IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

EPA Reg. No. 67071-5

EPA Est. No. 37429-DEU-1



Manufactured By:
Thor Chemie GmbH
D-67346 Speyer, Germany
Tel (06232) 3188-0

U.S. Office:
ACTI-CHEM Specialties, Inc.
55 Quarry Road
Trumbull, CT 06611
Tel. (203) 268-1497

NOT FOR SALE OR USE AFTER 12 MONTHS FROM DATE OF MANUFACTURING.

Net Contents: _____ **Pounds**

Date of Manufacture: _____

272

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**DANGER****KEEP OUT OF REACH OF CHILDREN.**

CORROSIVE. CAUSES EYE DAMAGE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or spray mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL

PROHIBITIONS: This product (pH 3.0) is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of empty pesticide or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the nearest Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or for use as a container for other liquids or by other procedures approved by state and local authorities. Plastic containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration or, if allowed by state and local authorities, by other means. Do not reuse or refill of a pesticide container.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE FOR A FUTURE.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRESERVATIVE FOR METAL WORKING FLUIDS: Acticide 14 microbicide is recommended for the control of bacteria and fungi in emulsifiable type aqueous metal working fluid solutions and emulsions.

Add 3.5 fluid ounces (0.3 lb.) per 1000 gallons of emulsion every four weeks or 3.5 to 16 fluid ounces (0.3 to 1.3 lb.) per 1000 gallons of emulsion for maintenance of a non-fouled system. For a noticeably fouled system use an initial dose of 7 to 16 fluid ounces (0.6 to 1.3 lb.) per 1000 gallons emulsion followed by subsequent maintenance dosage, as above. A higher dosage rate and/or increased frequency of treatment may be required depending upon the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. The preservative should be dry mixed into the use dilution of the metal working fluid using a metering pump and uniformly dispersed throughout the system.

PRESERVATIVE FOR METAL CLEANING FLUIDS: Acticide 14 microbicide is recommended as a preservative for use in the manufacture and use of alkaline, acid and emulsion based metal cleaning fluids typically used in electroplating, phosphating, galvanizing and general metal cleaning operations.

For addition to a metal cleaning concentration, add Acticide 14 microbicide at a level to ensure that the final use dilution fluid will contain 56 to 225 ppm product (6.25 to 25 ppm active isothiazolones).

For direct addition to a fouled system, add 7.2 to 29 fluid ounces (0.6 to 2.3 lb.) of Acticide 14 microbicide to each 1000 gallons of use dilution metal cleaning fluid every 3 to 4 weeks to provide 56 to 225 ppm product (6.25 to 25 ppm active isothiazolones). A higher dosage range and/or increased frequency of treatment may be required depending upon rate of dilution of the preservative with the make up fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

The preservative should be dispensed into the use dilution metal cleaning fluid using a metering pump and uniformly dispersed throughout the system.

PRESERVATIVE FOR WATER-BASED HYDRAULIC FLUIDS: Acticide 14 microbicide is recommended as a preservative for use in the manufacture and use of high water-based hydraulic fluids and invert emulsion hydraulic fluids typically prepared by emulsifying 40% by volume water in 60% by volume of mineral oil using an oil soluble emulsifying agent.

For the maintenance of a non-fouled system, use Acticide 14 microbicide at 12 to 15 fluid ounces (1.0 to 1.2 lb.) per 1000 gallons fluid every 8 weeks. For a noticeably fouled system use an initial dose of 15 to 25 fluid ounces (1.2 to 2.0 lb.) per 1000 gallons fluid to be followed by subsequent maintenance dosage. A higher dosage range and/or increased frequency of treatment may be required depending upon rate of dilution of the preservative with make-up fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

PRESERVATIVE FOR DISPERSED PIGMENTS: Acticide 14 microbicide is recommended for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfonate, barium sulfate, magnesium silicate and feldspar used in paint and paper production. Add 0.06 to 0.225 lb. of Acticide 14 (25 to 102 grams) to each 1000 lb. (454 kg) of fluid to provide 7 to 25 ppm active isothiazolones.

PRESERVATIVE FOR ADHESIVES AND TACKIFIERS: Acticide 14 microbicide is recommended as an in-container preservative for the control of bacteria and fungi in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latexes, polyvinyl acetate, styrene butadiene and acrylic latexes. Acticide 14 microbicide is recommended as a preservative for tackifiers derived from resin and hydrocarbon resins.

Add 0.06 to 0.22 lb. Acticide 14 microbicide (25 to 102 g) to each 1000 lb. of fluid to provide 7 ppm to 25 ppm of active isothiazolone ingredients. A higher dosage rate providing up to 45 ppm active ingredient may be required for storage during extremely high temperatures and humidity.

PRESERVATIVE FOR PAINTS AND COATINGS: Acticide 14 microbicide is recommended as an in-container preservative for the control of bacteria and fungi in water based coatings such as paper and wood coatings and paints used for architectural, product finishes and special purpose coatings.

Add 0.06 to 0.22 lb. (25 to 102 grams) Acticide 14 microbicide to each 1000 lb. (454 kg) of fluid to provide 7 ppm to 25 ppm of active isothiazolone ingredients. A higher dosage rate providing up to 45 ppm active ingredients may be required for storage during extremely high temperatures and humidity.

PRESERVATIVE FOR BUILDING MATERIALS: Acticide 14 microbicide is recommended as an in-container preservative for the control of bacteria and fungi in building materials such as mortars, cements, joint cements, spackling and grouting. Add 0.05 to 0.225 lb. of Acticide 14 microbicide to each 1000 lb. of fluid to provide 7 ppm to 25 ppm active isothiazolones.

PRESERVATIVE FOR LATEXES: Acticide 14 microbicide is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latexes including: acrylics, styrene/butadiene, carboxylated styrene/butadiene, ethylene/vinyl acetate and isoprene polymers intended for industrial use such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches and casein derived polymers.

Add 0.06 to 0.45 lb. (25 to 205 g) of Acticide 14 microbicide to each 1000 lb. (454 kg) of emulsion to provide 7 ppm to 50 ppm active isothiazolones.

Note: To insure uniform mixing, add Acticide 14 microbicide to latex or solution slowly with agitation. The actual concentrations required will depend upon such factors as the specific substance to be treated, frequency of repeated microbial contamination expected and level of protection required.

Acticide 14 microbicide weighs 10.4 lb. per gallon.

CONDITIONS OF SALE AND WARRANTY

Thor Chemie GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR CHEMIE GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor Chemie GmbH and Seller. While such an interference or other substantial variations resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User IN NO CASE WILL THOR CHEMIE GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

ACCEPTED

OCT 21 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 67071-5