

67071-6

6/21/2013

1/6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



United States  
Environmental Protection  
Agency

Office of Pesticide Programs

Thor GmbH  
Landwehrstrasse 1  
D-67346,  
Speyer, Germany

**AGENT: Acti-Chem Specialties, Inc.**  
**50 Waterview Drive**  
**Shelton, CT 06484 USA**

JUN 21 2013

Attention: Cheryl Woodward.  
Regulatory Specialist

Subject: ACTICIDE® 45  
EPA Registration No. 67071-6  
Amendment Dated June 20, 2013

The amendment, submitted in connection with registration under section 3©(7)(A) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, to add an existing approved use site to the product label, is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3©(5) and sec. 4 uses when the Agency requires all registrants of similar products to submit such data.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the "accepted" product labeling is enclosed for your records. Submit two (2) copies of final printed labeling before you release the product for shipment.

A stamped copy of the "accepted" product labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell  
Product Manager 33  
Regulatory Management Branch 1  
Antimicrobials Division (7510P)

Enclosure

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

**STORAGE AND DISPOSAL**

Do not contaminate food or feed by storage, disposal or cleaning of equipment. **STORAGE DISPOSAL:** Do not store or transport in unlined metal containers. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.**

**CONDITIONS OF SALE AND WARRANTY**

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User, are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.



**ACTICIDE® 45**

**Precautionary Statements:  
Hazards to Humans and Domestic Animals**

**DANGER**

CORROSIVE. CAUSES PERMANENT, IRREVOCALE EYE DAMAGE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN OR INHALED. PROLONGED OR REPEATED OVEREXPOSURE CAN CAUSE CENTRAL NERVOUS SYSTEM EFFECTS AND KIDNEY AND LIVER DAMAGE. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. WEAR GOGGLES OR FACE SHIELD. WEAR PROTECTIVE CLOTHING AND RUBBER GLOVES. AVOID BREATHING VAPOR OR MIST. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, OR USING TOBACCO.

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

ACTICIDE® 45 is an industrial microbicide to be used for the protection of paint films, coatings; including wood coatings and wood coating solutions including \*sapstain control; adhesives; \*building materials including \*sealants; \*mastics; \*caulks; \*joint cements; \*spackling; \*stucco; \* grouts; \*applied film/wet state of adhesives, tackifiers, paints, coatings and other building materials; \*hides; \*leather; \*textiles; \*fibers; \*fabrics; \*plastic/PVC/vinyl products; \*metalworking fluids; \*hydraulic fluids against attack by mildew, and fungus. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.

\* Not approved for these uses in the State of California

EPA Reg. No. 67071-6 EPA Est. No. 67071-DEU-001

Manufactured By/For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

Thor Specialties, Inc.

50 Waterview Drive, Shelton, CT 06484 USA

Tel. (203) 516-6980

For:

Manufactured By:

Thor Químicos de México SA de CV;

Autopista Mex-Qro Km 182; Pedro Escobedo,

Querétaro, México. Tel. (448)2752200

Thor GmbH

U.S. Office: Thor Specialties, Inc.

50 Waterview Drive, Shelton, CT 06484 USA

Tel. (203) 516-6980

UN 2922, CORROSIVE LIQUID, TOXIC, N.O.S.

(2-Octyl-2H-isothiazol-3-one), 8+6.1, PG-II

For Transportation / Spills Emergency: 3 3 3

Call Chemtrec at 1-800-424-9300

**KEEP OUT OF REACH OF CHILDREN**

**DANGER - PELIGRO**

See Side panel for additional precautionary statements

**FIRST AID**

<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>&gt; Call a poison control center or doctor immediately for treatment advice.</li> <li>&gt; Have person sip a glass of water if able to swallow.</li> <li>&gt; Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>&gt; Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on Skin: Or Clothing</b>	<ul style="list-style-type: none"> <li>&gt; Take off contaminated clothing.</li> <li>&gt; Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>&gt; Call a poison control center or doctor for treatment.</li> </ul>
<b>If Inhaled:</b>	<ul style="list-style-type: none"> <li>&gt; Move person to fresh air.</li> <li>&gt; If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>&gt; Call a poison control center or doctor for further treatment.</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>&gt; Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>&gt; Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>&gt; Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER:</b>	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.
<b>Note to physician:</b>	Probable mucosal damage may complicate the use of gastric lavage.

**With COMMENTS**

EPA Letter Dated: JUN 21 2013

**Mfg Date:**

JUN 21 2013

**Net Contents (pounds):**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 67071-6

**Batch:**

Net Contents (pounds):

# ACTICIDE® 45 INFORMATION SHEET



**THIS ACTICIDE® 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® 45**

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### DRY FILM PRESERVATIVE FOR PAINTS, COATINGS, WOOD COATINGS, WOOD COATING SOLUTIONS:

Control of fungi in latex and oil-based paints and coatings (non-food contact), including colorants used in paints and coatings.

The amount of ACTICIDE® 45 needed to protect dry and the applied/wet-states of paints, coatings, colorants used in paints and coatings, and wood coatings varies with the type of formulation and exposure conditions of the film (e.g., indoor vs. tropical climates). The Thor Specialties Technical Department will assist in the determination of the optimum quantity required by your product. This facility is especially helpful where a formulation has a greater than usual susceptibility to microbiological spoilage and/or is to be used in an area where the environmental conditions are particularly conducive to fungal growth.

ACTICIDE® 45 may be used at higher concentrations so long as the end-use product/article contains a maximum concentration of not greater than 1320 ppm OIT.

0.02 – 0.29%

0.02 – 0.29 LB / PER 100 LB PRODUCT

**ACCEPTED**  
with **COMMENTS**  
EPA Letter Dated:

**JUN 21, 2013**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

67071-6

### \*SAPSTAIN CONTROL

To control sapstain on debarked logs and lumber, prepare a working solution by mixing with water. The working solution must be mixed thoroughly before and during use. Apply the working solution with a spray or dip system that coats all surfaces of the wood evenly and thoroughly. Treated wood must not be used or placed where it may contact food or animal feed.

\*Not approved for this use in the state of California

1 – 5 QT / PER 250 GAL WATER

### DRY FILM PRESERVATIVE FOR ADHESIVES

Control of fungi in adhesives (non-food contact).

The amount of ACTICIDE® 45 needed to protect dry and the applied/wet-states of industrial adhesives varies with the type of formulation. The Thor Specialties Technical Department will assist in the determination of the optimum quantity required by your product. This facility is especially helpful where a formulation has a greater than usual susceptibility to microbiological spoilage and/or is to be used in an area where the environmental conditions are particularly conducive to fungal growth.

0.02 – 0.29%

0.02 – 0.29 LB / PER 100 LB PRODUCT

# ACTICIDE<sup>®</sup> 45 INFORMATION SHEET



**THIS ACTICIDE<sup>®</sup> 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE<sup>®</sup> 45**

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### DRY FILM PRESERVATIVE FOR BUILDING MATERIALS INCLUDING:

- \*SEALANTS
- \*MASTICS
- \*CAULKS
- \*JOINT CEMENTS
- \*SPACKLING
- \*STUCCO
- \*GROUTS
- \*CONCRETE ADMIXTURES

0.02 – 0.29%  
0.02 – 0.29 LB / PER 100 LB PRODUCT

Control of fungi in building materials (non-food contact).

The amount of ACTICIDE<sup>®</sup> 45 needed to protect dry and the applied/wet-states of building materials varies with the type of formulation and exposure conditions of the film (e.g., indoor vs. tropical climates). The Thor Specialties Technical Department will assist in the determination of the optimum quantity required by your product. This facility is especially helpful where a formulation has a greater than usual susceptibility to microbiological spoilage and/or is to be used in an area where the environmental conditions are particularly conducive to fungal growth.

\*Not approved for these uses in the state of California

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

JUN 21 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

67071-6

### \*APPLIED FILM / WET STATE PRESERVATIVE

Control of bacteria and fungi in the applied film/wet state of adhesives, tackifiers, paints, coatings and building materials (such as fire-proofing and sound-proofing coatings) for the purpose of protecting the applied film/wet state prior to a full cure.

0.02 – 0.29%  
0.02 – 0.29 LB / PER 100 LB PRODUCT

\*Not approved for this use in the state of California

### \*LEATHER PRESERVATION

Prevention of bacterial and fungal growth on wet leather stock such as pickled, chrome-tanned and vegetable-tanned hides and leather, including wet-blues. The optimum use concentrations will depend on the manufacturing process, the required properties of the product and the environment to which it will be exposed. Levels will be particularly affected by natural fat content, skin thickness, storage time and tannery conditions.

0.014 – 0.06%  
0.014 – 0.06 LB / PER 100 LB PELT WEIGHT

\*Not approved for this use in the state of California

# ACTICIDE<sup>®</sup> 45 INFORMATION SHEET



**THIS ACTICIDE<sup>®</sup> 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE<sup>®</sup> 45**

## DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

<p><b>*TEXTILE, *FIBER AND *FABRIC PRESERVATION</b></p> <p>Prevention of bacterial and fungal growth, in the presence of moisture, in/on fibers, textiles and fabrics, including carpets and backing materials, natural and man-made. The optimum use concentrations will depend on the manufacturing process, the properties of the product and the environment to which it will be exposed. Levels will be particularly affected by the fabric thickness, proximity to the air circulation, storage time and ambient humidity.</p> <p><b>*Not approved for these uses in the state of California</b></p>	<p><b>0.1 – 0.25%</b></p> <p>0.1 – 0.25 LB / PER 100 LB PRODUCT</p>
<p><b>*PRESERVATION OF PLASTIC/PVC/VINYL PRODUCTS</b></p> <p>Control of mildew, fungi and bacteria in PVC flooring and wall coverings, coated fabrics for upholstery, interior automotive parts, refrigerator gaskets, shower curtains, mattress covers, artificial leather, rain wear, protective wear, shoes, boots, PVC slippers and gloves.</p>	<p><b>0.1 – 0.5%</b></p> <p>0.1 – 0.5 LB / PER 100 LB FORMULATION</p> <p>Or</p> <p><b>0.05 – 0.5%</b></p> <p>0.05 – 0.5 LB / PER 100 LB PLASTISOL</p>
<p>ACTICIDE<sup>®</sup> 45 is also recommended in situations generally subject to external environmental variations such as use in automotive landau tops, external automotive trim, tarpaulins, tents, awnings, indoor/outdoor carpeting, garden hoses, pool and pond liners, marine upholstery, swimming pool liners, roof liners, lining foils, cable casings, PVC tiles and fibers.</p> <p>Mode of application for plastic/PVC/vinyl products. ACTICIDE<sup>®</sup> 45 can, in most of the standard methods of plastics production, be introduced in different phases of the process cycle. An absolutely homogeneous incorporation into the material is essential for a good antimicrobial activity. The mixture of the product with fluid additives should be ensured by the use of a good mechanical stirring device. The product may never be introduced directly into fillers and pigments. ACTICIDE<sup>®</sup> 45 is first dissolved in the plasticizer. Subsequently, the rest of the additives are mixed in and homogeneously worked together. The product can also be homogeneously distributed in finished plastisols by intensive mixing.</p> <p><b>*Not approved for this use in the state of California</b></p>	<p><b>0.15 – 0.75%</b></p> <p>0.15 – 0.75 LB / PER 100 LB FORMULATION</p> <p><b>ACCEPTED with COMMENTS</b> EPA Letter Dated: JUN 21 2013</p> <p>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.</p> <p>67071-6</p>

6/6

# ACTICIDE<sup>®</sup> 45 INFORMATION SHEET



**THIS ACTICIDE<sup>®</sup> 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE<sup>®</sup> 45**

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### \*METALWORKING FLUID PRESERVATION

Control of fungi in the manufacture and use of soluble, synthetic, and semi-synthetic metalworking fluids. ACTICIDE<sup>®</sup> 45 is not recommended for use in systems or fluids which are subject to foaming or systems with high levels of tramp oil. ACTICIDE<sup>®</sup> 45 should be directly dispensed into the metalworking concentrate or use-dilution metalworking fluid using a metered pump or other point-of-use device and uniformly dispersed throughout the liquid. Greatly contaminated systems must be cleaned before treatment is begun.

#### FLUID CONCENTRATES

ACTICIDE<sup>®</sup> 45 should be added to the metalworking concentrate at a level to ensure that the final use-dilution fluid will contain 55-167 ppm of product (25-75 ppm active ingredient).

#### USE-DILUTION FLUID

For a noticeably fouled system, add 0.47-1.44 pounds of ACTICIDE<sup>®</sup> 45 per 1,000 gallons of emulsion. This will provide 25-75 ppm active ingredient. Repeat until control is achieved. For maintenance of a non-fouled system, add 0.09-0.58 pounds of ACTICIDE<sup>®</sup> 45 per 1,000 gallons of emulsion every 4 weeks. This will provide 5-30 ppm active ingredient. A higher dose range and /or increased frequency of treatment may be required, depending upon rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

\*Not approved for this use in the state of California

### \*HYDRAULIC FLUID PRESERVATION

Preservative in the manufacture and use of soluble oils, high water-based and emulsion hydraulic fluids. ACTICIDE<sup>®</sup> 45 should be directly dispensed into the hydraulic concentrate or use-dilution hydraulic fluid using a metered pump or other point-of-use device and uniformly dispersed throughout the fluid. Greatly contaminated systems must be cleaned before treatment is begun.

#### FLUID CONCENTRATES

ACTICIDE<sup>®</sup> 45 should be added to the hydraulic fluid concentrate at a level to ensure that the final use-dilution fluid will contain 55-167 ppm of product (25-75 ppm active ingredient).

#### USE-DILUTION FLUID

For a noticeably fouled system, add 0.47-1.44 pounds of ACTICIDE<sup>®</sup> 45 per 1,000 gallons of emulsion. This will provide 25-75 ppm active ingredient. Repeat until control is achieved. For maintenance of a non-fouled system, add 0.09-0.58 pounds of ACTICIDE<sup>®</sup> 45 per 1,000 gallons of emulsion every 4 weeks. This will provide 5-30 ppm active ingredient. A higher dose range and/or increased frequency of treatment may be required, depending upon rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

\*Not approved for this use in the state of California

**ACCEPTED**  
with COMMENTS  
EPA Letter Dated:  
**JUN 21 2013**

Information Sheet # 006-0 V001 - 06/13/2013  
Page 4 of 4

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

EPA Reg. No. 67071-6

Manufactured By/For:

Thor GmbH  
D-67346 Speyer, Germany  
Tel. (06232) 6360  
Thor Specialties, Inc.  
50 Waterview Drive, Shelton,  
CT 06484 USA  
Tel. (203) 516-6980

U.S. Office:

67071-6