



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 5, 2021

Cheryl Woodward
Senior Regulatory Specialist
Thor Specialties, Inc.
50 Waterview Drive
Shelton, CT 06484

Subject: Label Amendment – Clarification of Existing Uses
Product Name: Acticide 45
EPA Registration Number: 67071-6
Application Date: 07/02/2020
Action Case Number: 00218415

Dear Ms. Woodward:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 67071-6
Action Case Number/Decision No. 00218415

with FIFRA section 6. If you have any questions, please contact Terria Northern via email at northern.terria@epa.gov.

Sincerely,


A handwritten signature in black ink that reads "Steven Snyderman". The signature is written in a cursive style with a horizontal line underneath the name.

Steven Snyderman, Product Manager 33
Regulatory Management Branch II
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure: Accepted label

{All text in brackets [xxx] is optional and may or may not be intended on a final label.}
 {All text in braces {xxx} is administrative and will not appear on a final label.}

Label # 006-00 V010 – 03-MAY-2021



ACTICIDE® 45

Precautionary Statements: Hazards to Humans and Domestic Animals **DANGER**

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

ACTIVE INGREDIENT:
 2-n-Octyl-4-isothiazolin-3-one.....46.5%
 INERT INGREDIENTS:.....53.5%
 TOTAL:100.0%

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Pesticide Storage: Do not store or transport in unlined metal containers.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < 5 gallons in size] – Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

{OR:

CONTAINER DISPOSAL: Non-refillable containers [> 5 gallons in size]. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Empty tote container may be returned to a tote collection agent. Residue removal – Cleaning container before final disposal is the responsibility of the person disposing of the container. To clean container before final disposal, fill container about 10 percent full with water; agitate container vigorously; discard rinsate according to pesticide disposal instructions; repeat this rinsing procedure two more times. Then offer recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. For additional container disposal information, contact product supplier.}

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

See Side panel for additional precautionary statements
 {Note to Reviewer: In accordance with 40 CFR 156.68(d), all first aid statements, as prescribed, will appear on the front panel of the product label.}

FIRST AID	
If in Eyes:	<ul style="list-style-type: none"> ➤ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ➤ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ➤ Call a poison control center or doctor for treatment advice.
If on Skin: Or Clothing	<ul style="list-style-type: none"> ➤ Take off contaminated clothing. ➤ Rinse skin immediately with plenty of water for 15-20 minutes. ➤ Call a poison control center or doctor for treatment.
If Swallowed:	<ul style="list-style-type: none"> ➤ Call a poison control center or doctor immediately for treatment advice. ➤ Have person sip a glass of water if able to swallow. ➤ Do not induce vomiting unless told to do so by the poison control center or doctor. ➤ Do not give anything by mouth to an unconscious person
If Inhaled:	<ul style="list-style-type: none"> ➤ Move person to fresh air. ➤ If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to- mouth, if possible. ➤ Call a poison control center or doctor for further treatment
HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	
Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.	

**For Transportation / Spills Emergency:
Call Chemtrec at 1-800-424-9300**

UN 2922

CORROSIVE. Causes permanent, irreversible eye damage and skin burns. May cause allergic skin reaction. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. Prolonged or repeated overexposure can cause central nervous system effects and kidney and liver damage. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. WEAR GOGGLES OR FACE SHIELD. HANDLER MUST WEAR COVERALLS WORN OVER LONG-SLEEVED SHIRT AND LONG PANTS, SOCKS, CHEMICAL-RESISTANT FOOTWEAR, AND WATERPROOF OR CHEMICAL-RESISTANT GLOVES. AVOID BREATHING VAPOR OR MIST. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM USING TOBACCO, OR USING THE TOILET. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACTICIDE® 45 is an industrial microbiocide to be used for the protection of [*]paint films; [*]coatings; including [*]wood coatings and [*]wood coating solutions including [*]sapstain control; [*]adhesives; [*]building materials including [*]sealants; [*]mastics; [*]caulks; [*]joint cements; [*]spackling; [*]stucco; [*]grouts; [*]applied film/wet state of adhesives, [*]tackifiers, [*]paints, [*]coatings and other [*]building materials; [*]hides; [*]leather; [*]textiles; [*]fibers; [*]fabrics; [*]plastics; [*]polymers; [*]metalworking fluids; and [*]hydraulic fluids against attack by [*]bacteria, [*]mildew, and [*]fungus. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.

[* Not approved for these uses in the State of California]

EPA Reg. No. 67071-6

EPA Est. No. 67071-DEU-001

Manufactured By/For: Thor GmbH
 D-67346 Speyer, Germany

U.S. Office: Thor Specialties, Inc.
 50 Waterview Drive; Shelton, CT 06484 USA
 Tel. (203) 516-6980

{or:
 Manufactured By: Thor Químicos de México SA de CV;
 Autopista Mex-Qro Km 182; Pedro Escobedo,
 Querétaro; México.

Manufactured For: Thor GmbH
 U.S. Office: Thor Specialties, Inc.
 50 Waterview Drive, Shelton, CT 06484 USA
 Tel. (203) 516-6980]

CORROSIVE LIQUID, TOXIC, N.O.S. (2-Octyl-2H-isothiazol-3-one), 8 (6.1), PG-II

[Made in Mexico]

Batch:	Mfg Date:	Net Contents (pounds): (gallons):
---------------	------------------	--

ACTICIDE® 45

INFORMATION SHEET



THIS ACTICIDE® 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® 45

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DRY FILM PRESERVATIVE FOR PAINTS, COATINGS, WOOD COATINGS, WOOD COATING SOLUTIONS:

0.020 – 0.29%

0.020 – 0.29 LB / PER 100 LB PRODUCT

Control of fungi in latex and oil-based paints and coatings (non-food contact), including colorants used in paints and coatings.

The amount of ACTICIDE® 45 needed to protect dry and the applied/wet-states of paints, coatings, colorants used in paints and coatings, and wood coatings varies with the type of formulation and exposure conditions of the film (e.g., indoor vs. tropical climates). The Thor Specialties Technical Department will assist in the determination of the optimum quantity required by your product. This facility is especially helpful where a formulation has a greater than usual susceptibility to microbiological spoilage and/or is to be used in an area where the environmental conditions are particularly conducive to fungal growth.

[*]The amount of ACTICIDE® 45 needed to protect wood coatings and wood coating solutions is [*]0.005 -0.29% (0.005 – 0.29 lbs per 100 lbs of product).

ACTICIDE® 45 may be used at higher concentrations so long as the end-use product/article contains a maximum concentration of not greater than 1320 ppm OIT.

[*0.020 – 0.29% for this use in the state of California]

[*]SAPSTAIN CONTROL

1 – 5 QT / PER 250 GAL WATER

To control sapstain on debarked logs and lumber, prepare a working solution by mixing with water. The working solution must be mixed thoroughly before and during use. Apply the working solution with a spray or dip system that coats all surfaces of the wood evenly and thoroughly. Treated wood must not be used or placed where it may contact food or animal feed.

[*Not approved for this use in the state of California]

DRY FILM PRESERVATIVE FOR ADHESIVES

0.02 – 0.29%

0.02 – 0.29 LB / PER 100 LB PRODUCT

Prevention of fungal and [*]bacterial growth in adhesives (non-food contact).

The amount of ACTICIDE® 45 needed to protect dry and the applied/wet-states of industrial adhesives varies with the type of formulation. The Thor Specialties Technical Department will assist in the determination of the optimum quantity required by your product. This facility is especially helpful where a formulation has a greater than usual susceptibility to microbiological spoilage and/or is to be used in an area where the environmental conditions are particularly conducive to bacterial and fungal growth.

[*Not approved for this use in the state of California]

ACTICIDE® 45

INFORMATION SHEET



THIS ACTICIDE® 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® 45

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DRY FILM PRESERVATIVE FOR BUILDING MATERIALS INCLUDING: SEALANTS MASTICS CAULKS JOINT CEMENTS SPACKLING STUCCO GROUTS CONCRETE ADMIXTURES	0.02 – 0.29% 0.02 – 0.29 LB / PER 100 LB PRODUCT
Prevention of fungal and [*]bacterial growth in building materials (non-food contact). The amount of ACTICIDE® 45 needed to protect dry and the applied/wet-states of building materials varies with the type of formulation and exposure conditions of the film (e.g., indoor vs. tropical climates). The Thor Specialties Technical Department will assist in the determination of the optimum quantity required by your product. This facility is especially helpful where a formulation has a greater than usual susceptibility to microbiological spoilage and/or is to be used in an area where the environmental conditions are particularly conducive to bacterial and fungal growth. [*Not approved for this use in the state of California]	
[*]APPLIED FILM / WET STATE PRESERVATIVE	0.02 – 0.29% 0.02 – 0.29 LB / PER 100 LB PRODUCT
Control of bacteria and fungi in the applied film/wet state of adhesives, tackifiers, paints, coatings and building materials (such as fire-proofing and sound-proofing coatings) for the purpose of protecting the applied film/wet state prior to a full cure. [*Not approved for this use in the state of California]	
[*]LEATHER PRESERVATION	0.014 – 0.06% 0.014 – 0.06 LB / PER 100 LB PELT WEIGHT
Prevention of bacterial and fungal growth on wet leather stock such as pickled, chrome-tanned and vegetable-tanned hides and leather, including wet-blues. The optimum use concentrations will depend on the manufacturing process, the required properties of the product and the environment to which it will be exposed. Levels will be particularly affected by natural fat content, skin thickness, storage time and tannery conditions. [*Not approved for this use in the state of California]	

ACTICIDE[®] 45

INFORMATION SHEET



THIS ACTICIDE[®] 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE[®] 45

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

<p>[*]TEXTILE, [*]FIBER AND [*]FABRIC PRESERVATION</p> <p>Prevention of bacterial and fungal growth, in the presence of moisture, in/on fibers, textiles and fabrics, including carpets and backing materials, natural and man-made. The optimum use concentrations will depend on the manufacturing process, the properties of the product and the environment to which it will be exposed. Levels will be particularly affected by the fabric thickness, proximity to the air circulation, storage time and ambient humidity.</p> <p>[*Not approved for these uses in the state of California]</p>	<p>0.1 – 0.25%</p> <p>0.1 – 0.25 LB / PER 100 LB PRODUCT</p>
<p>[*]PLASTICS</p> <p>Control of mildew, fungi and bacteria in plastics or plastic composites of synthetic or natural derivation, including: acrylics, polyesters, silicones, polyurethanes (including epoxies), polyamides (including vinyls such as PVC and PVDF), phenolics, polyamines (including melamine), lactic acid derivatives, urea formaldehyde, thermoplastic elastomers, and styrene butadiene rubber or blends thereof.</p> <p>Examples of uses of plastics / plastic composites include: flooring, wall coverings, wood plastic composites, coated fabrics, automotive parts, gaskets for appliances, shower curtains, foams for upholstery and mattresses, boots, outdoor banners, siding, tents, tarpaulins, garden hoses, pool and pond liners, marine upholstery, carpeting, roof liners, lining foils and cable casings.</p> <p>Treated plastics cannot be used to manufacture children's toys.</p> <p>[*Not approved for these uses in the state of California]</p>	<p>For interior use:</p> <p>0.1 – 0.5%</p> <p>0.1 – 0.5 LB / 100 LB formulation</p> <p>For exterior use:</p> <p>0.15 – 0.75%</p> <p>0.15 – 0.75 LB / 100 LB formulation</p>
<p>[*]POLYMERS</p> <p>Includes polymer emulsions, latexes, dispersions, suspensions, solutions, resins and semi-solid compositions. This encompasses polymers based on synthetic monomers as well as natural monomers derived from biomass or biological synthesis.</p> <p>ACTICIDE[®] 45 is for the prevention of bacterial and fungal spoilage of liquid (aqueous) and semi-solid polymers during manufacture, transport, and storage.</p> <p>[*Not approved for these uses in the state of California]</p>	<p>0.02 – 0.29%</p> <p>0.02 – 0.29 LB / 100 LB polymer</p>

ACTICIDE® 45

INFORMATION SHEET



THIS ACTICIDE® 45 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® 45

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

METALWORKING FLUID PRESERVATION

Control of fungi in the manufacture and use of soluble, synthetic, and semi-synthetic metalworking fluids. ACTICIDE® 45 is not for use in systems or fluids which are subject to foaming or systems with high levels of tramp oil. ACTICIDE® 45 must be directly dispensed into the metalworking concentrate or use-dilution metalworking fluid using a metered pump or other point-of-use device and uniformly dispersed throughout the liquid. Highly contaminated systems must be cleaned before treatment is begun.

FLUID CONCENTRATES

ACTICIDE® 45 must be added to the metalworking concentrate at a level to ensure that the final use-dilution fluid will contain 55-167 ppm of product (25-75 ppm active ingredient).

USE-DILUTION FLUID

For a noticeably fouled system, add 0.47-1.44 pounds of ACTICIDE® 45 per 1,000 gallons of emulsion. This will provide 25-75 ppm active ingredient. Repeat until control is achieved. For maintenance of a non-fouled system, add 0.09-0.58 pounds of ACTICIDE® 45 per 1,000 gallons of emulsion every 4 weeks. This will provide 5-30 ppm active ingredient. A higher dose range and /or increased frequency of treatment may be required, depending upon rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

HYDRAULIC FLUID PRESERVATION

Preservative in the manufacture and use of soluble oils, high water-based and emulsion hydraulic fluids. ACTICIDE® 45 must be directly dispensed into the hydraulic concentrate or use-dilution hydraulic fluid using a metered pump or other point-of-use device and uniformly dispersed throughout the fluid. Highly contaminated systems must be cleaned before treatment is begun.

FLUID CONCENTRATES

ACTICIDE® 45 must be added to the hydraulic fluid concentrate at a level to ensure that the final use-dilution fluid will contain 55-167 ppm of product (25-75 ppm active ingredient).

USE-DILUTION FLUID

For a noticeably fouled system, add 0.47-1.44 pounds of ACTICIDE® 45 per 1,000 gallons of emulsion. This will provide 25-75 ppm active ingredient. Repeat until control is achieved. For maintenance of a non-fouled system, add 0.09-0.58 pounds of ACTICIDE® 45 per 1,000 gallons of emulsion every 4 weeks. This will provide 5-30 ppm active ingredient. A higher dose range and/or increased frequency of treatment may be required, depending upon rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

CONCENTRATES AND SUPPLEMENTAL DOSING:

ACTICIDE® 45 may be added to those products formulated as concentrates, which in turn are diluted for end use. Manufacturers are to ensure that the final use-dilution product will not exceed the maximum concentration of ACTICIDE® 45 indicated in each label use category.

Products transported and stored in bulk are more prone to microbiological contamination and may display degradation of biocide active ingredient over time. Under such conditions, where analysis indicates significant loss of active ingredient, the product may be dosed with additional ACTICIDE® 45 up to the approved concentration indicated.