

ACCEPTED

DEC - 1 1998

THOR

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended or the pesticide registration under EPA Reg. No. 67071-15

# ACTICIDE PM FLOWABLE

(INDUSTRIAL MILDEWCIDE)

The formulated product is intended for use as an industrial mildewcide for the control of fungal and algal growth in paint films, coatings, stains and polymer latices.

ACTIVE INGREDIENTS:	33.7%
Diuron [3-(3,4-dichlorophenyl)-1,1-dimethylurea]	19.0%
Chlorothalonil (tetrachloroisophthalonitrile)	14.7%
OTHER INGREDIENTS:	66.3%
TOTAL:	100.0%

## KEEP OUT OF REACH OF CHILDREN DANGER

CAUSES SEVERE EYE DAMAGE

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

### STATEMENT OF PRACTICAL TREATMENT

**IF IN EYES:** Call a physician. Hold eyelids open and flush with a steady gentle stream of water for 15 minutes.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF SWALLOWED:** Call physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. 67071-15

EPA Est. No. 37429-DEU-1

Manufactured By:

Thor Chemie GmbH  
D-67348 Speyer, Germany  
Tel. (06232) 6360

U.S. Office:

Acti-Chem Specialties, Inc.  
58 Quarry Road  
Trumbull, CT 06611 USA

Net Contents: \_\_\_\_\_ Pounds

Date of Manufacture: \_\_\_\_\_

Lot # \_\_\_\_\_

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes. Do not inhale dust or spray mist. Avoid contact with skin or on clothing. Wear goggles or face shield, and a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and National Institute for Occupational Safety and Health (TC-21C). Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the Environmental Protection Agency.

### STORAGE AND DISPOSAL

STORE AWAY FROM FOOD AND DRINKING WATER. STORE IN ORIGINAL CONTAINER ONLY. STORE IN A DRY PLACE.

**PESTICIDE DISPOSAL:** Pesticide wastes are hazardous. Improper disposal of excess product or rinseate is a violation of Federal Law. If waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty container into application equipment. Then dispose of in a sanitary landfill, or by incineration, if allowed by State and local authorities, if burned, stay out of smoke.

**GENERAL:** Consult Federal, state and local disposal authorities for approved alternative procedures.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### MILDEWCIDE APPLICATIONS

To be used only as an industrial mildewcide for the control of fungal and algal growth in paint films, coatings, stains and polymer latices.

Acticide PM Flowable is a mildewcide for addition to polymer emulsions including styrene-acrylic and styrene-butadiene latices, polyvinylacetate latices and other water-based polymer latices for use in paints and special purpose coatings and in architectural and product coatings. Not for incorporation in products used to paint swimming pools.

Add Acticide PM Flowable at levels of 0.20% to 2.5% (w/w) based on the coating, paint or polymer emulsion used on the surface. For interior latex paints or coatings, apply Acticide PM Flowable at levels of 0.20% to 0.75% (w/w). For exterior latex emulsions and solvent based formulations, use 0.20% to 1.0% (w/w). However, for exterior use in highly demanding climates, at higher temperatures and under higher humidity conditions, (where high fungi and algae levels may be present), up to 2.5% Acticide PM Flowable may be required for ultimate protection of the dried films. Apply during or following pigment grinding operation.

It is recommended the formulator perform cost-performance evaluations to determine the optimum dosage rate for their particular system. If questions arise concerning other modifications or conditions, contact Acti-Chem Specialties, Inc., in Trumbull, CT.

### CONDITIONS OF SALE AND WARRANTY

Thor Chemie GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR CHEMIE GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor Chemie GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR CHEMIE GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

PM 34

67071-15

12/7/98

10/1