			6
"tage"			1ro
TUND	PRECAUTIONARY STATEMENTS		<u> </u>
THOR	HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER		12
ACTICIDE® LA	CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS. Fatal if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Do not breath spray mist. Prolonged or		
Industrial microbiocide for use in adhesives, tackifiers, paints, coatings, building materials, polymer latices, printing inks, and aqueous compositions.	frequently repeated sin contact may cause allergic reaction in some individuals. Remove contaminated clothing and wash before reuse.		
ACTIVE INGREDIENTS: 2-Bromo-2-nitropropane-1, 3-diol	Personal Protective Equipment (PPE): Applicants and all other handlers must wear: - Coveralls over long-sleeved shirt and long pants	ACCEPT	'E I
5-Chloro-2-methyl-4-isothiazolin-3-one	 Socks and chemical resistant footwear Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber 	JUN 2 3 2003	
TOTAL:	neoprene rubber, polyvinyl chloride, or viton) -Goggles or face shield and -Chemical-resistant apron	Under the Federal Insecticide, fu	mgicide, a
KEEP OUT OF REACH OF CHILDREN		Rodenticide Act as amended, for posticide, registered under	r the
DANGER	User Safety Recommendations: Users should wash hands before eating, drinking		<u>16</u>
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS FIRST AID	tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly.		
IF IN EYES: *Hold eye open and rinse slowly and gently with water for 15-20 minutes. *Remove contact lenses, if present, after the first 5 minutes, then			
continue rinsing eye. Call a poison control center or doctor for treatment advice.	PHYSICAL AND CHEMICAL HAZARD: This product (pH 3.12) is corrosive to mil		
IF SWALLOWED:*Call a polson control center or doctor immediately for treatment advice. *Have person sip a glass of water if able to swallow. *Do not induce vomiting unless told to do so by a poison control center or doctor.	ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems		٤-
IF ON SKIN: *Take off contaminated clothing. *Rinse skin immediately with plenty of water for 15-20 minutes.	without previously notifying the treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.		6/30/2003
Call a poison control center or doctor for treatment. IF INHALED: *Move person to fresh air.	STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage and disposal. PESTICIDE STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not		20
*If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to- mouth, if possible. *Call a poison control center or doctor for further treatment.	store at elevated temperatures. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste rep-		ଥ
HOT LINE NUMBER: For additional information in case of emergency call toll free 1-800- 424-9300. Have the product container or label with you when calling a poison control center	resentative at the nearest EPA Regional Office for guidance		
or doctor or going for treatment. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	and dispose of in a sanitary landfill, or incinerator or burn, if allowed by state and local authorities. If burned, stay out of the smoke. GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTER-		
EPA Reg. No. 67071-16 EPA Est. No. 67071-DEU-1 Manufactured By: U.S. Office:	NATIVE PROCEDURES.		
Manufactured By: Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 U.S. Office: Acti-Chem Specialties, Inc. 56 Quarry Road Trumbull, CT 06611 USA Tel. (203) 365-6530	CONDITIONS OF SALE AND WARRANTY Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF		
NOT FOR SALE OR USE AFTER 12 MONTHS FROM DATE OF MANUFACTURING.	MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buver or User are beyond the control of Thor GmbH and Seller, Risks such as ineffectiveness or other		
Net Contents: Pounds	unintended consequences resulting from, but not limited to, failure to follow label by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM TH	BE HELD LIABLE FOR	
Date of Manufacture:	OR USE OF THIS PRODUCT. Panel 1 of 2	MI DIACESSI STR	
Lot #:	Panel 1 of 2 Label # 160(a2) 010303	5-8-03	

с.

1

DIRECTIONS FOR USE

.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that contacts workers or other persons.

PRESERVATIVE FOR ADHESIVES AND TACKIFIERS: Acticide LA microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene and acrylic latices. Acticide LA microbiocide is recommended as a preservative for tackifiers derived from rosin and hydrocarbon resins.

Add 0.5 to 1.65 lb Acticide LA microbiocide to each 1000 lb of fluid to provide 5.8 ppm to 19.3 ppm isothiazolones and 44 to 145.2 ppm bronopol. A higher dosage rate providing up to 33 ppm isothiazolones and 248 ppm bronopol may be required for storage during extremely high temperatures and humidity.

PRESERVATIVE FOR PAINTS AND COATINGS: Acticide LA microbiocide is recommended as an in-container preservative for the control of bacteria and fungl in water based coatings such as paper, wood coatings and paints used for architectural, product finishes and special purpose coatings.

Add 0.5 to 1.65 lb (227 to 750 grams) Acticide LA microbiocide to each 1000 lb (454 kg) of fluid to provide 5.8 ppm to 19.3 ppm isothiazolones and 44 to 145.2 ppm bronopol. A higher dosage rate providing up to 33 ppm isothiazolones and 248 ppm bronopol may be required for storage during extremely high temperatures and humidity.

Special purpose coating include uses such as <> preservative for electrodeposition paints or solutions, <> preservative for photoplate processing and ink/ink components <> preservative in fount (or fountain) solutions used in the printing process as a maintenance fluid/coating and as a special coating for printing plates, and <> preservative in spin finish coatings for fibers.

Add 0.5 to 60.0 lb Acticide LA microbiocide to each 1000 lb of fluid to provide 5.5 ppm to 660 ppm isothiazolones and 44 ppm to 5280 ppm bronopol to concentrates of special purpose coating (such as ink/ink component concentrates). Note: Ensure that the final use-dilution product not contain more than 33 ppm isothiazolones and 248 ppm bronopol.

PRESERVATIVE FOR BUILDING MATERIALS: Acticide LA microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in building materials such as mastics, caulks, joint cements, spackling and grouting. Add 0.5 to 1.65 lb of Acticide LA microbiocide to each 1000 lb of fluid to provide 5.5 ppm to 19.3 ppm isothiazolones and 44 to 145.2 ppm bronopol.

PRESERVATIVE FOR LATICES: Acticide LA microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latices including acrylics, styrene-butadiene, carboxylated styrene-butadiene, ethylene-vinyl acetate and biopolymers intended for industrial use such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches and casein derived polymers.

Add 0.5 to 3.3 lb (227 g to 1.5.kg) of Acticide LA microbiocide to each 1000 lb (454 kg) of emulsion to provide 5.5 ppm to 38.6 ppm active isothiazolones and 44 to 290 ppm bronopol.

PRESERVATIVE FOR AQUEOUS COMPOSITIONS: Acticide LA microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in aqueous products such as aqueous emulsions and dispersions including stabilized oil/water emulsions, surface preparation compounds, foam control products, nutrient solutions and pesticide formulations.

Add 0.5 to 3.3 lb (227 g to 1.5.kg) of Acticide LA microbiocide to each 1000 lb (454 kg) of composition to provide 5.5 ppm to 38.6 ppm active isothiazolones and 44 to 290.4 ppm bronopol.

NOTE: To insure uniform mixing, add Acticide LA microbiocide to latex or solutions slowly with agitation. The actual concentrations required will depend upon such factors as the specific substance to be treated, frequency of repeated microbial contamination expected and level of protection required.

Acticide LA microbiocide weighs 8.8 lb. per gallon.

ź

.

ACCEPTED

JUN 2 3 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 6 7071-16

Panel 2 of 2 Label # 160(a2) 010303