UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Acti-Chem Specialities Thor GmbH, Landwehrstrasse 1, D-673346, Speyer, Germany c/o 56 Quarry Road Trumbull, CT 06611

Attention:

Lynn P. O'Brien

JUL 18 2002

Subject:

Thor GmbH/ Acticide B20

EPA Registration No. 67071-22

Amendment Application Date: April 18, 2002

EPA Received Date: April 26, 2002

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

- 1. Submit and/or cite all data or material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec.4 when the Agency requires all registrants of similar products to submit such data.
- 2. Submit two copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for you records.

Sincerely your,

Marshall Swindell

Product Manager (33)

Regulatory Management Branch I Antimicrobials Division (7510W)

Enclosure

CONCURRENCES				
SYMBOL				
SURNAME				
DATE				
EPA Form 1320-1A (1/90)	Printed on Recycled Paper	OFFICIAL FILE COPY		



Industrial microbiocide for use in aqueous compositions such as oil in water emulsions, latices, paints, adhesives, casein/rosin dispersions, building materials such as tape joint compounds, aqueous slurries, dispersed pigments, such as titanium dioxide slurries, inks, pesticide formulations, textile spin-finish solutions, leather processing solutions, for the preservation of fresh animal hides and skins, slime control, oil recovery systems, and for use in household cleaning products, laundry additives, car care products.

ACTIVE INGREDIENTS:

1,2-Benzisothiazolin-3-one	.20.0%
INERT INGREDIENTS:	.80.0%
TOTAL:	100.0%

Acticide B20 microbiocide weighs 9.6 lb. per gallon.

DANGER - PELIGRO

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
FIRST AID

IF SWALLOWED:*Call a poison control center or doctor immediately for treatment advice.

*Have person sip a glass of water if able to swallow.

*Do not induce vomiting unless told to do so by a poison control center or doctor.

*Do not give anything by mouth to an unconscious person.

IF ON SKIN:

*Take off contaminated clothing.

OR CLOTHING

*Rinse skin immediately with plenty of water for 15-20 minutes.

*Call a poison control center or doctor for treatment advice.

*Hold eye open and rinse slowly and gently with water for 15-20 minutes.

*Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

*Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. 67071-22 Manufactured By: Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 EPA Est, No. 67071-DEU-1 U.S. Office: Acti-Chem Specialties. Inc. 56 Quarry Road Trumbull, CT 06611 USA Tel. (203) 365-6530

NOT FOR SALE OR USE AFTER 12 MONTHS FROM DATEOF MANUFACTURING. ..

Net Contents:	• *	Pounds
Date of Manufacture: _		4 4
Lot #:	·	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE. CAUSES SEVERE EYE DAMAGE AND SKIN DAMAGE. MAY CAUSE ALLERGIC SKIN REACTION. HARMFUL OR FATAL IF INHALED, SWALLOWED OR ABSORBED THROUGH THE SKIN. DO NOT get in eyes, on skin on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or spray mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. DO NOT contaminate water by cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: **Metal container**: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incinerator or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ACCEPTED ALTERNATIVE PROCEDURES.

with COMMENTS in EPA Lutter Dated:

JUL 1 8 2002

Under the Federor Index souths. Pungloide and Vollenticles Act as amounted, for the rest. Conrecepted as for a M. No. 1981.

67071-22

CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other carintanced consequences resulting from, but not limited to, failure to follow label directions will be assumed by the guyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

Panel 1 of 2 Label # 220(b) 04/16/02



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACTICIDE B20 is an effective preservative in most aqueous compositions. Typical applications and suggested range of use concentrations based on total weight of product are as follows:

LB PER 1000 LB PRODUCT				
OIL IN WATER EMULSIONS				
Spin-finish solutions for use in textile industry and				
photographic emulsions				
LATICES	MODERT TO with Office Control			
Polymer latices based on acrylates, PVA, butadiene	And the second s			
and styrene for various applications such as wax floor	MERCAN CONTRACTOR			
polishes. Synthetic/rubber latices.	Bit I a com			
EMULSION PAINTS	JUL 1 8 2002			
As an in-container preservative.				
ADHESIVES	Coder the Foundation of the			
Animal glues, vegetable glues, carboxymethylcellulose	Party and and Country to the Asset			
and derivatives, adhesives based on gelatin and latices.	g magnació (com las minosofras)			
PAPER COATING COMPOSITIONS	registerie es un Alle Beelle			
Rosin dispersions, starch and casein based products.	67071-22			
PESTICIDE FORMULATIONS	67071-2-			
For product preservation. For ultimate use-dilution protection.				
Acticide B20 is exempt from tolerance under 40 CFR, 180.1001 (d). Materials exempted from the requirements ally active) ingredients in pesticide formulations applied to growing crops only. Based on the current 180.1001 (d	of a tolerance when used in accordance with good agricultural practices as inert (or occasion-			
ally active) ingredients in pesticide formulations applied to growing crops only. Based on the current 180.1001 (d	I) limit of 0.1% BIT in formulations, use levels up to 0.5% (5,000 ppm) Acticide B20 are allowed.			
INKS				
BUILDING MATERIALS SUCH AS TAPE JOINT COMPOUNDS				
AQUEOUS MINERAL SLURRIES				
Such as titanium dioxide, kaolin, calcium carbonate,				
calcium sulfate and magnesium silicate.				
LEATHER PROCESSING SOLUTIONS				
PRESERVATION OF FRESH ANIMAL HIDES AND SKINS:				
To preserve the integrity of fresh animal hides and skins prior to or during processing, use 13 fluid ounces to 2.5 quantity of Acticide B20 to the brine solution during the curing operation, or treat hides or skins with an appropriuse rate and contact time needed to control microbial attack will depend upon the degree of decomposition of the	5 gallons (1.0 - 24 lb) of Acticide B20 per 1000 pounds of hides or skins. Add the appropriate ately diluted aqueous solution during other portions of the processing operation. The specific he hides or skins prior to treatment.			
HOME CLEANING PRODUCTS				
such as: floor deaners, floor waxes & polishes, surface deaners, window deaners, dish detergents				
LAUNDRY ADDITIVES				
such as liquid laundry detergents, fabric softeners, stain removers				
CAR CARE PRODUCTS				
such as car washing products, car waxes, silicone emulsions				
SLIME CONTROL				
Shock Dosing: 70 to 260 grams (2 1/2 - 9 oz) of Acticide B20 for each tor, of paper produced per day should be	e added as a single daily shock dose, the actual quantity used depending on the severity of			
the slime problem. This addition may be made to any part of the stock preparation or backwater system.				

Continuous addition; Acticide B20 should be added continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. Acticide B20 should be metered at the rate of 195-230 grams (7-8.3 oz) for each ton of paper produced during the dosing period. This addition should be made to the recirculated backwater.

OIL RECOVERY SYSTEMS

Drilling fluids, packer fluids, completion fluids (polysapcharide fluid loss control agents and thickeners such as starch, guar, and xanthan gum) add 0.05% to 0.15% based on the fluid weight or 1.5% - 4.5% based on the dry polysaccharide weight based on the dry polysaccharide weight
Subsurface injection waters such as polymer and polymer waterfloods (thickeners such as xanthan gum and polyacrylamides): add 0.015% to 0.15% based on solution weight