7/18/2006 67071-22 ye 135

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUL 18 2006



# **EPA** United States Environmental Protection Office of Pesticide Programs Agency

Thor GmbH Landwehrstrasse 1 D-67346. Speyer, Germany

AGENT: Acti-Chem Specialties, Inc.

56 Quarry Road Trumbull, CT 06611

Attention: Lynn P. Toro

Subject: ACTICIDE B20

EPA Registration No. 67071-22 Amendment Dated April 5, 2006

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, to clarify the protection of Home Cleaning Products, Laundry Additives and Car Care Products to include use levels for concentration, is acceptable, provided that you:

- Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3©(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Submit two (2) copies of final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Page 2 EPA Registration No. 67071-22

A stamped copy of the "accepted" product labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell Product Manager 33

Regulatory Management Branch 1 Antimicrobials Division (7510P)

Enclosure

# THOR

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

#### STORAGE AND DISPOSAL

Batch:

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Metal container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incinerator or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES

#### CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

CAUSTIC ALKALI LIQUID, N.O.S. (Sodium Hydroxide and 1,2-Benzisothiazolin-3-one), 8, UN 1719, PG-III

# ACTICIDE® B20

**ACTIVE INGREDIENTS:** 

1,2-Benzisothiazolin-3-one 20.0% INERT INGREDIENTS: 80.0% TOTAL: 100.0%

ACTICIDE® B20 microbiocide weighs 9.6 lb. per gallon.

# DANGER - PELIGRO

See Side panel for additional precautionary statements FIRST AID

tf Swallowed:"Call a poison control center or doctor immediately for treatment advice.

\*Have person sip a glass of water if able to swallow.
 \*Do not induce vomiting unless told to do so by the poison control center or doctor.

\* do not give anything by mouth to an unconscious person.

If on Skin: "Take off contaminated clothing.

Or Clothing \*Rinse skin immediately with plenty of water for 15-20 minutes...

\*Call a poison control center or doctor for treatment advice.

If in Eyes: "Hold eye open and rinse slowly and gently with water for

15-20 minutes.

\*Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

\*Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

# Precautionary Statements: Hazards to Humans and Domestic Animals DANGER

CORROSIVE. CAUSES SEVERE EYE DAMAGE AND SKIN DAMAGE. MAY CAUSE ALLERGIC SKIN REACTION. HARMFUL OR FATAL IF INHALED, SWALLOWED OR ABSORBED THROUGH THE SKIN.

Do not get in eyes, on skin on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or spray mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

## DIRECTIONS FOR USE

# It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Industrial microbiocide for use in aqueous compositions such as oil in water emulsions, latices, paints, adhesives, casein/rosin dispersions, building materials such as tape joint compounds, aqueous slumies, dispersed pigments, such as titanium dioxide slumies, inks, pesticide formulations, textile spin-finish solutions, leather processing solutions, for the preservation of fresh animal hides and skins, slime control, oil recovery systems, and for use in household cleaning products, laundry additives, car care products. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.

Not approved for use in casein/rosin dispersions, aqueous alurries, dispersed pigments, such as titanium dioxide sturries, inks, pesticide formulations, textile spin-finish solutions, leather processing solutions, for the preservation of fresh animal hides and skins, slime control, oil recovery systems, and for use in household cleaning products, laundry additives, car care products in the State of California

EPA Reg. No. 67071-22

Manufactured By/For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

EPA Est. No. 67071-DEU-001

U.S. Office:

Acti-Chem Specialties, Inc.

56 Quarry Road; Trumbull, CT 06611 USA

Tel. (203) 365-6530

Mfg Date:

in EPA Letter Dated

\_\_\_\_

Net Contents (pounds):

301 18 200

Under the Pederal Insecticide, Fungicide, and Rodenticide Act as amended, for the perticide, registered under EPA Reg. No

67071-22

2 to 8



# ACTICIDE® B20 INFORMATION SHEET

# THIS ACTICIDE® B20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® B20

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACTICIDE® B20 is an effective preservative in most aqueous compositions. Typical applications and suggested range of use concentrations based on total weight of product are as follows:

|   | LB PER 1000 LB PRODUCT                  |  |
|---|---|--|
| OIL IN WATER EMULSIONS  | 0.5 - 1.8                               |  |
| LATICES Polymer latices based on acrylates, PVA, butadiene and styrene for various applications s Synthetic/rubber latices. | 0.5 - 1.5<br>uch as wax floor polishes. |  |
| EMULSION PAINTS   | 0.5 - 1.5                               |  |
| ADHESIVES   |   |  |
| *PAPER COATING COMPOSITIONSRosin dispersions, starch and casein based products.   | 0.5 - 2.5                               |  |
| *PESTICIDE FORMULATIONS   |   |  |
| *INKS   | 0.5 - 2.5                               |  |
| BUILDING MATERIALS SUCH AS TAPE JOINT COMPOUNDS   | 0.85 - 2.5                              |  |
| *AQUEOUS MINERAL SLURRIES   |   |  |
| *LEATHER PROCESSING SOLUTIONS   | 0.25 - 2.0                              |  |

### \*PRESERVATION OF FRESH ANIMAL HIDES AND SKINS:

To preserve the integrity of fresh animal hides and skins prior to or during processing, use 13 fluid ounces to 2.5 gallons (1.0 - 24 lb) of ACTICIDE® B20 per 1000 pounds of hides or skins. Add the appropriate quantity of ACTICIDE® B20 to the brine solution during the curing operation, or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend upon the degree of decomposition of the hides or skins prior to treatment.

ACCEPTED
with COMMENTS
in EPA Letter Dated

Information Sheet # 220(e) 04/05/06 Page 1 of 2 Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No

107071-22

EPA Reg. No. 67071-22

Manufactured By/For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

U.S. Office:

Acti-Chem Specialties, Inc. 56 Quarry Road, Trumbull, CT 06611 USA

Tel. (203) 365-6530



. . . . . .

# ACTICIDE® B20 INFORMATION SHEET

# THIS ACTICIDE® B20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® B20

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

| *HOME CLEANING PRODUCTS  | 0.05 - 0.15  |
|--|--|
| Such as floor cleaners, floor waxes and polishes, hard surface cleaners cleaning and maintenance of the interior and exterior of residential build control of bacteria and fungi in solutions that are then put into/onto wet exterior of homes. Wet wipes containing a solution preserved with this baby wipes, or for food contact. ACTICIDE® B20 may be added to those in turn diluted for use at a level to ensure that the final use-dilution produces. | tings. ACTICIDE® B20 may also be used for the wipes used to clean and maintain the interior and product may not be used for personal care, as se products formulated as concentrates which are                                     |
| *LAUNDRY ADDITIVES   | ain removers used in the maintenance and ICIDE® B20 may also be used for the control of d in the maintenance and cleaning of items product may not be used for personal care, as see products formulated as concentrates which are |
| *CAR CARE PRODUCTS   | ions used in the cleaning and maintenance of the may also be used for the control of bacteria and ax and polish vehicles. Wet wipes containing a   |

solution preserved with this product may not be used for personal care, as baby wipes, or for food contact. ACTICIDE® B20 may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contains between 0.0075 - 0.015%

### \*SLIME CONTROL

Shock Dosing: 70 to 260 grams (2 1/2 - 9 oz) of ACTICIDE® B20 for each ton of paper produced per day should be added as a single daily shock dose, the actual quantity used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system.

Continuous addition: ACTICIDE® B20 should be added continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. ACTICIDE® B20 should be metered at the rate of 195-230 grams (7-8.3 oz) for each ton of paper produced during the dosing period. This addition should be made to the recirculated backwater.

#### \*OIL RECOVERY SYSTEMS

Drilling fluids, packer fluids, completion fluids (polysaccharide fluid loss control agents and thickeners such as starch, guar, and xanthan gum) add 0.05% to 0.15% based on the fluid weight or 1.5% - 4.5% based on the dry polysaccharide

Subsurface injection waters such as polymer and micellar/polymer waterfloods (thickeners such as xanthan gum and polyacrylamides); add 0.015% to 0.15% based on solution weight

 Not approved for use in Paper Coating Compositions, Pesticide Formulations, Inks, Aqueous Mineral Slurries, Leather Processing Solutions, Preservation Of Fresh Animal Hides And Skins, Home Cleaning Products, Laundry Additives, Car Care Products, Slime Control, Oil Recovery Systems in The State Of California

> ACCEPTED with COMMENTS in EPA Letter Dated

Information Sheet # 220(e) 04/05/06 Page 2 of 2

**18 2006** 

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No

EPA Reg. No. 67071-22

Manufactured By/For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

U.S. Office:

Acti-Chem Specialties, Inc. 56 Quarry Road, Trumbull, CT 06611 USA

Tel. (203) 365-6530