

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

7/29/2014

### OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUL 29 2014

Ms. Cheryl Woodward Regulatory Specialist for, THOR Specialties, Inc. 56 Quarry Road Trumbull, CT 06611

Subject: Acticide B 20

EPA Registration Number 67071-22 Your Amendment Dated March 31, 2014 EPA Received Date April 21, 2014

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to increase in the minimum use level of concrete admixtures and add other labeling revisions to the product labeling, is acceptable.

Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data. A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and it's implementing regulation at 40 CFR 152.3.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely, E. Michelof

2/6

Eric Miederhoff Acting Product Manager, Team 33 Regulatory Management Branch I Antimicrobials Division(7510P) Office of Pesticide Programs Environmental Protection Agency

4
Ξ
ĸ
÷
2
ā
5
-
<u>-</u>
က
1
Ň
8
õ
5
6
Ŷ
2
22
0
#
-
×
Ъ.
Ľ

This posticide is toxic to firsh. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, occans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by ENVIRONMENTAL HAZARDS

PHYSICAL AND CHEMICAL HAZARD

cleaning of equipment or disposal of waste.

Keep away from strong oxidizers.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for Pesticide Disposal: Pesticide wastes are acutely hazardous guidance

**CONTINER DISPOSAL** Non-refillable container. Do not reuse or refil this container. Triple rinse container. Do not reuse or refil this container. Triple rinse containers of gallons in sizel – Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 'X full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Fill the container 'X full with water and recap. Bhake for 10 seconds after the flow begins to drip. Repeat this procedure two more times. (For containers > 5 gallons in size) – Empty the remaining contents into application equipment or a mix tank. Fill the container 'X full with water. Replace and tighten closures. The container on its ide and roli it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its ide and roli it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on the ster and rip it back and forth several times. Turn the container over onto its other insate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. CONSULT FEDERAL, STATE OR LOCAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES. GENERAL: DISPOSAL

UN 1719. CAUSTIC ALKALI LIQUID, N.O.S.

(Sodium Hydroxide and 1,2-Benzisothiazolin-3-one)

KEEP OUT OF REACH OF CHILDREN ACTICIDE<sup>®</sup> B20 microbiocide weighs 9.6 lb. per gallon 20.0% 80.0% 100.0% INERT INGREDIENTS: TOTAL:

1,2-Benzisothiazolin-3-one

ACTIVE INGREDIENTS:

# DANGER - PELIGRO

## See Side panel for additional precautionary statements

FIRST AID	res: ➤ Hold eye open and rinse slowly and gently with water for
-----------	--

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 15-20 minutes.

Call a poison control center or doctor for treatment advice. if inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on Skin or Clothing:

>Rinse skin immediately with plenty of water for 15-20 minutes.
>Call a poison control center or doctor for treatment advice. Take off contaminated clothing.

If Swallowed:

>Do not induce vomiting unless told to do so by the poison control center Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not give anything by mouth to an unconscious person or doctor.

Note to physician. Probable mucosal damage may contraindicate the use of gastric

lavage

HOT LINE NUMBER: In case of emergency, for additional information call toll free 800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment

For Transportation / Spill Emergency: Call Chemitrec at 1-800-424-9300

### CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the tabel only when used in accordance with tabel directions under normal conditions use. THOR CMBH MAKES NO OTHER EXPRESS OR MPLIED WARRANTIES EITHER OF MERCHMATABILITY OF FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow beil directiones will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEGULENTIAL. SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT

ACTICIDE<sup>®</sup> B20 ACCEPTED JUL 2 9 2014 Under the Federal Insecticide, Fungicide, and Teccautionary Statements: Redenticide Act as amended, PHBE and s to Humans and Domestic Animals

í í

Pesticide, registered under EPA Reg. No. / H) H



Corrosive: Cateses irreversible eye damage. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled. Do not breathe vapor or spray mist. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear goggles or face shield, a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHANNOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHANNOSH approval number prefix TC-14C), or a NIOSH approved respirator with shift, long pants, shoes, socks, and chemical-resistant gloves made of barrier laminate, butyl, nitrile, or neoprene rubber, polywinyl chloride or viton. Remove PPE immediately after handling this product. Follow manufacturer's instructions for vashables for cleaning/maintaining PPE. If no such instructions for vashables for sciencing/maintaining PPE. If no such instructions for vashables for cleaning/maintaining PPE. If no such instructions for vashables for cleaning/maintaining PPE. If no such instructions for washables for cleaning/maintaining PPE. If no such instructions for vashables for cleaning/maintaining PPE. If no such instructions for vashables for cleaning/maintaining PPE. If no such instructions for washables for cleaning/maintaining PPE. If no such instructions for washables for cleaning/maintaining PPE. If no such instructions for washables for cleaning/maintaining PPE. If no such instructions for washables for cleaning/maintaining PPE. If no such instructions for vashables for cleaning/maintaining PPE. If no such instructions for washables for science and cleared or heavily contaminated with this product's concentate. Do not reuse them. Wash hands before eating, drinking, chewing gum, using tobacco or using the toliet. Remove contaminated clothing/PPE immediately, then wash thoroughly and change into clean clothing. DANGER

It is a violation of Federal Law to use this product in a DIRECTIONS FOR USE

Industrial microbiocide for use in aqueous compositions such as oil leather processing solutions, for the preservation of fresh animal hides and skins, \*slime control, \*oil recovery systems, and for use READ AND slurries, inks, pesticide formulations, textile spin-finish solutions, aqueous slurries, dispersed pigments, such as titanium dioxide dispersions, building materials such as tape joint compounds, in water emulsions, latices, paints, adhesives, casein/rosin manner inconsistent with its labeling. in household consumer, industrial, janitorial products. FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET

EPA Est. No. 67071-DEU-001 \*Not approved for this use in the state of California Manufactured By/For: Thor GmbH EPA Reg. No. 67071-22

50 Waterview Drive; Shelton, CT 06484 USA D-67346 Speyer, Germany Thor Specialties, Inc. rel. (06232) 6360 Tel. (203) 516-6980 U.S. Office:

Autopista Mex-Qro Km 182; Pedro Escobedo EPA Est. No. 67071-MEX-001 Querétaro; México. Tel. (448)2752200 Thor Químicos de México SA de CV; Manufactured By:

U.S. Office: Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT 06484 USA Thor GmbH Manufactured For:

Net Contents (pounds) Tel. (203) 516-6980]

Mfg Date:

Batch:

### ACTICIDE<sup>®</sup> B20 INFORMATION SHEET



CT 06484 USA Tel. (203) 516-6980

### THIS ACTICIDE<sup>®</sup> B20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE<sup>®</sup> B20

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACTICIDE<sup>®</sup> B20 is an effective preservative in most aqueous compositions. Typical applications and suggested range of use concentrations based on total weight of product are as follows:

OIL IN WATER EMULSIO Spin-finish solutions for	NS use in textile industry and photo		<b>0.05 – 0.25</b> 0.5 - 2.5 LB	% 7 PER 1000 LB PRODUC	СТ
We suggest that the add ACTICIDE <sup>®</sup> B20 should recommended use level	luble oils (metal and engineering lition to metal-working fluid conc be limited to 1.5% maximum. Th of 0.15% ACTICIDE <sup>®</sup> B20 in a 1 the possibility of skin sensitizatio <i>in the state of California</i>	nisual field of the nis a nisual field of the nis a nis a nisu	<b>0.05 – 0.25</b> 0.5 - 2.5 LB	% PER 1000 LB PRODUC	СТ
LATICES			0.05 - 0.25		
Polymer latices based o applications. Synthetic/	n acrylates, PVA, butadiene and rubber latices.	I styrene for various	0.5 - 2.5 LB	PER 1000 LB PRODUC	<u></u>
EMULSION PAINTS			0.05 - 0.25	%	
As an in-container prese	ervative.		0.5 - 2.5 LB	PER 1000 LB PRODUC	ст
ADHESIVES			0.05 - 0.25	%	
Animal glues, vegetable adhesives based on gel	glues, carboxymethylcellulose a atin and latices.	and derivatives,	0.5 - 2.5 LB	PER 1000 LB PRODUC	СТ
PAPER COATING COMP	OSITIONS		0.05 - 0.25	%	
Rosin dispersions, starc	h and casein based products.		0.5 - 2.5 LB	PER 1000 LB PRODUC	CT
PESTICIDE FORMULATIO	ONS		0.05 - 0.25	%	
is exempt from tolerance requirements of a tolera practices as inert (or oc applied to growing crops	<ul> <li>For ultimate use-dilution prote e under 40 CFR 180. Materials nce when used in accordance w casionally active) ingredients in p s only. Based on the current lim up to 0.5% (5,000 ppm) ACTICI</li> </ul>	exempted from the rith good agricultural pesticide formulations it of 0.1% BIT in	0.5 - 2.5 LB	PER 1000 LB PRODUC	<u>.</u>
should be added to conce	ucts that are not applied to crops entrates at a level to ensure that	s, ACTICIDE <sup>®</sup> B 20 the final use dilution of		( ( ( (	•
the product will contain 0.	.05 to 0.25% ACTICIDE <sup>®</sup> B 20.		3		
INKS	ACCEPTED		0.05 - 0.25 0.5 - 2.5 LB	。 / PER 1003-156 PRODU	ст
	JUL 29 2014 Under the Federal Insecticide, Fungicide, and Redanticide Act as amended, for the pesticide, registered under EPA Reg. No. 6 10 11-22		_,,		
Information Sheet # 022-0 V0 Page 1 of 3	02 – 31-MARCH-2014	EPA Reg. No. 6 Manufactured B	y/For: Thor D-67:	GmbH Contractions 346 Speyer, Germany	-
·		U.S. Office:	Thor	06232) 6360 Specialties, Inc. aterview Drive, Shelton.	•

### ACTICIDE<sup>®</sup> B20 INFORMATION SHEET



### THIS ACTICIDE<sup>®</sup> B20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE<sup>®</sup> B20

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

	· · · · · · · · · · · · · · · · · · ·	
BUILDING MATERIALS		0.08 – 0.25%
including tape joint compounds, *cault mixed cements, and *wallboard compo	xs, *sealants, *grouts, *spackling, *ready- ounds.	0.80 - 2.5 LB / PER 1000 LB PRODUCT
* Not approved for these uses in the state of	of California	
*CONCRETE ADMIXTURES	· ·	0.15 – 0.25%
* Not approved for this use in the state of C	California	1.5 – 2.5 LB PER 1000 LB CONCRETE ADMIXTURE
AQUEOUS MINERAL SLURRIES		0.04 – 0.25%
Including titanium dioxide, kaolin, calcit magnesium silicate.	um carbonate, calcium sulfate and	0.4 2.5 LB / PER 1000 LB PRODUCT
LEATHER PROCESSING SOLUTIONS		0.025 – 0.20%
		0.25 - 2.0 LB / PER 1000 LB PRODUCT
HOUSEHOLD CONSUMER, INDUSTRI	AL, JANITORIAL PRODUCTS-LIQUID	0.05 - 0.20%
B20 may also be used for the control or products including pre-moistened spon be used for the control of bacteria and wet wipes for use in industrial, commer above. Wet wipes containing a solution used for personal care, as baby wipes, ACTICIDE <sup>®</sup> B20 microbiocide may be a	id dishwashing detergents, waxes, er products, liquid air cts, and other similar cleaners. ACTICIDE <sup>®</sup> f bacteria and fungi in package utility ges and mops. ACTICIDE <sup>®</sup> B20 may also fungi in solutions that are then put into/onto cial residential and household uses cited in preserved with this product may not be or for food contact. added to those products formulated as or use at a level to ensure that the final use-	0.5 – 2.0 / PER 1000 LB PRODUCT
solid fabric treatment/refresher product products, and other similar cleaners. ACTICIDE <sup>®</sup> B20 microbiocide may be	solid soaps, solid cleaners, solid d dishwashing detergents, waxes, polishes, s, solid air fresheners/deodorizers, car care added to those products formulated as or use at a level to ensure that the final use- 05 - 0.20% ACTICIDE <sup>®</sup> B20.	0.05 – 0.20% 
Information Sheet # 022-0 V002 – 31-MARCI Page 2 of 3	H-2014 EPA Reg. No	. 67071-22 By/For: Thor GmbH CCCC D-67346 Speyer, Ccsmany Tel. (06232) 6360 Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT 06484 USA Tel. (203) 516-6980

### ACTICIDE<sup>®</sup> B20 INFORMATION SHEET



6/6

### THIS ACTICIDE<sup>®</sup> B20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE<sup>®</sup> B20

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRESERVATION OF FRESH ANIMAL HIDES AND SKINS:			
To preserve the integrity of fresh animal hides and skins prior t processing, use 13 fluid ounces to 2.5 gallons $(1.0 - 24 \text{ lb})$ of $A$ 1000 pounds of hides or skins. Add the appropriate quantity o the brine solution during the curing operation, or treat hides or appropriately diluted aqueous solution during other portions of operation. The specific use rate and contact time needed to ca attack will depend upon the degree of decomposition of the hide treatment.	ACTICIDE <sup>®</sup> B20 per of ACTICIDE <sup>®</sup> B20 to skins with an the processing ontrol microbial		
*SLIME CONTROL	· · · · · · · · · · · · · · · · · · ·		
Shock Dosing: 70 to 260 grams (2 1/2 - 9 oz) of ACTICIDE <sup>®</sup> paper produced per day should be added as a single d actual quantity used depending on the severity of the s āddition may be made to any part of the stock preparat system.	laily shock dose, the slime problem. This		
Continuous addition: ACTICIDE <sup>®</sup> B20 should be added conti the single period of 8 hours during every 24 hours or for periods of 4 hours during every 24 hours. ACTICIDE <sup>®</sup> metered at the rate of 195-230 grams (7-8.3 oz) for eac produced during the dosing period. This addition shou recirculated backwater.	or two separate B20 should be ch ton of paper	· · ·	
* Not approved for this use in the state of California			
*OIL RECOVERY SYSTEMS Drilling fluids, packer fluids, completion fluids (polysaccharide agents and thickeners including starch, guar, and xant to 0.15% based on the fluid weight or 1.5% - 4.5% bas polysaccharide weight	han gum) add 0.05%	•	
Subsurface injection waters including polymer and micellar/p (thickeners including xanthan gum and polyacrylamide 0.15% based on solution weight	es): add 0.015% to	ιι,ιί ί ι ε ε ε ε ι	· ·
* Not approved for this use in the state of California ACCEP JUL 29	TED 2014	ر ز ز ز ر ز ز ز ز ز ز ز ز و ز ز ز	ι, ι
Under the Federal Insecticido Rodenticide Act as amended, pesticide, registered under EPA Reg. No.6 407/-		د ر ر ر ر ر ر ر ر ر ر ر ر ر ر ر ر	• • • • • • • • • • • • •
Information Sheet # 022-0 V002 - 31-MARCH-2014 Page 3 of 3	EPA Reg. No. 67071- Manufactured By/For		
	U.S. Office:	Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT 06484 USA Tel. (203) 516-5980	·