67071-23

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

1/15/2013

United States Environmental Protection Office of Pesticide Programs JAN 15 2013

Thor GmbH Landwehrstrasse 1 D-67346, Speyer, Germany

AGENT: Thor Specialties, Inc. 50 Waterview Drive Shelton, CT 06484

Attention: Lynn P. Tordo, MS.

Subject: ACTICIDE® BW 20 EPA Registration No. 67071-23 Amendment Dated November 30, 2012

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, for clarification and expansion of existing use categories, is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3©(5) and sec. 4 uses when the Agency requires all registrants of similar products to submit such data.

2. Submit two (2) copies of final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the "accepted" product labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell Product Manager 33 Regulatory Management Branch 1 Antimicrobials Division (7510P)

Enclosure

	Precautionary Statements: Hazards to Humans and Domestic Animals Causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. May be tatal if inneled. Do not breathe vapor or spary mist. Harmful if skin. Prolonged or frequently repeated skin	contact may cause altergic reactions in some individuals. Wear goggles or face shield, a respiratory with an organic- Wear goggles or face shield, a respiratory with an organic- vapor removing cantridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with a organic vapor (OPV) cartridge or canister with any N, R, P, or	HE prefilter, long-sleeved shirt and long pants, socks, shoes and chemical-resistant gloves made of any waterproof materials. USER SAFETY RECOMMENDATIONS Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or havily containinated with production concorrection of or sociely containinated	should wash hands before eating, drinking, chewing gum, using tobacco, or using the tollet. User should remove clothing/PFE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PFE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.	DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Industrial microbiocide for use in aqueous compositions such	as oil in water emulsions, latices, paints, adhesives, paper coating compositions, building materials aqueous pigments and mineral slurries, *inks, pesticide formulations, leather processing, for the preservation of fresh animal hides and skins, slime control, oil recovery systems, and for use in liquid	WITH COMPTED household consumer, industrial, janitorial products, "solid WITH COMMED household consumer, industrial, janitorial products. READ LERE LOTTEN FOR FOLLOW THE DIRECTIONS FOR USE ON THE LOTTEN Date Companying INFORMATION SHEET. A USA A USA	5 2013 cide, to Actas	レルンテンジ ^{Av} Net Contents (pounds): We was
ACTICIDE [®] BW20	ACTIVE INGREDIENTS: 1.2-Benzisothiazofin-3-one INERT INGREDIENTS: 1.2.Benzisothiazofin-3-one 80.0% 100.0%	th water for 15-20 minutes. irst 5 minutes, then continue tment advice.	If Inhaled: > Move person to fresh air. > If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. > Call a poison control center or doctor for further treatment advice. If on Skin or clothing: > Rinse skin immediated clothing. > Rinse skin immediatel with blenth of water for 15-20 minutes.	If S		800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Transportation / Spill Emergency: Call Chemtrec at 1-800-424-9300 EPA Reg. No. 67071-23	EPA Est. No. 67071-DEU-001 Writh CORPTED househol Manufactured By/For: Thor GmbH Writh COM/INE: Thousehol D-67346 Spever, Germany デビン COM/INE: Name For Tel. (06232) 6360 デディングロング Tel. (2023) 6360 ディング AM Toror Speciatives, Inc. Control Sol Waterview Drive, Siletton, CT 06494 USA, Tel. (203) 516-6980 ディング AM	UN 3082, ENVIRONMENTALLY HAZARDÓÜŚ SUBSTANCE, ¹ 5 2013 LIQUID, N.O.S. (1,2-benzisothiazol-3(2H) one and an and an and an an an and an an ີ້ີ້ີ້ ເອງສຳຍາຍຄາມແລະ ເຈົ້າ ເຈັກເອັກອາສາຍເດີດ ເຈົ້າ ເອງສຳຍາຍຄາມແລະ ເຈົ້າ ເດັກເອັກອາສາຍເດີດ Act as	Mfg Date: White Date: Date: White Date: Wh
Label # 230(f) – 30-Oct-2012	PHYSICAL OR CHEMICAL HAZARDS: Do not store or use near oxidizing or reducing agents ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effuerit containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Effimination System (NPDES) permit and the permitting autionity has been notified in witing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment per contact or board or your contact of the contact or board or board or board to severe treatment previously notifying the local sewage treatment of board of the contact over	State Variate Joard or Negrotal Office of the Error disposal of contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label. STORAGE AND DISPOSAL Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is monhibited	Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. DISPOSAL : Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly	arter emplying - ripper inseas so noives. For containers < 3 galtons in sizel – Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container % full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate fater use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For	containers > 5 galons in size) - Empty the remaining contents into application equipment or a mix tank. Fill the container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times.	Turn the container over onto its other end and the to back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a satitary landfill. only other procedures approved by state and foral authorities.	GENERAL consult federal, state or local disposal authorities for approved alternative procedures. CONDITIONS OF SALE AND WARRANTY: Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accudance with label directions under normal conditions of use. THOR GMBH MAKES NO THER EXPRESS OR IMPLIED WARRANTES ETHER OR ANED CHANTABILITY OR ETINESS FOR A PARTICLI AN USE	Handling, storage and use of the product by Buyer of User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to failure to follow label directions will be assumed by the Buyer or User. IN IN CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.	Batch:

(

2/5

ACTICIDE[®] BW20 **INFORMATION SHEET**



THIS ACTICIDE[®] BW20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE[®] BW20

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACTICIDE® BW20 is an effective preservative in most aqueous compositions. Typical applications and suggested range of use concentrations based on total weight of product are as follows:

OIL IN WATER EMULSIONS	0.05 – 0.25%		
Spin-finish solutions for use in textile industry and photographic emulsions.	0.5 - 2.5 LB / PER 1000 LB PRODUCT		
Cutting/rolling oils. Soluble oils (metal and engineering industries). We suggest that the addition to metal-working fluid concentrates of ACTICIDE [®] BW20 should be limited to 1.5% maximum. This will give a maximum recommended use level of 0.15% ACTICIDE [®] BW20 in a 10:1 dilution of the concentrate and reduce the possibility of skin sensitization.	0.05 – 0.25% ² ₆ , 2.5 LB / PER 1000 LB PRODUCT		
LATICES Polymer latices based on acrylates, PVA, butadiene and styrene for various applications. Synthetic/rubber latices.	0.05 – 0.25 [%] έττεξε 0.5 - 2.5 LΒ΄/ΡΕ̈́́́Ε̈́́́Ε̈́́́Έ́́Έ́́Έ́́Έ́́́Έ́́́Ε		
EMULSION PAINTS As an in-container preservative.	0.05 – 0.25% ເດັດເຊັ່ມ 0.5 - 2.5 LB / PER 1000 Lອຼັ້ອຊຸດອິບປິດກາ		
ADHESIVES Animal glues, vegetable glues, carboxymethylcellulose and derivatives, adhesives based on gelatin and latices.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT		
PAPER COATING COMPOSITIONS Rosin dispersions, starch and casein based products, mineral slurries, polymers	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT		
PESTICIDE FORMULATIONS For product preservation. For ultimate use-dilution protection. ACTICIDE [®] BW20 is exempt from tolerance under 40 CFR 180. Materials exempted from the requirements of a tolerance when used in accordance with good agricultural practices as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT		
Effective for the in-can preservation of seed coating materials which includes, but is not limited to, colorants, dyes, and seed coatings.	0.05 – 0.50% 0.5 - 5 LB / PER 1000 LB PRODUCT		
Information Sheet #230(f) -30-Oct-2012	67071-23 By/For: Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 Thor Specialties, Inc. 50 Waterview Drive, Shelton,		

amencied, for the pesticide, registered under EPA Reg. No. 67071-23 CT 06484 USA Tel. (203) 516-6980

ACTICIDE[®] BW20 INFORMATION SHEET



THIS ACTICIDE[®] BW20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE[®] BW20

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*INKS		0.05 - 0.25%		
* Not approved for this use in the s	0.5 - 2.5 LB / PER 1000 LB PRODUCT			
BUILDING MATERIALS		0.08 - 0.25%		
including		0.80 - 2.5 LB / PER 10	-	
tape joint compounds	*caulks		i e e c i c	
*sealants	*grouts		сс с	
*spackling	*ready-mixed cements		с с с с с с	
*concrete admixtures	*wallboard compounds	(¢	
* Not approved for these uses in the	ne state of California		C C C C C C C C C C C C C C C C C C C	
AQUEOUS PIGMENTS AND	MINERAL SLURRIES	0.04 – 0.25 ⁶ ° °	с с сссссс	
Including titanium dioxide, ka	olin, calcium carbonate, calcium sulfate and	0.4 -2.5 LB / PER:100	c	
magnesium silicate, color pig	0.4 -2.5 LD7 [LN ₂ 100 ccccc			
HOUSEHOLD CONSUMER, I	NDUSTRIAL, JANITORIAL PRODUCTS-LIQUID	0.05 - 0.20%	e e e	
For the control of bacteria and	0.5 – 2.0 / PER 1000			
detergents, liquid laundry pro				
polishes, liquid fabric treatme		ACCEPTED		
fresheners/deodorizers, car c	Wit	h COMMENTS		
ACTICIDE [®] BW20 may also I	i fui	PA Letter Date 1		
	ding pre-moistened sponges and mops.			
ACTICIDE [®] BW20 may also I	be used for the control of bacteria and fungi in	JAN	1 5 2013	
solutions that are then put int	Troomer	-		
residential and household use	Finderer	Sederal Insecticit'		
preserved with this product m	ameneed	and Nodentia de		
for food contact.		registered	under EPA Rog. No.	
ACTICIDE [®] BW20 microbioci	de may be added to those products formulated as	1-	7/7/ 07	
concentrates which are in tur	n diluted for use at a level to ensure that the final use-	φ /	011-23	
dilution product will contain be	etween 0.05 - 0.20% ACTICIDE [®] BW20.			

Information Sheet #230(f) -30-Oct-2012 Page 2 of 3 EPA Reg. No. 67071-23 Manufactured By/For: Thor GmbH

U.S. Office:

Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT 06484 USA Tel. (203) 516-6980

ACTICIDE[®] BW20 INFORMATION SHEET

(



THIS ACTICIDE[®] BW20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE[®] BW20

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*HOUSEHOLD CONSUMER, INDU	0.05 - 0.20%					
For the control of bacteria and fung detergents, solid laundry products, solid fabric treatment/refresher pro- products, and other similar cleaned	0.5 2.0 / PER 1000 LB PRODUCT					
ACTICIDE [®] BW20 microbiocide ma concentrates which are in turn dilut dilution product will contain betwee	ay be added to those products formulated as ed for use at a level to ensure that the final use- n 0.05 - 0.20% ACTICIDE [®] BW20.					
* Not approved for this use in the state						
LEATHER PROCESSING SOLUTIO	0.025 – 0 20% ^c ^c ^c					
		0.25 - 2.0 LBAPER 1000 FE PRODUCT				
PRESERVATION OF FRESH ANIM						
To preserve the integrity of fresh animal hides and skins prior to or during processing, use 13 fluid ounc∉s to 2.5 gallons (1.0 – 24 lb) of ACTICIDE® BW20 per 1000 pounds of hides or skins. Add the appropriate quantity of AGTICIDE® BW20 to the brine solution during the curing operation, or treat hides or skins with an appropriately diluted aqueous solution (dufif) of the portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend upon the degree of decomposition of the hides or skins prior to treatment.						
*SLIME CONTROL						
Shock Dosing: 70 to 260 grams (2 1/2 - 9 oz) of ACTICIDE [®] BW20 for each ton of paper produced per day should be added as a single daily shock dose, the actual quantity used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system. Continuous addition: ACTICIDE [®] BW20 should be added continuously for either the single period of 8 hours during every						
24 hours or for two separate periods of 4 hours during every 24 hours. ACTICIDE [®] BW20 should be metered at the rate of 195-230 grams (7-8.3 oz) for each ton of paper produced during the dosing period. This addition should be made to the recirculated backwater.						
* Not approved for this use in the state of California						
*OIL RECOVERY SYSTEMS						
	letion fluids (polysaccharide fluid loss control age d 0.05% to 0.15% based on the fluid weight or 1.					
Subsurface injection waters including polymer and micellar/polymer waterfloods (thickeners including xanthan gum and polyacrylamides); add 0.015% to 0.15% based on solution weight						
* Not approved for this use in the state of	^{f California} vith COMMENTS	•				
· ·	TEPA Letter Dated:					
Information Sheet #230(f) –30-Oct-2012 Page 3 of 3	EPA Reg. No.	By/For: Thor GmbH				
	Under the Federal Insocticide, U.S. Office: Functicide interstudies the destricted Act as $a_{1} + \dots + a_{n}$ for the pesticide, registered under EPA Reg. No. G = 107(-23)	D-67346 Speyer, Germany Tel. (06232) 6360 Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT 06484 USA Tel. (203) 516-6980				