

67071-23

7/29/2014

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUL 29 2014

Ms. Cheryl Woodward
Regulatory Specialist for,
THOR Specialties, Inc.
56 Quarry Road
Trumbull, CT 06611

Subject: Acticide BW 20
EPA Registration Number 67071-23
Your Amendment Dated March 31, 2014
EPA Received Date April 21, 2014

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to increase in the minimum use level of concrete admixtures and add other labeling revisions to the product labeling, is acceptable.

Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data. A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and it's implementing regulation at 40 CFR 152.3.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,



Eric Miederhoff
Acting Product Manager, Team 33
Regulatory Management Branch I
Antimicrobials Division(7510P)
Office of Pesticide Programs
Environmental Protection Agency

ACTICIDE® BW20



ACCEPTED
JUL 29 2014
OFFICER: [Signature]
DATE: 10/7/23

Precautionary Statements:
Hazards to Humans and Domestic
Animals
DANGER

ACTIVE INGREDIENTS:
1,2-Benzisothiazolin-3-one
80.0%
INERT INGREDIENTS:
20.0%
TOTAL: 100.0%
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the effective date of 10/7/23

KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO

See Side panel for additional precautionary statements

PHYSICAL OR CHEMICAL HAZARDS: Do not store or use near oxidizing or reducing agents
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL
Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.
Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: consult federal, state or local disposal authorities for approved alternative procedures.
CONDITIONS OF SALE AND WARRANTY: Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited by, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

FIRST AID
If in Eyes: > Hold eye open and rinse slowly and gently with water for 15-20 minutes. > Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. > Call a poison control center or doctor for treatment advice.
If Inhaled: > Move person to fresh air. > If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. > Call a poison control center or doctor for further treatment advice.
If on Skin or clothing: > Take off contaminated clothing. > Rinse skin immediately with plenty of water for 15-20 minutes. > Call a poison control center or doctor for treatment.
If Swallowed: > Call a poison control center or doctor immediately for treatment advice. > Have person sip a glass of water if able to swallow. > Do not induce vomiting unless told to do so by the poison control center or doctor. > Do not give anything by mouth to an unconscious person
Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.
HOT LINE NUMBER: In case of emergency for additional information call toll free 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For Transportation / Spill Emergency: Call Chemtrec at 1-800-424-9300

EPA Reg. No. 67071-23 EPA Est. No. 67071-DEU-001
Manufactured By/For: Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
Thor Specialties, Inc.
50 Waterview Drive, Shelton, CT 06484 USA
Tel. (203) 516-6980
U.S. Office:
Thor Specialties, Inc.
50 Waterview Drive, Shelton, CT 06484 USA
Tel. (203) 516-6980
FOR:
Manufactured By: Thor Químicos de México SA de CV;
Autopista Mex-Qro Km 182; Pedro Escobedo,
Querétaro, México. Tel. (448)2752200
Manufactured For: Thor GmbH
U.S. Office: Thor Specialties, Inc.
50 Waterview Drive, Shelton, CT 06484 USA
Tel. (203) 516-6980

USER SAFETY RECOMMENDATIONS
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them. User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Industrial microbiocide for use in aqueous compositions such as oil in water emulsions, latices, paints, adhesives, paper coating compositions, building materials, aqueous pigments and mineral slurries, inks, pesticide formulations, leather processing, for the preservation of fresh animal hides and skins, slime control, oil recovery systems, and for use in liquid household consumer, industrial, janitorial products, solid household consumer, industrial, janitorial products. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.
* Not approved for these uses in the State of California

UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,2-benzisothiazol-3(2H)-one), 9, PG-II

Net Contents (pounds):

Mfg Date:

Batch:

4/6

ACTICIDE® BW20 INFORMATION SHEET




THIS ACTICIDE® BW20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® BW20

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACTICIDE® BW20 is an effective preservative in most aqueous compositions. Typical applications and suggested range of use concentrations based on total weight of product are as follows:

OIL IN WATER EMULSIONS Spin-finish solutions for use in textile industry and photographic emulsions.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT
Cutting/rolling oils. Soluble oils (metal and engineering industries). We suggest that the addition to metal-working fluid concentrates of ACTICIDE® BW20 should be limited to 1.5% maximum. This will give a maximum recommended use level of 0.15% ACTICIDE® BW20 in a 10:1 dilution of the concentrate and reduce the possibility of skin sensitization.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT
LATICES Polymer latices based on acrylates, PVA, butadiene and styrene for various applications. Synthetic/rubber latices.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT
EMULSION PAINTS As an in-container preservative.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT
ADHESIVES Animal glues, vegetable glues, carboxymethylcellulose and derivatives, adhesives based on gelatin and latices.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT
PAPER COATING COMPOSITIONS Rosin dispersions, starch and casein based products, mineral slurries, polymers	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT
PESTICIDE FORMULATIONS For product preservation. For ultimate use-dilution protection. ACTICIDE® BW20 is exempt from tolerance under 40 CFR 180. Materials exempted from the requirements of a tolerance when used in accordance with good agricultural practices as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only. For use in pesticide products that are not applied to crops, ACTICIDE® BW20 should be added to concentrates at a level to ensure that the final use dilution of the product will contain 0.05 to 0.25% ACTICIDE® BW20.	0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT
*Effective for the in-can preservation of seed coating materials which includes, but is not limited to, colorants, dyes, and seed coatings. *Not approved for this use in the state of California	0.05 – 0.50% 0.5 - 5 LB / PER 1000 LB PRODUCT



EPA Reg. No. 67071-23

Manufactured By/For: Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
Thor Specialties, Inc.
50 Waterview Drive, Shelton,
CT 06484 USA
Tel. (203) 516-6980

U.S. Office:

ACTICIDE® BW20 INFORMATION SHEET




THIS ACTICIDE® BW20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® BW20

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

<p>*INKS <i>*Not approved for this use in the state of California</i></p>	<p>0.05 – 0.25% 0.5 - 2.5 LB / PER 1000 LB PRODUCT</p>
<p>BUILDING MATERIALS including tape joint compounds *caulks *sealants *grouts *spackling *ready-mixed cements *wallboard compounds</p>	<p>0.08 – 0.25% 0.80 - 2.5 LB / PER 1000 LB PRODUCT</p>
<p>*CONCRETE ADMIXTURES <i>*Not approved for these uses in the state of California</i></p>	<p>0.15 – 0.25% 1.5 – 2.5 LB PER 1000 LB CONCRETE ADMIXTURE</p>
<p>MINERAL SLURRIES Including titanium dioxide, kaolin, calcium carbonate, calcium sulfate and magnesium silicate</p>	<p>0.04 – 0.25% 0.4 – 2.5 LB / PER 1000 LB PRODUCT</p>
<p>*AQUEOUS PIGMENTS Including color pigments and colorants. <i>*Not approved for these uses in the state of California</i></p>	<p>0.04 – 0.25% 0.4 – 2.5 LB / PER 1000 LB PRODUCT</p>
<p>HOUSEHOLD CONSUMER, INDUSTRIAL, JANITORIAL PRODUCTS-LIQUID For the control of bacteria and fungi in liquid soaps, liquid cleaners, liquid detergents, liquid laundry products, liquid dishwashing detergents, waxes, polishes, liquid fabric treatment/refreshers products, liquid air fresheners/deodorizers, car care products, and other similar cleaners. ACTICIDE® BW20 may also be used for the control of bacteria and fungi in package utility products including pre-moistened sponges and mops. ACTICIDE® BW20 may also be used for the control of bacteria and fungi in solutions that are then put into/onto wet wipes for use in industrial, commercial residential and household uses cited above. Wet wipes containing a solution preserved with this product may not be used for personal care, as baby wipes, or for food contact. ACTICIDE® BW20 microbicide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.05 - 0.20% ACTICIDE® BW20.</p>	<p>0.05 – 0.20% 0.5 – 2.0 / PER 1000 LB PRODUCT</p>



EPA Reg. No. 67071-23

Manufactured By/For:

Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
Thor Specialties, Inc.
50 Waterview Drive, Shelton,
CT 06484 USA
Tel. (203) 516-6980

U.S. Office:

6/6

ACTICIDE® BW20 INFORMATION SHEET




THIS ACTICIDE® BW20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® BW20

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

<p>*HOUSEHOLD CONSUMER, INDUSTRIAL, JANITORIAL PRODUCTS-SOLID</p> <p>For the control of bacteria and fungi in solid soaps, solid cleaners, solid detergents, solid laundry products, solid dishwashing detergents, waxes, polishes, solid fabric treatment/refreshers products, solid air fresheners/deodorizers, car care products, and other similar cleaners.</p> <p>ACTICIDE® BW20 microbiocide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.05 - 0.20% ACTICIDE® BW20.</p> <p><i>* Not approved for this use in the state of California</i></p>	<p>0.05 – 0.20%</p> <p>0.5 – 2.0 / PER 1000 LB PRODUCT</p>
<p>LEATHER PROCESSING SOLUTIONS</p>	<p>0.025 – 0.20%</p> <p>0.25 - 2.0 LB / PER 1000 LB PRODUCT</p>
<p>PRESERVATION OF FRESH ANIMAL HIDES AND SKINS:</p> <p>To preserve the integrity of fresh animal hides and skins prior to or during processing, use 13 fluid ounces to 2.5 gallons (1.0 – 24 lb) of ACTICIDE® BW20 per 1000 pounds of hides or skins. Add the appropriate quantity of ACTICIDE® BW20 to the brine solution during the curing operation, or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend upon the degree of decomposition of the hides or skins prior to treatment.</p>	
<p>*SLIME CONTROL</p> <p>Shock Dosing: 70 to 260 grams (2 1/2 - 9 oz) of ACTICIDE® BW20 for each ton of paper produced per day should be added as a single daily shock dose, the actual quantity used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system.</p> <p>Continuous addition: ACTICIDE® BW20 should be added continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. ACTICIDE® BW20 should be metered at the rate of 195-230 grams (7-8.3 oz) for each ton of paper produced during the dosing period. This addition should be made to the recirculated backwater.</p> <p><i>* Not approved for this use in the state of California</i></p>	
<p>*OIL RECOVERY SYSTEMS</p> <p>Drilling fluids, packer fluids, completion fluids (polysaccharide fluid loss control agents and thickeners including starch, guar, and xanthan gum) add 0.05% to 0.15% based on the fluid weight or 1.5% - 4.5% based on the dry polysaccharide weight</p> <p>Subsurface injection waters including polymer and micellar/polymer waterfloods (thickeners including xanthan gum and polyacrylamides): add 0.015% to 0.15% based on solution weight</p> <p><i>* Not approved for this use in the state of California</i></p>	



EPA Reg. No. 67071-23
 Manufactured By/For: Thor GmbH
 D-67346 Speyer, Germany
 Tel. (06232) 6360
 U.S. Office: Thor Specialties, Inc.
 50 Waterview Drive, Shelton,
 CT 06484 USA
 Tel. (203) 516-6980