Container Label # 290(i) 03/15/06

ACTICIDE[®] MBS



ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant. authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label

STORAGE AND DISPOSAL

Prohibitions: This product is corrosive to mild steel. Do not store in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Pesticide Disposal: Pesticide wastes are acutely hazardous, Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Metal container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incinerator or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

U.S. PATENT NO. 6,361,788 B1 CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label and labeling directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

Batch:

AMBSO-1UNTA

Active Ingredients:

1,2-Benzisothiazolin-3-one	
2-Methyl-4-isothiazolin-3-one	
Inert Ingredients:	
Total	

ACTICIDE[®] MBS microbiocide weighs 8.6 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER

See Side panel for additional precautionary statements FIRST AID

IF IN EYES:

*Hold eve open and rinse slowly and cently with water for 15-20 minutes. *Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

*Call a poison control center or doctor for treatment advice. IF SWALLOWED:

*Call a poison control center or doctor immediately for treatment advice. *Have person sip a glass of water if able to swallow.

*Do not induce vomiting unless told to by a poison control center or doctor.

*Do not give anything by mouth to an unconscious person.

IF ON SKIN:

*Take off contaminated clothing.

*Rinse skin immediately with plenty of water for 15-20 minutes. *Call a poison control center or doctor for treatment.

IF INHALED:

*Move person to fresh air.

*If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to- mouth, if possible.

*Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

U ACCEPTED

water emulsions, as an in container preservative for aqueous products, for use in household cleaning products, laundry additives, car care products, metal working fluids,

and textiles/cordage products and textile-/textile fibersmaking. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.

Precautionary Statements:

Hazards to Humans and Domestic

Animals

CORROSIVE CAUSES EYE DAMAGE AND SKIN BURNS. MAY

CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF

INHALED, MAY BE FATAL IF SWALLOWED OR ABSORBED

THROUGH THE SKIN. DO NOT GET IN EYES, ON SKIN, ON

CLOTHING, WEAR GOGGLES OR FACE SHIELD AND RUBBER

GLOVES WHEN HANDLING. AVOID BREATHING VAPOR OR

SPRAY MIST, AVOID CONTAMINATION OF FOOD, DO NOT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product

Industrial microbiocide for use in polymer latices, paints and

coatings, building materials, adhesives and tackifiers,

mineral slurries, additives for paper and paperboard, oil-in-

in a manner inconsistent with its labeling.

TAKE INTERNALLY, WASH THOROUGHLY AFTER HANDLING.

* Not approved for use in polymer latices, building materials, adhesives and tackifiers, mineral slurries, additives for paper and paperboard, oil-in-water emulsions, as an in container preservative for aqueous products, for use in household cleaning products, laundry additives, car care products, metal working fluids, and textiles/cordage products and textile-/textile fibers-making in the state of California


67071-29
Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
Acti-Chem Specialties, Inc.
56 Quarry Road, Trumbull, CT 06611
USA Tel. (203) 365-6530
67071-DEU-001

JUL 18 2006 Net Contents (pounds): Mfg Date: Under The Federal Intescription, Faingloode and Rodeltticide Act, as emended, for the posticida registered under 67071-3

1/18/2004

(X)

1101



***PRESERVATIVE FOR LATICES**: ACTICIDE[®] MBS microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latices including: acrylics, styrenebutadiene, carboxylated styrene-butadiene, ethylene-vinyl acetate and biopolymers intended for industrial use such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches and casein derived polymers including latices for paper and paperboard. Add 1.0 - 5.0 lbs. ACTICIDE[®] MBS (0.45 - 2.27 kg) to 1000 lbs. (454 kg) of emulsion to provide 50 - 250 ppm active ingredient.

PRESERVATIVE FOR PAINTS AND COATINGS: ACTICIDE[®] MBS microbiocide is recommended as an incontainer preservative for the control of bacteria and fungi in water based coatings such as paper and wood coatings and paints used for architectural product finishes and special purpose coatings. Add 1.0 - 5.0 lbs. ACTICIDE[®] MBS (0.45 - 2.26 kg) per 1000 lbs. of paint, or coating fluid formulation or polymer latex to provide 50 - 250 ppm of active ingredient.

Special purpose coating uses: Include use as a: <> preservative for electrodeposition paints or solutions, <> preservative for photoplating solutions or coatings, <> preservative in fount (or fountain) solutions used in the printing process as a maintenance fluid/coating and as a special coating for printing plates, and <> preservative in spin finish coatings for fibers. The application/addition directions for these special purpose coating uses are:

Electrodeposition: ACTICIDE[®] MBS microbiocide is recommended as a tankside additive for the control of bacteria, fungi, and algae in re-circulating electrodeposition systems and associated rinse systems. Alternately, ACTICIDE[®] MBS microbiocide may be added through the components of the electrodeposition paint prior to their addition to the electrodeposition system.

Tankside Addition To Electrodeposition Systems: ACTICIDE[®] MBS microbiocide should be dispensed into the recirculating rinse system, ultrafilter permeate, or final distilled rinse system at a point to insure uniform mixing. When the system is noticeably fouled, add up to 2.4% ACTICIDE[®] MBS microbiocide (based on the total gallons of fluid in the system). Repeat until control is achieved. When microbial control is evident, add up to 1.0% ACTICIDE[®] MBS (based on the total gallons of fluid in the system) weekly or as needed to maintain the system. A change of frequency of treatment may be required depending on the rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

Treatment Of Electrodeposition Paint Components: Initial Dose of Paint Components: ACTICIDE[®] MBS microbiocide should be added to the resin, pigment, or other component of the electrodeposition paint at a level to ensure that the final use-dilution fluid will contain no more than 250 ppm isothiazolones

Supplemental Tanked Dosing of Electrodeposition System: If additional microbial control is necessary, ACTICIDE[®] MBS microbiocide may be added to the electrodeposition system tankside to supplement the microbiocide incorporated through paint components. If the system becomes noticeably fouled, add up to 2.4% acticide MBS microbiocide (based on the total gallons of fluid in the system). Repeat until control is achieved. When microbial control is evident, the system can be maintained by addition of up to 1.0% acticide MBS microbiocide (based on the total gallons of fluid in the system) weekly or as

Information Sheet # 290(i) 03/15/06 Page 1 of 3 EPA Reg. No. 67071-29 Manufactured For: Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 U.S. Office: Acti-Chem Specialties, Inc. 56 Quarry Road, Trumbull, CT 06611 USA Tel. (203) 365-6530

3 23

ACTICIDE[®] MBS INFORMATION SHEET THIS ACTICIDE[®] MBS INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE[®] MBS

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



needed.

Photoplate Processing, Photo Processing, Fountain Solutions, And Ink/Ink Components: ACTICIDE[®] MBS microbiocide is recommended for the control of bacteria and fungi in photoplate processing such as stabilizer solutions and in fountain solutions. ACTICIDE[®] MBS microbiocide is recommended for water-based printing inks such as flexographic, gravure, screen and ink jet types. ACTICIDE[®] MBS microbiocide is recommended for the control of bacteria and fungi in printing ink components such as resins, plasticizers, water soluble dyes, pigments, gelling agents, waves, surfactants, and thickeners. ACTICIDE[®] MBS microbiocide should be added to achieve the recommended dosage range for ink, ink components, fountain solutions and photoplate processing chemicals of 0.1% to 1.0% on a total weight basis. The optimum level range for acidic fountain solutions is 0.2% to 0.5%; the optimum level range for neutral fountain solutions is 0.5% to 0.8%. A level adjustment may be necessary to accommodate the slight change in solution formulations. Up to 500 Ib ACTICIDE[®] MBS per 1,000 lbs of concentrate may be added to concentrates so long as the final use-dilution product contains not more than 250 ppm active ingredients (a dilution of 100x). **NOTE**: To insure uniform mixing, add ACTICIDE[®] MBS microbiocide to latex or solution slowly with agitation. The actual concentrations required will depend upon such factors as the specific substance to be treated, frequency of repeated microbial contamination expected and level of protection required.

*PRESERVATIVE FOR BUILDING MATERIALS: ACTICIDE[®] MBS microbiocide is recommended as an incontainer preservative for the control of bacteria and fungi in building materials such as mastics, caulks, joint cements, spackles and grouts, and concrete admixtures. Add 1.0 - 4.0 lbs. ACTICIDE[®] MBS (0.45 - 1.81 kg) per 1000 lbs of fluid to provide 50 - 200 ppm active ingredient.

*PRESERVATIVE FOR ADHESIVES AND TACKIFIERS: ACTICIDE[®] MBS microbiocide is recommended as a preservative for the control of bacteria and fungi in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene and acrylic latices. ACTICIDE[®] MBS microbiocide is recommended as a preservative for tackifiers derived from rosin and hydrocarbon resins. Add 1.0 - 5.0 lbs.(0.45 - 2.27 kg) of ACTICIDE[®] MBS to 1000 lbs. of fluid to provide 50 - 250 ppm active ingredient.

*PRESERVATIVE FOR DISPERSED PIGMENTS (MINERAL SLURRIES): ACTICIDE[®] MBS microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as refractory coatings, ceramic glazes, kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate and kieselguhr used in paint and paper products. Add 0.3 - 3.0 lbs (0.14 - 1.4kg) of ACTICIDE[®] MBS per 1000 lbs of dispersion to provide 15 - 150 ppm active ingredient.

*PRESERVATIVE FOR OIL-IN-WATER EMULSIONS: ACTICIDE[®] MBS is recommended for use in spin-finish solutions used in the textile industry and photographic emulsions. Add 1.0 - 5.0 lbs (0.45 - 2.27 kg) ACTICIDE[®] MBS to 1000 lbs of emulsion to provide 50 - 250 ppm active ingredient.

Information Sheet # 290(i) 03/15/06 Page 2 of 3 EPA Reg. No. 67071-29 Manufactured For: Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 U.S. Office: Acti-Chem Specialties, Inc. 56 Quarry Road, Trumbull, CT 06611 USA Tel. (203) 365-6530