



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Lynn P. Tordo Regulatory Manager for, THOR Specialties, Inc. 56 Quarry Road Trumbull, CT 06611

MAR 3 1 2010

Subject: Acticide MBS

EPA Registration Number 67071-29

Your Amendment Dated February 10th, 2010

EPA Received Date March 10th, 2010

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to revise the Container Handling labeling language as per PR Notice 2007-4, is acceptable.

A stamped copy of the labeling is enclosed.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

Marshall Swindell Product Manager 33 Regulatory Management Branch I Antimicrobial Division(7510C)

ACTICIDE® MBS



ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously ACTICIDE® MBS microbiocide weighs 8.6 lb. per gallon. notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA, Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL

Prohibitions: This product is corrosive to mild steel. Do not store in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Batch:

Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. (For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

U.S. PATENT NO. 6.361.788 B1

Active Ingredients:	
1,2-Benzisothiazolin-3-one	2.5%
2-Methyl-4-isothiazolin-3-one	2.5%
Inert Ingredients:	95.0%
Total:	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

See Side panel for additional precautionary statements

FIRST AID

If in Eyes:
*Hold eye open and rinse slowly and gently with water for

*Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. *Call a poison control center or doctor for treatment advice.

If Swallowed:

*Call a poison control center or doctor immediately for treatment advice.

*Have person sip a glass of water if able to swallow.

*Do not induce vomiting unless told to do so by the poison control center

*Do not give anything by mouth to an unconscious person

If on Skin or clothing:

*Take off contaminated clothing.

*Rinse skin immediately with plenty of water for 15-20 minutes.

*Call a poison control center or doctor for treatment.

If Inhaled:

- Move person to fresh air.
- * If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- * Call a poison control center or doctor for further treatment advice

Note to physician: Probable mucosal damage may contraindicate the use of gastric

HOT LINE NUMBER: In case of emergency, for additional information call toll free 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For Transportation / Spill Emergency: Call Chemtrec at 1-800-424-9300

ACCEPTED with COMMENTS EPA Letter Dated:

MAR 3 1 2010

Precautionary Statements: Hazards to Humans and Domestic Animals

CORROSIVE. CAUSES EYE DAMAGE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HAR MFUL IF INHALED, MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN, DO NOT GET IN EYES, ON SKIN, ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. AVOID BREATHING VAPOR OR SPRAY MIST, AVOID CONTAMINATION OF FOOD. DO NOT TAKE INTERNALLY. WASH THOROUGHLY AFTER HANDLING.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Industrial microbiocide for use in polymer latices, paints and coatings, building materials, *adhesives and *tackifiers, mineral slurries, *additives for paper and paperboard, *oil-in-water emulsions, as an in-container preservative for aqueous products, for use in household consumer, industrial, janitorial products, *metal working fluids, and *textiles/cordage products and *textile-/textile fibers-making. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.

* Not approved for theses uses in the state of California

EPA Reg. No.

67071-29

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

U.S. Office:

Thor Specialties, Inc.

56 Quarry Road, Trumbull, CT 06611 USA Tel. (203) 365-6530

EPA Est. No.

67071-DEU-001

CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label and labeling directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Setter, Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT

Net Contents (pounds):

Mfg Date: Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. Nov. 67071-39





ACTICIDE® MBS INFORMATION SHEET

IHUK

THIS ACTICIDE® MBS INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*PRESERVATIVE FOR LATICES: ACTICIDE® MBS microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latices (including process wash solutions) including: acrylics, styrene-butadiene, carboxylated styrene-butadiene, ethylene-vinyl acetate and biopolymers intended for industrial use such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches and casein derived polymers including latices for paper and paperboard. Add 1.0 - 5.0 lbs. ACTICIDE® MBS (0.45 - 2.27 kg) to 1000 lbs. (454 kg) of emulsion to provide 50 - 250 ppm active ingredient. *Not approved for this use in the state of California

PRESERVATIVE FOR PAINTS AND COATINGS: ACTICIDE® MBS microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in water based coatings such as paper and wood coatings and paints (including process wash solutions) used for architectural product finishes and *special purpose coatings. Add 1.0 - 5.0 lbs. ACTICIDE® MBS (0.45 - 2.26 kg) per 1000 lbs. of paint, or coating fluid formulation or polymer latex to provide 50 - 250 ppm of active ingredient. *Not approved for this use in the state of California

*Special purpose coating uses: Include use as a: <> preservative for electrodeposition paints or solutions, <> preservative for photoplating solutions or coatings, <> preservative in fount (or fountain) solutions used in the printing process as a maintenance fluid/coating and as a special coating for printing plates, and <> preservative in spin finish coatings for fibers. The application/addition directions for these special purpose coating uses are:

*Electrodeposition: ACTICIDE® MBS microbiocide is recommended as a tankside additive for the control of bacteria, fungi, and algae in re-circulating electrodeposition systems and associated rinse systems. Alternately, ACTICIDE® MBS microbiocide may be added through the components of the electrodeposition paint prior to their addition to the electrodeposition system.

Tankside Addition To Electrodeposition Systems: ACTICIDE® MBS microbiocide should be dispensed into the recirculating rinse system, ultrafilter permeate, or final distilled rinse system at a point to insure uniform mixing. When the system is noticeably fouled, add up to 0.6% ACTICIDE® MBS microbiocide (based on the total gallons of fluid in the system). Repeat until control is achieved. When microbial control is evident, add up to 0.6% ACTICIDE® MBS (based on the total gallons of fluid in the system) weekly or as needed to maintain the system. A change of frequency of treatment may be required depending on the rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. *Not approved for this use in the state of California

*Treatment Of Electrodeposition Paint Components: Initial Dose of Paint Components: ACTICIDE® MBS microbiocide should be added to the resin, pigment, or other component of the electrodeposition paint at a level to ensure that the final use-dilution fluid will contain no more than 250 ppm isothiazolones.

* Not approved for this use in the state of California

Information Sheet # 290(k3) ACCEPTED
Page 1 of 3 with COMMENTS
EPA Letter Dated:

MAR 3 1 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 67071-39 EPA Reg. No. 67071-29

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

U.S. Office: Thor S

Thor Specialties, Inc. 56 Quarry Road, Trumbull, CT 06611

USA

Tel. (203) 365-6530

4045

ACTICIDE® MBS INFORMATION SHEET



THIS ACTICIDE® MBS INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*Photoplate Processing, Photo Processing, Fountain Solutions, And Ink/Ink Components: ACTICIDE® MBS microbiocide is recommended for the control of bacteria and fungi in photoplate processing such as stabilizer solutions and in fountain solutions. ACTICIDE® MBS microbiocide is recommended for water-based printing inks such as flexographic, gravure, screen and ink jet types. ACTICIDE® MBS microbiocide is recommended for the control of bacteria and fungi in printing ink components such as resins, plasticizers, water soluble dyes, pigments, gelling agents, waves, surfactants, and thickeners. ACTICIDE® MBS microbiocide should be added to achieve the recommended dosage range for ink, ink components, fountain solutions and photoplate processing chemicals of 0.1% to 0.5% on a total weight basis. A level adjustment may be necessary to accommodate the slight change in solution formulations. Up to 500 lb ACTICIDE® MBS per 1,000 lbs of concentrate may be added to concentrates so long as the final use-dilution product contains not more than 250 ppm active ingredients (a dilution of 100x). *Not approved for this use in the state of California

NOTE: To insure uniform mixing, add ACTICIDE® MBS microbiocide to latex or solution slowly with agitation. The actual concentrations required will depend upon such factors as the specific substance to be treated, frequency of repeated microbial contamination expected and level of protection required.

*PRESERVATIVE FOR BUILDING MATERIALS: ACTICIDE® MBS microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in building materials such as mastics, caulks, joint cements, spackles and grouts, and concrete admixtures. Add 1.0 – 5.0 lbs. ACTICIDE® MBS (0.45 – 2.27 kg) per 1000 lbs of fluid to provide 50 – 250 ppm active ingredient. *Not approved for this use in the state of California

*PRESERVATIVE FOR ADHESIVES AND TACKIFIERS: ACTICIDE® MBS microbiocide is recommended as a preservative for the control of bacteria and fungi in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene and acrylic latices. ACTICIDE® MBS microbiocide is recommended as a preservative for tackifiers derived from rosin and hydrocarbon resins. Add 1.0 - 5.0 lbs.(0.45 - 2.27 kg) of ACTICIDE® MBS to 1000 lbs. of fluid to provide 50 - 250 ppm active ingredient. *Not approved for this use in the state of California

PRESERVATIVE FOR DISPERSED PIGMENTS (MINERAL SLURRIES): ACTICIDE® MBS microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as refractory coatings, ceramic glazes, kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate and kieselguhr used in paint and paper products. Add 0.3 - 3.0 lbs (0.14 - 1.4kg) of ACTICIDE® MBS per 1000 lbs of dispersion to provide 15 - 150 ppm active ingredient.

*PRESERVATIVE FOR OIL-IN-WATER EMULSIONS: ACTICIDE® MBS is recommended for use in spin-finish solutions used in the textile industry and photographic emulsions. Add 1.0 - 5.0 lbs (0.45 - 2.27 kg) ACTICIDE® MBS to 1000 lbs of emulsion to provide 50 - 250 ppm active ingredient. *Not approved for this use in the state of California

Information Sheet # 290(k3) 07/08/08 Page 2 of 3 ACCEPTED with COMMENTS EPA Letter Dated:

MAR 3 7 2010

EPA Reg. No. 67071-29

U.S. Office:

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

Thor Specialties, Inc.

56 Quarry Road, Trumbull, CT 06611

USA

Tel. (203) 365-6530

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 67071-89



ACTICIDE® MBS INFORMATION SHEET



THIS ACTICIDE® MBS INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*IN-CONTAINER PRESERVATIVE: ACTICIDE® MBS is recommended as an in-container preservative for the control of bacteria and fungi in aqueous products such as aqueous emulsions and dispersions including *stabilized oil/water emulsions, *surface preparation compounds, *foam control products, *nutrient solutions and *aqueous pesticides which includes, but is not limited to, insecticides, termiticides, fundicides, bactericides, algaecides, herbicides, rodenticides [includes use as an in-container preservative for the control of bacteria and fungi in pesticide products for dilution (with a MIT level of not more than 9 ppm in the final solution) applied to crops and for use in pesticide formulations for use on food contact surfaces at rates described for in-container preservative category]. Add 0.5 - 5.0 lbs. (0.23 - 2.27 kg) ACTICIDE® MBS per each 1000 lbs, of treated product to provide 25 - 250 ppm active ingredients. * Not approved for this use in the state of California

HOUSEHOLD CONSUMER, INDUSTRIAL, JANITORIAL-PRODUCTS: For the control of bacteria and fungi in liquid and solid soaps, liquid and solid cleaners, liquid and solid detergents, liquid and solid laundry products, liquid and solid dishwashing detergents, waxes, polishes, liquid and solid fabric treatment/refresher products, liquid and solid air fresheners/deodorizers, car care products, and other similar cleaners. ACTICIDE® MBS may also be used for the control of bacteria and fungi in package utility products such as pre-moistened sponges and mops. ACTICIDE® MBS may also be used for the control of bacteria and fundi in solutions that are then put into/onto wet wipes for use in industrial, commercial, residential and household uses cited above. Wet wipes containing a solution preserved with this product may not be used for personal care, as baby wipes, or for food contact. ACTICIDE® MBS is added at a level of 0.12 to 4.0 lb to each 1000 lb of product to be protected to provide 6 to 200 ppm of active isothiazolones.

ACTICIDE® MBS microbiocide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.012% to 0.40% ACTICIDE® MBS microbiocide.

*PRESERVATIVE FOR METAL WORKING FLUIDS: ACTICIDE® MBS microbiocide is recommended for the control of bacteria and fungi in aqueous metal working fluid solutions and emulsions. Add 1.5 gallons (12.5 lb.) per 1000 gallons of emulsion every 4 weeks for maintenance of a non-fouled system. For a noticeably fouled system use an initial dose of up to 4.5 gallons (39 lb.) per 1000 gallons emulsion followed by subsequent maintenance dosage above. A higher dosage rate and/or increased frequency of treatment may be required depending upon the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. The preservative should be dispensed into the use dilution of the metal working fluid using a metering pump and uniformly dispersed throughout the system. * Not approved for this use in the state of California

*PRESERVATIVE FOR TEXTILES/CORDAGE PRODUCTS AND TEXTILE-/TEXTILE-FIBERS MAKING. ACTICIDE® MBS is recommended as a preservative for the control of bacteria and fungi in textiles and non-woven products (such as canvas, carpet, cordage, drapes, and shower curtains), in chemicals commonly used in the production of natural and synthetic fibers and fabrics (such as fiber lubricants, spin finishes, sizes, dyestuffs, textile printing inks, dispersants, thickeners, dye fixatives, hand builders and weighters), and in textile coatings. Add 1.0 to 5.0 lbs. ACTICIDE® MBS per 1000 lbs. of fluid to provide 50 to 250 ppm of active ingredients . * Not approved for this use in the state of California

ACTICIDE® MBS microbiocide weighs 8.6 lbs. per gallon

Information Sheet # 290(k3) 07/08/08 ACCEPTED with COMMENTS Page 3 of 3 · EPA Letter Dated:

EPA Reg. No. 67071-29

U.S. Office:

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360 Thor Specialties, Inc.

56 Quarry Road, Trumbull, CT 06611

Tel. (203) 365-6530

MAR 3 / 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 67071-29