67071-31

4/29/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

16

APR 29 2014

Ms. Cheryl Woodward Regulatory Manager for, THOR Specialties, Inc. 56 Quarry Road Trumbull, CT 06611

Subject: Acticide OTW

EPA Registration Number 67071-31 Your Amendment Dated January 17, 2014 EPA Received Date January 30, 2014

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to modify use categories and use rates, is acceptable.

Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data. A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and it's implementing regulation at 40 CFR 152.3.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

Marshall Swindel Product Manager 33 Regulatory Management Branch I Antimicrobial Division(7510C) 26

THOR	Precautionary Statements: Hazards to Humans and Domestic Animals DANGER CORROSIVE. CAUSES PERMANENT, IRREVOCABLE EYE DAMAGE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN OVEREVOSURE CAN CAUST.	NERVOUS SYSTEM EFFECT D LIVER DAMAGE. Do not get in- ing. Wear goggles or face shield withing and rubber gloves. Avoid b ist. Keep container closed. L ntilation. Do not take internally with soap and water after hand drinking, or using tobacco. DIRECTIONS FOR USE cion of Federal Law to use this p nor inconsistent with its labeli	ACTI useed contraction and fianti fianti fianti fianti fianti fianti fianti fianti fianti fianti Manu Manu Manu Manu	3/6
ACTICIDE [®] OTW	ACTIVE INGREDIENT: 2-n-Octyl-4-isothiazolin-3-one	If in Eyes: PHold eye open and rinse slowly and gently with water for 15-20 minutes. PRemove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. PCall a poison control center or doctor for treatment advice. If on Skin or clothing: PTake off contaminated clothing. PRinse skin immediately with plenty of water for 15-20 minutes. PCall a poison control center or doctor for treatment.	If Swallowed:	
Label # 031-0 V001 ~ 01/17/2014 Page 1 of 1	ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this labor.	္ခ်င္လိုင္ရင္က စိုက္ရင္	Triple rinse containers < 5 gallons in size] – Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and forth, ensuring at least one complete and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its side and roll it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. For later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture cond dispose of in a sanitary landfil, or by other procedure two more times. DisPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES. UN 3265, CORROSIVE FOR APPROVED ALTERNATIVE PROCEDURES. N.O.S. (2-n-Octy-Assottazzungener endition of 0.05GANIC, N.O.S. (2-n-Octy-Assottazzungener endition) of the other endition.	Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under

ACTICIDE[®] OTW **INFORMATION SHEET**



THIS ACTICIDE® OTW INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® OTW

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

 *LATICES Polymer latices based on acrylates, PVA, butadiene and styrene for various applications. Synthetic/rubber latices. Dry film and applied film/wet-state preservative for the control of fungi. ACTICIDE[®] OTW can be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain 0.05% to 0.60% ACTICIDE[®] OTW. ACTICIDE[®] OTW can be incorporated with most products towards the end of the manufacturing process. *Not approved for this use in the State of California 	0.05 – 0,60% 0.5 – 6.0 LB / PER 1000 LB PRODUCT	
 PAINTS, COATINGS, WOOD COATINGS Dry film and *applied film/wet-state preservative for the control of fungi in paints and coatings, including colorants used in paints and coatings. ACTICIDE[®] OTW can be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain 0.1% to 0.77% ACTICIDE[®] OTW. ACTICIDE[®] OTW can be incorporated with most products at any stage in the manufacturing process. It is preferably added in the let-down stage during the manufacture of paints or wood coatings. Add slowly with good agitation. 	0.1 - 0.77% 1.0 – 7.7 LB / PER 1000 LB PRODUCT	
ADHESIVES Dry film and *applied film/wet-state preservative for the control of fungi. ACTICIDE [®] OTW can be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain 0.1% to 0.77% ACTICIDE [®] OTW. ACTICIDE [®] OTW can be incorporated with most products preferably towards the end of the manufacturing process. *Not approved for this use in the State of California	0.1 – 0.77% 1.0 – 7.7 LB / PER 1000 LB PRODUCT	
ACCEPTED APR 29 2014 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under	ι ι΄ ειεις ειεις εις εις ι ι ι ι ι ι ι ι ι ειεις ι ι ι ειεις ι ι ι ειεις ι ι ι ι ι ι ι	

Information Sheet # 031-0. V001- 01/17/2014 Page 1 of 3

pesticide, registered under EPA Reg. No. 070

1 5

EPA Reg. No. 67071-31 Manufactured By/For: Thor GmbH

U.S. Office:

D-67346 Speyer, Germany Tel. (06232) 6360 Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT 06484 USA Tel. (203) 516-6980

٤. ιιιί

ι ι ί ί ιιιι

ACTICIDE[®] OTW INFORMATION SHEET

• • •

(

1 4



CT 06484 USA Tel. (203) 516-6980 1

5/6

THIS ACTICIDE® OTW INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® OTW

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

 *BUILDING MATERIALS Dry film and applied film/wet-state preservative for the control of fungi materials, including fillers, caulks, sealants, grouts (non-food contact), joint cements, spackling, stucco, and concrete admixtures. ACTICIDE[®] OTW can be added to those products formulated as conc which are in turn diluted for use at a level to ensure that the final us product will contain 0.05% to 0.77% ACTICIDE[®] OTW. ACTICIDE[®] OTW can be incorporated with most products preferably t end of the manufacturing process. *Not approved for this use in the State of California 	mastics, entrates e-dilution	6 PER 1000 LB PRODUCT
*DYES: Recommended for the control of fungi in dyes, including dyes upaper production. ACTICIDE® OTW can be added to those products formulated as cond which are in turn diluted for use at a level to ensure that the final us product will contain 0.05% to 0.35% ACTICIDE® OTW. ACTICIDE® OTW can be incorporated with most products preferably to end of the manufacturing process. *Not approved for this use in the State of California	entrates e-dilution	6 PER 1000 LB PRODUCT
*PIGMENTS/ FILLER and MINERAL SLURRIES/SUSPENSIC Recommended for the control of fungi in Pigments and Filler an Slurries/Suspensions, including those used in paper production ACTICIDE [®] OTW can be added to those products formulated as conc which are in turn diluted for use at a level to ensure that the final us product will contain 0.01% to 0.77% ACTICIDE [®] OTW. ACTICIDE [®] OTW can be incorporated with most products preferably to end of the manufacturing process. *Not approved for this use in the State of California	d Mineral 0.1 - 7.7 LB / entrates e-dilution	6 PER 1000 LB PRODUCT
	υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υτις υ υτ υ υ υ υ υ υ υ υ	
	U.S. Office: Tel. (0 Thor S 50 Wa	SmbH 46 Speyer, Germany 6232) 6360 specialties, Inc. terview Drive, Shelton, 424 - USA

ACTICIDE[®] OTW INFORMATION SHEET



THIS ACTICIDE[®] OTW INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE[®] OTW

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*LIQUID HOUSEHOLD, CONSUMER, INDUSTRIAL, INSTITUTIONAL, JANITORIAL PRODUCTS: For the control of yeasts and molds in liquid soaps, liquid cleaners liquid detergents, liquid laundry products, liquid dishwashing detergents, waxes, polishes, liquid fabric treatment/refresher products, liquid air fresheners/deodorizers, car care products, and other similar cleaners. ACTICIDE® OTW may also be used for the control of yeasts and molds in package utility products such as pre-moistened sponges and mops. ACTICIDE® OTW may also be used for the control of yeasts and molds in solutions that are then put into/onto wet wipes for use in industrial, commercial, residential and household uses cited above. Wet wipes containing a solution preserved with this product may not be used for personal care, as baby wipes, or for food contact. ACTICIDE® OTW may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.01% and 0.10% ACTICIDE® OTW. *Not approved for this use in the State of California	0.01 – 0.10% 0.1 – 1.0 LB / PER 1000 LB PRODUCT
*SOLID/SEMI-SOLID HOUSEHOLD, CONSUMER, INDUSTRIAL, INSTITUTIONAL, JANITORIAL PRODUCTS: For the control of yeasts and molds in solid/semi-solid soaps, solid/semi-solid cleaners solid/semi-solid detergents, solid/semi-solid laundry products, solid/semi-solid dishwashing detergents, waxes, polishes, solid/semi-solid fabric treatment/refresher products, solid/semi-solid air fresheners/deodorizers, car care products, and other similar cleaners. ACTICIDE [®] OTW may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.01% and 0.10% ACTICIDE [®] OTW. *Not approved for this use in the State of California	0.01 – 0.10% 0.1 – 1.0 LB / PER 1000 LB PRODUCT

*FABRIC MILDEWCIDE: To prevent mildew in laundered or treated fabric, use 0.37 – 0.74 fluid (but ces of ACTICIDE® OTW for every 100 gallons of final rinse. Alternatively, use 0.22 – 0.45 fluid ounces of ACTICIDE® OTW in the final rinse for every 100 pounds of fabric treated. Fabric may be re-treated as necessary to effect continued midew^C protection. Fabric should be retreated after every laundering.

Information Sheet # 031-0 V001- 01/17/2014 Page 3 of 3 EPA Reg. No. 67071-31 Manufactured By/For: Thor GmbH

U.S. Office:

Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT 06484 USA Tel. (203) 516-6980

εειἶι