



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 16, 2017

Michelle Behr
Quality Assurance Specialist
U.S. Agent: Thor Specialties, Inc.
50 Waterview Drive
Shelton CT 06484

Subject: Notification per PRN 98-10 – To add statements required by the “State of California”
Product Name: ACTICIDE OTW
EPA Registration Number: 67071-31
Application Date: December 2, 2016
Decision Number: 524397

Dear Ms. Behr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Zebora Johnson at (703) 308-7080 or via email at johnson.zebora@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "John Hebert", is written over a faint, illegible background.

John Hebert, Chief
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosures: Stamped Label

ACTICIDE® OTW 67071-31

NOTIFICATION
The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated 02/16/2017



ENVIRONMENTAL HAZARDS: This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PESTICIDE STORAGE: Prohibitions: This product (pH 4.5) is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING : Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

UN 3265, CORROSIVE
LIQUID, ACIDIC, ORGANIC, N.O.S. (2-n-Octyl-4-isothiazolin-3-one), 8, PG-II

ACTIVE INGREDIENT:
2-n-Octyl-4-isothiazolin-3-one..... 16.84%
OTHER INGREDIENTS: 83.16%
TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

See Side panel for additional precautionary statements

FIRST AID	
If in Eyes:	<ul style="list-style-type: none"> ➤ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ➤ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ➤ Call a poison control center or doctor for treatment advice.
If on Skin or clothing:	<ul style="list-style-type: none"> ➤ Take off contaminated clothing. ➤ Rinse skin immediately with plenty of water for 15-20 minutes. ➤ Call a poison control center or doctor for treatment.
If Swallowed:	<ul style="list-style-type: none"> ➤ Call a poison control center or doctor immediately for treatment advice. ➤ Have person sip a glass of water if able to swallow. ➤ Do not induce vomiting unless told to do so by the poison control center or doctor. ➤ Do not give anything by mouth to an unconscious person
If Inhaled:	<ul style="list-style-type: none"> ➤ Move person to fresh air. ➤ If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to- mouth, if possible. ➤ Call a poison control center or doctor for further treatment advice
Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.	
HOT LINE NUMBER: In case of emergency, for additional information call toll free 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
For Transportation / Spill Emergency: Chemtrec at 1-800-424-9300	

EPA Reg. No. 67071-31 EPA Est. No. 67071-DEU-001
Manufactured By/For: Thor GmbH, D-67346 Speyer, Germany Tel. (06232) 6360
U.S. Office: Thor Specialties, Inc. 50 Waterview Drive Shelton, CT 06484 USA Tel. (203) 516-6980

Precautionary Statements: Hazards to Humans and Domestic Animals DANGER

Corrosive. Causes irreversible eye damage. Causes skin burns. May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mists. Wear chemical-resistant gloves, goggles, face shield, chemical-resistant apron worn over long sleeved shirt and long pants and a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE pre-filter.

User Safety Recommendations
User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACTICIDE® OTW is an industrial microbiocide to be used for the protection of paint films (non-food contact use only), coatings including wood coatings (non-food contact use only), **Remove asterisk**→polymer latices, adhesives, *fillers, *caulks, *sealants, *grouts and **Remove asterisk**→building materials, *fabrics, *dyes, **Remove asterisk**→pigment slurries and **Remove asterisk**→suspensions, and *household consumer, *industrial, *institutional, *janitorial products against attack by mildew. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET

*Not approved for this use in the state of California

CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

Batch:	Mfg Date:	Net Contents (pounds): <u>(gallons):</u>
--------	-----------	---------------------------------------------

ACTICIDE® OTW INFORMATION SHEET



THIS ACTICIDE® OTW INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® OTW

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove asterisk→LATICES

0.05 – 0.60%

Polymer latices based on acrylates, PVA, butadiene and styrene for various applications. Synthetic/rubber latices.

0.5 – 6.0 LB / PER 1000 LB PRODUCT

Dry film and applied film/wet-state preservative for the control of fungi.

ACTICIDE® OTW can be added to those products formulated as concentrates

which are in turn diluted for use at a level to ensure that the final use-dilution

product will contain 0.05% to 0.60% ACTICIDE® OTW.

ACTICIDE® OTW can be incorporated with most products towards the end of the

manufacturing process.

**Not approved for this use in the State of California*

PAINTS, COATINGS, WOOD COATINGS

0.1 - 0.77%

Dry film and *applied film/wet-state preservative for the control of fungi in paints and coatings, including colorants used in paints and coatings.

1.0 – 7.7 LB / PER 1000 LB PRODUCT

ACTICIDE® OTW can be added to those products formulated as concentrates

which are in turn diluted for use at a level to ensure that the final use-dilution

product will contain 0.1% to 0.77% ACTICIDE® OTW.

ACTICIDE® OTW can be incorporated with most products at any stage in the

manufacturing process. It is preferably added in the let-down stage during the

manufacture of paints or wood coatings. Add slowly with good agitation.

**Not approved for this use in the State of California*

ADHESIVES

0.1 – 0.77%

Dry film and *applied film/wet-state preservative for the control of fungi.

1.0 – 7.7 LB / PER 1000 LB PRODUCT

ACTICIDE® OTW can be added to those products formulated as concentrates

which are in turn diluted for use at a level to ensure that the final use-dilution

product will contain 0.1% to 0.77% ACTICIDE® OTW/.

ACTICIDE® OTW can be incorporated with most products preferably towards the

end of the manufacturing process.

**Not approved for this use in the State of California*

ACTICIDE® OTW INFORMATION SHEET



THIS ACTICIDE® OTW INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® OTW

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove asterisk→BULDING MATERIALS

Dry film and applied film/wet-state preservative for the control of fungi in building materials, including fillers, caulks, sealants, grouts (non-food contact), mastics, joint cements, spackling, stucco, and concrete admixtures.

0.05 – 0.77%
0.5 – 7.7 LB / PER 1000 LB PRODUCT

ACTICIDE® OTW can be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain 0.05% to 0.77% ACTICIDE® OTW.
ACTICIDE® OTW can be incorporated with most products preferably towards the end of the manufacturing process.

~~Not approved for this use in the State of California~~

***DYES:**

Recommended for the control of fungi in dyes, including dyes used in paper production.

0.05 – 0.35%
0.5 - 3.5 LB / PER 1000 LB PRODUCT

ACTICIDE® OTW can be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain 0.05% to 0.35% ACTICIDE® OTW.

ACTICIDE® OTW can be incorporated with most products preferably towards the end of the manufacturing process.

~~Not approved for this use in the State of California~~

Remove asterisk→PIGMENTS/ FILLER and MINERAL SLURRIES/SUSPENSIONS:

0.01 – 0.77%
0.1 - 7.7 LB / PER 1000 LB PRODUCT

Recommended for the control of fungi in Pigments and Filler and Mineral Slurries/Suspensions, including those used in paper production.

ACTICIDE® OTW can be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain 0.01% to 0.77% ACTICIDE® OTW.

ACTICIDE® OTW can be incorporated with most products preferably towards the end of the manufacturing process.

~~Not approved for this use in the State of California~~

ACTICIDE® OTW INFORMATION SHEET



THIS ACTICIDE® OTW INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® OTW

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*LIQUID HOUSEHOLD, CONSUMER, INDUSTRIAL, INSTITUTIONAL, JANITORIAL PRODUCTS:

For the control of yeasts and molds in liquid soaps, liquid cleaners liquid detergents, liquid laundry products, liquid dishwashing detergents, waxes, polishes, liquid fabric treatment/refreshers products, liquid air fresheners/deodorizers, car care products, and other similar cleaners.

ACTICIDE® OTW may also be used for the control of yeasts and molds in package utility products such as pre-moistened sponges and mops.

ACTICIDE® OTW may also be used for the control of yeasts and molds in solutions that are then put into/onto wet wipes for use in industrial, commercial, residential and household uses cited above. Wet wipes containing a solution preserved with this product may not be used for personal care, as baby wipes, or for food contact.

ACTICIDE® OTW may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.01% and 0.10% ACTICIDE® OTW.

**Not approved for this use in the State of California*

0.01 – 0.10%
0.1 – 1.0 LB / PER 1000 LB
PRODUCT

*SOLID/SEMI-SOLID HOUSEHOLD, CONSUMER, INDUSTRIAL, INSTITUTIONAL, JANITORIAL PRODUCTS:

For the control of yeasts and molds in solid/semi-solid soaps, solid/semi-solid cleaners solid/semi-solid detergents, solid/semi-solid laundry products, solid/semi-solid dishwashing detergents, waxes, polishes, solid/semi-solid fabric treatment/refreshers products, solid/semi-solid air fresheners/deodorizers, car care products, and other similar cleaners.

ACTICIDE® OTW may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.01% and 0.10% ACTICIDE® OTW.

**Not approved for this use in the State of California*

0.01 – 0.10%
0.1 – 1.0 LB / PER 1000 LB
PRODUCT

***FABRIC MILDEWCIDE:** To prevent mildew in laundered or treated fabric, use 0.37 – 0.74 fluid ounces of ACTICIDE® OTW for every 100 gallons of final rinse. Alternatively, use 0.22 – 0.45 fluid ounces of ACTICIDE® OTW in the final rinse for every 100 pounds of fabric treated. Fabric may be re-treated as necessary to effect continued mildew protection. Fabric should be retreated after every laundering.

**Not approved for this use in the State of California*