Label # 380(c) - 02/08/06

BEFORE REUSE.

- shoes plus socks

concentrate.

- protective evewear.

**Precautionary Statements:** 

Hazards to Humans and Domestic Animals

**DANGER** 

CAUSES IRREVERSIBLE EYE DAMAGE. HARMFUL IF

ABSORBED THROUGH SKIN HARMEUL IF SWALLOWED. DO

NOT GET IN EYES OR ON CLOTHING, AVOID CONTACT WITH

SKIN. PROLONGED OR FREQUENTLY REPEATED SKIN

CONTACT MAY CAUSE ALLERGIC REACTION IN SOME

INDIVIDUALS, REMOVE CONTAMINATED CLOTHING AND WASH

Follow manufacturer's instructions for cleaning / maintaining PPE. If

there are no such instructions for washables, use detergent and hot

User Safety Recommendations: users should wash hands before

eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside.

Then wash thoroughly and put on clean clothing. Users should

remove PPE immediately after handling this product. Wash the

outside of gloves before removing. As soon as possible, wash

thoroughly. Discard clothing or other absorbent materials that have

been drenched or heavily contaminated with this product's

This pesticide is toxic to aquatic plants, fish and aquatic

invertebrates. Do not discharge effluent containing this product into

lakes, streams, ponds, estuaries, oceans or public waters unless in

accordance with the requirements of a National Pollutant Discharge

Elimination System (NPDES) permit and the permitting authority has

been notified in writing prior to discharge. Do not discharge effluent

containing this product to sewer systems without previously notifying

the sewage treatment plant authority. For guidance contact your

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. [mixture

containing 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-

Methyl-4-isothiazolin-3-one (3:1)], 8, UN 3265, PG-III

State Water Board or Regional Office of the EPA.

Mixers, loaders, and others exposed to product must wear the

water. Keep and wash PPE separately from other laundry.

following Personal Protective Equipment (PPE):

- long-sleeve shirt and long pants

**ENVIRONMENTAL HAZARDS** 

- rubber gloves and apron

# ACTICIDE® WP

## 

# DANGER - PELIGRO

See Side panel for additional precautionary statements

## **FIRST AID**

If in Eyes: \*Hold eye open and rinse slowly and gently with water for 15-20 minutes.

\*Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

\*Call a poison control center or doctor for treatment advice.

If Swallowed:\*Call a poison control center or doctor immediately for treatment advice.

\*Have person sip a glass of water if able to swallow.
\*Do not induce vomiting unless told to do so by the poison control center or doctor.

\*Take off contaminated clothing.

\*Rinse skin immediately with plenty of water for 15-20 minutes.

\*Call a poison control center or doctor for treatment.

\* Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. If possible.

\* Call a poison control center or doctor for further treatment advice

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. 67071-38

If on Skin:

If Inhaled:

Manufactured By/For: Thor GmbH D-67346 Speyer, Germany Tel. (06232) 6360 U.S. Office: Acti-Chem Specialties, Inc. 56 Quarry Road; Trumbull, CT 06611 Tel. (203) 365-6530

EPA Est. No. 67071-DEU-001

PHYSICAL AND CHEMICAL HAZARD
This product is corrosive to mild steel.

STORAGE AND DISPOSAL

This product (pH 3.0) is corrotive to mild steel.

PESTICIDE STORAGE: Do not store or transport in unlined metal containers. Do not contaminate water, fond or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incinerator if allowed by state and local authorities. Plastic container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, if allowed by state and local authorities, if burned, stay out of smoke.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

#### DIRECTIONS FOR USE

# It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Industrial microbiocide for use in recirculating water cooling towers, air washer systems, oil field injection waters, paper slime control, recirculating closed loop water cooling systems, brewery pasteurizer and can warmer systems, ultra filtration units, such as reverse osmosis systems which are classified as indoor non-food and non-food applications. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFROMATION SHEET.


Not approved for use/sale in the State of California

### CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

Batch:

Mfg Date:



Net Contents (pounds):

MAR 2 2 2006

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under EPA Reg. No. 6 7071-38



# ACTICIDE® WP INFORMATION SHEET



# THIS ACTICIDE® WP INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® WP

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING WATER COOLING TOWER: ACTICIDE® WP microbiocide is recommended for the control of bacteria, algae and fungi. It should be added to the tower basin or some other point to ensure uniform mixing. Add 0.3 to 1.86 lb of ACTICIDE® WP per 1000 gallons of water (35 to 220 ppm ACTICIDE® WP) weekly or as needed for maintenance. For noticeably fouled systems use an initial dose of 1.25 to 7.5 lb ACTICIDE® WP per 1000 gallons of water. Repeat if necessary to achieve control.

AIR WASHER SYSTEMS: For use only in industrial air washing systems that maintain effective mist eliminating components. Add 0.3 to 7.5 lb ACTICIDE® WP to 1000 gallons of water (35 to 886 ppm ACTICIDE® WP) in the air washer sump, or chill water sump to ensure uniform mixing, for the control of bacteria, fungi and algae. A repeat treatment may be needed depending on the severity of contamination.

**OIL FIELD INJECTION WATERS:** Add 23 to 58 lb (2.8 to 6.9 gallons) ACTICIDE® WP per 1000 barrels of water (66 to 165 ppm ACTICIDE® WP) weekly or as needed to maintain control of slime-forming and sulfate reducing bacteria in oil and gas field water systems including enhanced recovery injection fluids and drilling fluids. An initial dose of 57 to 115 lb ACTICIDE® WP per 1000 barrels of water (162 to 324 ppm ACTICIDE® WP) may be used until control is achieved. This product may be used for terrestrial and off-shore oil drilling muds and packer fluids.

**PAPER MILLS:** Add 0.45 to 1.5 lb of ACTICIDE® WP per ton (dry basis) of pulp or paper produced as slug dose for the control of bacterial and fungal slime in the production of paper. ACTICIDE® WP should be added to a point such as the Beater or Hydropulper to ensure uniform mixing.

**INDUSTRIAL RECIRCULATING CLOSED LOOP WATER COOLING SYSTEMS:** Add 0.3 to 1.86 lb of ACTICIDE® WP per 1000 gallons of water in the system weekly to maintain control of bacteria, fungi and algae in the reservoir, recirculating line or some other point to ensure uniform mixing. For noticeably fouled systems an initial treatment with 1.25 to 7.5 lb ACTICIDE® WP per 1000 gallons of water may be needed depending on the severity of the fouling.

**BREWERY PASTEURIZERS AND CAN WARMER SYSTEMS:** Add 0.3 to 1.86 lb of ACTICIDE® WP per 1000 gallons of water in the system weekly or as needed to maintain control of bacteria, algae and fungi. For noticeably fouled systems an initial treatment with 1.25 to 7.5 lb of ACTICIDE® WP per 1000 gallons of water may be needed depending on the severity of the fouling

**ULTRA FILTRATION UNITS, such as REVERSE OSMOSIS SYSTEMS:** ACTICIDE® WP microbiocide is recommended for the control of bacteria and fungi in ultra filtration units, such as reverse osmosis systems. Add 10 - 333 ppm of ACTICIDE® WP microbiocide (0.15 - 5 ppm active ingredient) into industrial ultra filtration or reverse osmosis systems by either continuous feed or periodic injection. Compatibility of ACTICIDE® WP microbiocide with reverse osmosis membranes should be confirmed with membrane manufacturers. For the control of bacteria and fungi in carbon beds, add 10 - 333 ppm of ACTICIDE® WP microbiocide (0.15 - 5 ppm active ingredient). For periodic membrane cleaning, add 0.4 - 1.0 lbs of ACTICIDE® WP microbiocide to every 120 gallons of cleaning solution (6 - 15 ppm active ingredient). Badly fouled systems should be cleaned before treatment is begun.

Not approved for use/sale in the State of California

Information Sheet #380(c) 02/08/06 Page 1 of 1

MAR 2 2 2006

Under the Faderal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under EPA Reg. No. 6 7 6 7 1 3 8

EPA Reg. No. 67071-38

Manufactured By/For: Thor GmbH

D-67346 Speyer, Gartiuny

U.S. Office: Ac

Tel. (06232) 6360 Acti-Chem Specialties, Inc. 56 Quarry Road, Trumbull, CT 06611 USA Tel. (203) 365-6530