

67071-50

03-31-2010

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Lynn P. Tordo
Regulatory Manager for,
THOR Specialties, Inc.
56 Quarry Road
Trumbull, CT 06611

MAR 31 2010

Subject: Acticide LA2605-F
EPA Registration Number 67071-50
Your Amendment Dated March 1st, 2010
EPA Received Date March 10th, 2010

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to revise the Container Handling labeling language as per PR Notice 2007-4, is acceptable.

A stamped copy of the labeling is enclosed.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobial Division(7510C)



ACTICIDE® LA 2605-F

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Prohibitions: This product (pH 3.5) is corrosive to mild steel. Do not store in unlined containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. [mixture containing 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-4-isothiazolin-3-one (3:1)], 8, UN 3265, PG-III

Active Ingredients:

| | |
|--|---------|
| 2-Bromo-2-nitropropane-1, 3-diol | 5.30% |
| 5-Chloro-2-methyl-4-isothiazolin-3-one | 1.95% |
| 2-Methyl-4-isothiazolin-3-one | 0.65% |
| Inert Ingredients: | 92.10% |
| Total: | 100.00% |

KEEP OUT OF REACH OF CHILDREN DANGER

See Side panel for additional precautionary statements
FIRST AID

IF IN EYES:

*Hold eye open and rinse slowly and gently with water for 15-20 minutes.
*Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

*Call a Poison Control Center or doctor for treatment advice.

IF INHALED:

*Move person to fresh air.
*If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
*Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED:

*Call a Poison Control Center or doctor immediately for treatment advice.
*Have person sip a glass of water if able to swallow.
*Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN:

*Take off contaminated clothing.
*Rinse immediately with plenty of water for 15-20 minutes.
*Call a Poison Control Center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

Precautionary Statements:

Hazards to Humans and Domestic Animals

DANGER

CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. Wear goggles, face shield, or safety glasses. Wear respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH-approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Wear protective clothing and chemical-resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Industrial microbiocide for use in *adhesives, *tackifiers, *paints, *coatings, *building materials, *polymer latices, *metal working/cleaning fluids, *printing inks, *fuels/oil/storage tank bottom water/crude, *dispersions/emulsions/solutions/suspensions, *aqueous compositions, *household, *consumer, *industrial, and *janitorial products, *recirculating water cooling towers, *air washer systems, *oil field injection waters, *paper slime control, *recirculating closed loop water cooling systems, *brewery pasteurizer and *can warmer systems, *ultra filtration units, such as *reverse osmosis systems

READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.

* Not approved for use in the State of California

EPA Reg. No. 67071-50 EPA Est. No. 67071-DEU-001

Manufactured by: Thor GmbH
D-67346 Speyer, Germany Tel. (06232) 6360
U.S. Office: Thor Specialties, Inc.
56 Quarry Road; Trumbull, CT 06611 USA
Tel. (203) 365-6530

ACCEPTED
with COMMENTS
EPA Letter Dated:

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 67071-50

| | | |
|--------|-----------|------------------------|
| Batch: | Mfg Date: | Net Contents (pounds): |
|--------|-----------|------------------------|

3
9



ACTICIDE® LA 2605-F INFORMATION SHEET

**THIS ACTICIDE® LA 2605-F INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT
OF ACTICIDE® LA 2605-F
DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Do not apply this product in a way that will contact workers or other persons**

***PRESERVATIVE FOR ADHESIVES AND TACKIFIERS:**

ACTICIDE® LA 2605-F microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene and acrylic latices. ACTICIDE® LA 2605-F microbiocide is recommended as a preservative for tackifiers derived from sources such as rosin and hydrocarbon resins.

Add 0.05% - 0.20% ACTICIDE® LA 2605-F microbiocide (0.5 to 2.0 lb to 1000 lb of fluid)

ACTICIDE® LA 2605-F microbiocide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain no more than 0.20% ACTICIDE® LA 2605-F microbiocide.

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbiocide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

***PRESERVATIVE FOR BUILDING MATERIALS:**

ACTICIDE® LA 2605-F microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in building materials such as mastics, caulks, joint cements, spackling compounds and grouting materials.

Add 0.05% - 0.20% ACTICIDE® LA 2605-F microbiocide (0.5 to 2.0 lb to 1000 lb of fluid).

ACTICIDE® LA 2605-F microbiocide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain no more than 0.20% ACTICIDE® LA 2605-F microbiocide.

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbiocide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

***PRESERVATIVE FOR LATICES:**

ACTICIDE® LA 2605-F microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latices (including process wash waters) including acrylics, styrene-butadiene, carboxylated styrene-butadiene, ethylene-vinyl acetate and biopolymers intended for industrial use such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches and casein derived polymers.

Add 0.05% - 0.20% ACTICIDE® LA 2605-F microbiocide (0.5 to 2.0 lb to 1000 lb of emulsion).

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbiocide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

Note: to insure uniform mixing, add ACTICIDE® LA 2605-F microbiocide to latex or solutions slowly with agitation.

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

Information Sheet # LA2605-F (Rev. 10/12/06)
Page 1 of 7

MAR 31 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 67071-50

EPA Reg. No. 67071-50
Manufactured By/For: Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
U.S. Office: Acti-Chem Specialties, Inc.
56 Quarry Road, Trumbull, CT 06611
USA
Tel. (203) 365-6530

5/8



ACTICIDE® LA 2605-F INFORMATION SHEET

**THIS ACTICIDE® LA 2605-F INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT
OF ACTICIDE® LA 2605-F**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons

***DISPERSED PIGMENT:**

ACTICIDE® LA 2605-F microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of dispersions/emulsions/solutions/suspensions such as kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate and kieselguhr.

Add 0.05% to 0.20% of ACTICIDE® LA 2605-F microbiocide (0.5 – 2.0 lbs to each 1000 lb.) of fluid.

ACTICIDE® LA 2605-F microbiocide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain no more than 0.20% ACTICIDE® LA 2605-F microbiocide.

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbiocide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

*** PRESERVATIVE FOR PAINTS AND COATINGS:**

ACTICIDE® LA 2605-F microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in water based coatings such as paper, wood coatings and paints used for architectural, product finishes, sealants, and special purpose coatings (including wash solutions from these paints and coatings).

Add 0.05% - 0.20% ACTICIDE® LA 2605-F microbiocide (0.5 to 2.0 lb to 1000 lb of fluid).

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbiocide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

Special purpose coating uses: Include use as a: <> preservative for electrodeposition paints or solutions, <> preservative for photo solutions or coatings, <> preservative in fount (or fountain) solutions used in the printing process as a maintenance fluid/coating and as a special coating for printing plates, and <> preservative in spin finish coatings for fibers. The application/addition directions for these special purpose coating uses are:

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

MAR 31 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide.
registered under EPA Reg. No. **67071-5D**

5/9



ACTICIDE® LA 2605-F INFORMATION SHEET

**THIS ACTICIDE® LA 2605-F INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT
OF ACTICIDE® LA 2605-F
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons

***ELECTRODEPOSITION:**

ACTICIDE® LA 2605-F microbiocide is recommended as a tankside additive for the control of microorganisms in re-circulating electrodeposition systems and associated rinse systems. Alternately, ACTICIDE® LA 2605-F microbiocide may be added through the components of the electrodeposition paint prior to their addition to the electrodeposition system.

Tankside Addition To Electrodeposition Systems

ACTICIDE® LA 2605-F microbiocide should be dispensed into the recirculating rinse system, ultrafilter permeate, or final distilled rinse system at a point to insure uniform mixing.

Non-fouled Systems:

Add 0.05 – 0.10% (w/v) ACTICIDE® LA 2605-F microbiocide based on the total gallons of fluid in the system as needed to maintain the system (0.5 – 1.0 lbs per 100 gallons) as required for maintenance.

Noticeably fouled systems:

Add up to 0.35% (w/v) ACTICIDE® LA 2605-F microbiocide based on the total gallons of fluid in the system (0.35 lbs/100 gallons). Repeat until control is achieved.

***TREATMENT OF ELECTRODEPOSITION PAINT COMPONENTS:**

ACTICIDE® LA 2605-F microbiocide should be added to the resin, pigment, or other component of the electrodeposition paint at a level to ensure that the final use-dilution fluid will contain no more than 0.10% ACTICIDE® LA 2605-F microbiocide.

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbiocide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

***PHOTO PROCESSING, FOUNTAIN SOLUTIONS, AND INK/INK COMPONENTS:**

ACTICIDE® LA 2605-F microbiocide is recommended for the control of microorganisms in photoplate processing such as stabilizer solutions and in fountain solutions. ACTICIDE® LA 2605-F microbiocide is recommended for water-based printing inks such as flexographic, gravure, screen and ink jet types. ACTICIDE® LA 2605-F microbiocide is recommended for the control of microorganisms in printing ink components such as resins, plasticizers, water soluble dyes, pigments, gelling agents, waxes, surfactants, and thickeners.

Add 0.05% - 0.20% ACTICIDE® LA 2605-F microbiocide (0.5 to 2.0 lb to 1000 lb of fluid)

ACTICIDE® LA 2605-F microbiocide may be added products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain no more than 0.20% ACTICIDE® LA 2605-F microbiocide.

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbiocide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

Information Sheet # LA2605-F(a4)-01/26/06
Page 3 of 7

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

MAR 31 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 67071-50

EPA Reg. No. 67071-50

Manufactured By/For: Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360

U.S. Office: Acti-Chem Specialties, Inc.
56 Quarry Road, Trumbull, CT 06611
USA
Tel. (203) 365-6530

6/9



ACTICIDE® LA 2605-F INFORMATION SHEET

**THIS ACTICIDE® LA 2605-F INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT
OF ACTICIDE® LA 2605-F
DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Do not apply this product in a way that will contact workers or other persons**

***AQUEOUS COMPOSITIONS:**

ACTICIDE® LA 2605-F microbicide is recommended as an in-container preservative for the control of bacteria and fungi in aqueous products such as aqueous emulsions and dispersions including stabilized oil/water emulsions, silicon emulsions, surface preparation compounds, foam control products, nutrient solutions, fiberglass sizing solutions and pesticide formulations.

Add 0.05% to 0.20% of ACTICIDE® LA 2605-F microbicide (0.5 – 2.0 lbs to each 1000 lb.) of composition.

ACTICIDE® LA 2605-F microbicide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain no more than 0.20% ACTICIDE® LA 2605-F microbicide.

A higher dosage rate containing up to 0.35% ACTICIDE® LA 2605-F microbicide may be required as a kill dose or under unfavorable conditions such as extremely high temperatures.

***HOUSEHOLD, CONSUMER, INDUSTRIAL, INSTITUTIONAL, JANITORIAL PRODUCTS:**

For the control of bacteria and fungi in liquid and solid soaps, liquid and solid cleaners, liquid and solid detergents, liquid and solid laundry products, liquid and solid dishwashing detergents, waxes, polishes, liquid and solid fabric treatment/refreshers products, liquid and solid air fresheners/deodorizers, car care products, and other similar cleaners. ACTICIDE® LA 2605-F microbicide may also be used for the control of bacteria and fungi in package utility products such as pre-moistened sponges and mops. ACTICIDE® LA 2605-F microbicide controls bacteria and fungi in solutions that are then put into/onto wet wipes for use in industrial, commercial, residential and household uses cited above. Wet wipes containing a solution preserved with this product may not be used as baby wipes, or for food contact. May also be used for the control of bacterial and fungi in package utility products including pre-moistened sponges and mops in uses cited above.

ACTICIDE® LA 2605-F microbicide is added at a level of 0.02% to 0.15% (0.2 – 1.5 lb to each 1000 lb. of product to be protected).

ACTICIDE® LA 2605-F microbicide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.02% to 0.15% ACTICIDE® LA 2605-F microbicide.

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

MAR 31 2010

Under the Federal Insecticide,
Information Sheet # LA2605-F(a) 01/26/06
Page 4 of 7
and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 67071-50

EPA Reg. No. 67071-50
Manufactured By/For: Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
U.S. Office: Acti-Chem Specialties, Inc.
56 Quarry Road, Trumbull, CT 06611
USA
Tel. (203) 365-6530

7
9



ACTICIDE® LA 2605-F INFORMATION SHEET

**THIS ACTICIDE® LA 2605-F INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT
OF ACTICIDE® LA 2605-F
DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Do not apply this product in a way that will contact workers or other persons**

***METAL WORKING AND METAL CLEANING FLUID PRESERVATION**

****Metal Working Fluid Preservation:***

ACTICIDE® LA 2605-F microbiocide is recommended for the control of bacteria and fungi in aqueous metal working fluid solutions and emulsions. Dispensed into the use dilution of the metal working fluid using a metering pump and uniformly dispersed throughout the system.

Non-fouled Systems:

Add 2.2 – 4.5 lbs per 1000 gallons of emulsion as required for maintenance

Noticeably fouled systems:

Add 4.5 – 17.0 lbs per 1000 gallons emulsion followed by subsequent maintenance dosage above.

ACTICIDE® LA 2605-F microbiocide may be added products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain no more than the levels listed above.

****Metal Cleaning Fluid Preservation:***

ACTICIDE® LA 2605-F microbiocide is recommended as a preservative for use in the manufacture and use of alkaline, acid and emulsion based metal cleaning fluids typically used in electroplating, phosphatizing, galvanizing and general metal cleaning operations. Dispense into the use-dilution metal cleaning fluid using a pump and uniformly dispersed throughout the system.

Non-fouled Systems:

Add 2.2 – 4.5 lbs per 1000 gallons of emulsion as required for maintenance

Noticeably fouled systems:

Add 4.5 – 17.0 lbs per 1000 gallons emulsion followed by subsequent maintenance dosage above.

For addition to a metal cleaning concentration, add ACTICIDE® LA 2605-F microbiocide at a level to ensure that the final use-dilution fluid will contain no more than 4.5 lbs/1000 gallons fluid).

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

MAR 3-1 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg No. 67071-50

2/8



ACTICIDE® LA 2605-F INFORMATION SHEET

**THIS ACTICIDE® LA 2605-F INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT
OF ACTICIDE® LA 2605-F
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons

*FUELS/OIL/STORAGE TANK BOTTOM WATER/CRUDE:

ACTICIDE® LA 2605-F microbiocide is recommended for the control of bacteria and fungi in the following liquid hydrocarbon fuels and oils: crude oils, aviation fluids, kerosene, heating oils, residual fuel oils, coal slurries, liquefied petroleum gases, petrochemical feedstocks and diesel fuels. ACTICIDE® LA 2605-F microbiocide is recommended for refinery and terminal use only. ACTICIDE® LA 2605-F microbiocide should be directly dispensed into a fuel tank, storage tank, or flowing stream of fuel in a manner to ensure uniform distribution of the preservative in the fuel system. Slug dose or continuous feed methods are recommended.

Non-fouled Systems:

Add 0.02 – 0.05% (w/v) ACTICIDE® LA 2605-F microbiocide (0.2 – 0.5 lbs per 1000 gallons of fluid) as required to maintain the system.

Noticeably fouled systems:

Grossly contaminated systems should be physically cleaned to remove debris.

Add 0.02 – 0.20% (w/w) ACTICIDE® LA 2605-F microbiocide (0.2 - 2.0 lbs/1000 gallons). Repeat until control is achieved.

FOR USE IN AVIATION FUEL, THE FEDERAL AVIATION ADMINISTRATION (FAA) MUST BE CONSULTED AS TO THE ACCEPTABILITY OF THE ADDITIVE FOR USE IN SPECIFIC ENGINES AND/OR AIRCRAFT.

*INDUSTRIAL RECIRCULATING WATER COOLING TOWERS AND CLOSED LOOP COOLING SYSTEMS:

ACTICIDE® LA 2605-F microbiocide is recommended for the control of bacteria, algae and fungi. It should be added to the tower basin or some other point to ensure uniform mixing.

Add 2.0 to 3.5 lb of ACTICIDE® LA 2605-F microbiocide per 1000 gallons of water.

*AIR WASHER SYSTEMS:

For use only in industrial air washing systems that maintain effective mist eliminating components. Add to the air washer sump, or chill water sump to ensure uniform mixing, for the control of bacteria, fungi and algae.

Add 2.0 to 7.5 lb ACTICIDE® LA 2605-F microbiocide to 1000 gallons of water. A repeat treatment may be needed depending on the severity of contamination.

*OIL FIELD INJECTION WATERS:

For the control of slime-forming and sulfate reducing bacteria in oil and gas field water systems including enhanced recovery injection fluids and drilling fluids. This product may be used for terrestrial and off-shore oil drilling muds and packer fluids.

Add 2.0 to 7.5 lb ACTICIDE® LA 2605-F microbiocide per 1000 gallons of water weekly or as needed to maintain control .

Information Sheet # LA2605-F(a4)
Page 6 of 7

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

MAR 31 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide,
registered under EPA Reg. No. 67071-50

EPA Reg. No. 67071-50

Manufactured By/For: Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360

U.S. Office: Acti-Chem Specialties, Inc.
56 Quarry Road, Trumbull, CT 06611
USA
Tei. (203) 365-6530

9/9



ACTICIDE® LA 2605-F INFORMATION SHEET

**THIS ACTICIDE® LA 2605-F INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT
OF ACTICIDE® LA 2605-F
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Do not apply this product in a way that will contact workers or other persons

***PAPER MILLS:**

For the control of bacterial and fungal slime in the production of paper. ACTICIDE® LA 2605-F microbiocide should be added to a point such as the Beater or Hydropulper to ensure uniform mixing.
Add 0.45 to 7.5 lb of ACTICIDE® LA 2605-F microbiocide per ton (dry basis) of pulp or paper produced.

***BREWERY PASTEURIZERS AND CAN WARMER SYSTEMS:**

For the control of bacteria, algae and fungi.

Non-fouled Systems:

Add 2.0 – 2.5 lbs ACTICIDE® LA 2605-F microbiocide per 1000 gallons of water in the system as required to maintain the system.

Noticeably fouled systems:

Add 2.0 – 9.0 lb of ACTICIDE® LA 2605-F microbiocide per 1000 gallons of water. Repeat until control is achieved.

***ULTRA FILTRATION UNITS, such as REVERSE OSMOSIS SYSTEMS:**

ACTICIDE® LA 2605-F microbiocide is recommended for the control of bacteria and fungi in ultra filtration units, such as reverse osmosis systems.

Add 0.02 – 0.05% ACTICIDE® LA 2605-F microbiocide (0.2 – 0.5 lbs/1000 gallon water) into industrial ultra filtration or reverse osmosis systems by either continuous feed or periodic injection.

Compatibility of ACTICIDE® LA 2605-F microbiocide with reverse osmosis membranes should be confirmed with membrane manufacturers.

Badly fouled systems should be cleaned before treatment is begun.

ACTICIDE® LA 2605-F microbiocide weighs 8.8 lb. per gallon

* Not approved in the State of California for these uses

ACCEPTED
with COMMENTS
EPA Letter Dated:
MAR 3 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide,
registered under EPA Reg. No. 67071-50