

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUI 29 2014

Ms. Cheryl Woodward Regulatory Specialist for, THOR Specialties, Inc. 56 Quarry Road Trumbull, CT 06611

Subject: Acticide MBS 2550

EPA Registration Number 67071-56 Your Amendment Dated March 27, 2014 EPA Received Date April 22, 2014

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to modify the use categories and use levels, and clarify the in-container preservative section, is acceptable.

Submit and/or cite all data required for registration/registration/registration review of your product when the Agency requires all registrants of similar products to submit such data. A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and it's implementing regulation at 40 CFR 152.3.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

Eric Miederhoff

Acting Product Manager, Team 33 Regulatory Management Branch I Antimicrobials Division(7510P) Office of Pesticide Programs Environmental Protection Agency

E. Miederhold

ACTICIDE® MBS 2550

ENVIRONMENTAL HAZARDS

product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this Elimination System (NPDES) permit and the permitting authority has been unless in accordance with the requirements of a National Pollutant Discharge notified in writing prior to discharge. Do not discharge effluent containing this pesticide is toxic to fish and wildlife. Do not discharge effluent containing product into lakes, streams, ponds, estuaries, oceans or other waters

STORAGE AND DISPOSAL

metal containers. Do not contaminate food or feed by storage, disposal or Prohibitions: This product is corrosive to mild steel. Do not store in unlined cleaning of equipment.

your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. wastes cannot be disposed of by use according to label instructions, contact Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these

CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of 5 gallons in size] - Empty the remaining contents into application equipment several times. Turn the container over onto its other end and tip it back and or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water. Replace and tighten closures. Tip container on container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate its side and roll it back and forth, ensuring at least one complete revolution, procedure two more times. [For containers > 5 gallons in size] - Empty the forth several times. Empty the rinsate into application equipment or a mix disposal. Drain for 10 seconds after the flow begins to drip. Repeat this in a sanitary landfill, or by other procedures approved by state and local into application equipment or a mix tank or store rinsate for later use or for 30 seconds. Stand the container on its end and tip it back and forth remaining contents into application equipment or a mix tank. Fill the

CONDITIONS OF SALE AND WARRANTY

Thor GmbH warants that the product conforms to its chemical description and is assorably fit for the purpose stated on the label only when used in accordance with label and labeling directions under romain so use. THOR GMBH MAKES NO CTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectueness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN IO CASE WILL THOR GMBH OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS

		Ç
Ç	((
		Ĺ
	c	
1	2	

Active Ingredients:	_
1,2-Benzisothiazolin-3-one	5.0
2-Methyl-4-isothiazolin-3-one	2 5(
Inert Ingredients: 92.50	92.5
Total:	100 001

8888

ACTICIDE® MBS 2550 microbiocide weighs 8.8 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER

See Side panel for additional precautionary statements FIRST AID

IF IN EYES:

PHold eye open and rinse slowly and gently with water for 15-20 minutes

PRemove contact lenses, if present, after the first 5 minutes, then

continue rinsing.

>Call a poison control center or doctor for treatment advice

IF SWALLOWED:

➤Call a poison control center or doctor immediately for treatment advice. ➤Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to by a poison control center or

Do not give anything to an unconscious person

IF ON SKIN:

➤ Take off contaminated clothing.
➤ Rinse skin immediately with plenty of water for 15-20 minutes. PCall a poison control center or doctor for treatment advice. NOTE: TO PHYSICIAN: Probable mucosal damage may contraindicate

the use of gastric lavage.

National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call a poison control center 1-800-222-1222. Have the product container or label with you when calling a poison For emergency information on ACTICIDE® MBS 2550, call the control center or doctor, or going for treatment.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

ACCEPTED ACCEPTED

Under the Federal Insecticide, Fundio Rodenticide Act as amended, for the

JUL 2.9 2014

Mfg Date:



Hazards to Humans and Domestic Precautionary Statements:

Animals

reactions in some individuals. Wear long sleeved shirt and long with soap and water after handling and before eating, chewing gum, Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on Prolonged or frequently repeated skin contact may cause allergic pants, socks, shoes, chemical-resistant gloves. Wash thoroughly or using tobacco. Remove and wash contaminated clothing before (goggles or face shield). Wear protective eyewear

U.S. PATENT NO. 6,361,788 B1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a coatings, building materials, *adhesives and *tackifiers, mineral and janitorial products, *metal working fluids, and *textiles/cordage paints and emulsions, *aqueous products, household, consumer, industrial, products and *textile-/textile fibers-making. READ AND FOLLOW FOR USE ON THE ACCOMPANYING microbiocide for use in polymer latices, *paper and paperboard, manner inconsistent with its labeling. additives for Industrial slurries,

'Not approved for use in the State of California THE DIRECTIONS FOR INFORMATION SHEET,

D-67346 Speyer, Germany Thor GmbH Manufactured By/For:

Tel. (06232) 6360 U.S. Office:

50 Waterview Drive; Shelton, CT 06484 Thor Specialties, Inc.

rel. (203) 516-6980

Thor Químicos de México SA de CV; Autopista Mex-Qro Km 182; Pedro Escobedo, Querétaro; México. Tel. (448)2752200 EPA Est. No. 67071-MEX-001 [or: Manufactured By:

Thor GmbH Manufactured For:

50 Waterview Drive, Shelton, CT 06484 USA U.S. Office: Thor Specialties, Tel. (203) 516-6980

Net Contents (pounds):

pesticide, registered under EPA Reg. No. 6

ACTICIDE® MBS 2550 INFORMATION SHEET



THIS ACTICIDE® MBS 2550 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS 2550

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRESERVATIVE FOR LATICES, POLYMER EMULSIONS OR SOLUTIONS

ACTICIDE® MBS 2550 microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latices (including process wash waters) including: acrylics, styrene-butadiene, carboxylated styrene-butadiene, ethylene-vinyl acetate and biopolymers intended for industrial use such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches and casein derived polymers including latices for paper and paperboard.

For polymers that are highly susceptible to biodeterioration, add **up to** 1.0% ACTICIDE® MBS 2550 (10.0 lbs. to 1000 lbs. of polymer).

Examples of such polymers include those with low free-monomer, low VOC content, high concentrations of reactive redox agents, low solids content, high surfactant content, natural carbohydrate stabilizers / thickeners, and those with long shelf-life / storage requirements.

0.05 - 0.4%

0.5 – 4.0 LB per 1000 LB emulsion

JUL 2 9 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 100 The Section 11 100

PRESERVATIVE FOR BUILDING MATERIALS

ACTICIDE® MBS 2550 microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in building materials such as mastics, caulks, joint cements, spackles and grouts, and concrete admixtures.

0.05 - 0.4%

0.5 - 4.0 LB per 1000 LB fluid

*PRESERVATIVE FOR ADHESIVES AND TACKIFIERS

ACTICIDE® MBS 2550 microbiocide is recommended as a preservative for the control of bacteria and fungi in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene and acrylic latices.

ACTICIDE® MBS 2550 microbiocide is recommended as a preservative for tackifiers derived from rosin and hydrocarbon resins.

*Not approved for these uses in the state of California

0.05 - 0.4%

0.5 - 4.0 LB per 1000 LB fluid

PRESERVATIVE FOR DISPERSED PIGMENTS (MINERAL SLURRIES)

ACTICIDE® MBS 2550 microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as refractory coatings, ceramic glazes, kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate, and kieselguhr.

0.03 – 0.3% (c) 0.3 – 3.0 LB per 1000 LB dispersion

Information Sheet# 056-0 V002 - 03/27/2014 Page 1 of 5

EPA Reg. No. 67071-56

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

U.S. Office: Thor Specialties, Inc.

50 Waterview Drive, Shelton, CT 06484 USA

Tel. (203) 516-6980

ACTICIDE® MBS 2550 INFORMATION SHEET



THIS ACTICIDE® MBS 2550 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS 2550

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRESERVATIVE FOR PAINTS AND COATINGS

ACTICIDE® MBS 2550 microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in water based coatings such as paper and wood coatings and paints used for architectural product finishes and special purpose coatings.

0.05 - 0.4%0.5 - 4.0 LB per 1000 LB paint, or coating fluid formulation or polymer latex

*Special purpose coating uses

Use as a preservative for:

- Electrodeposition paints or solutions
- Photoplating solutions or coatings -
- Fount (or fountain) solutions used in the printing process as a maintenance fluid/ceating and as a special coating for printing plates
- Spin finish coatings for fibers.

*Not approved for these uses in the state of California.

The application/addition directions for these special purpose coating uses

*ELECTRODEPOSITION

ACTICIDE® MBS 2550 microbiocide is recommended as a tankside additive for the control of bacteria, fungi, and algae in re-circulating electrodeposition systems and associated rinse systems. Alternately, ACTICIDE® MBS 2550 microbiocide may be added through the components of the electrodeposition paint prior to their addition to the electrodeposition system.

Tankside Addition to Electrodeposition Systems:

ACTICIDE® MBS 2550 microbiocide should be dispensed into the recirculating rinse system, ultrafilter permeate, or final distilled rinse system at a point to insure uniform mixing.

A change of frequency of treatment may be required depending on the rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

*Not approved for this use in the State of California

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 6 70 T

> For a noticeably fouled system:

Up to 0.4% based on total gallons in the system. Repeat until control is achieved.

When control is evident:

Up to 0.1% based on total gallons in the system. Add weekly or as needed to maintain the system.

> 6666

Information Sheet# 056-0 V002 - 03/27/2014 Page 2 of 5

EPA Reg. No. 67071-56

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

U.S. Office:

Thor Specialties, Inc. 50 Waterview Drive, Sheiton, CT

06484 USA Tel. (203) 516-6980

ACTICIDE® MBS 2550 INFORMATION SHEET



THIS ACTICIDE® MBS 2550 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS 2550

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*TREATMENT OF ELECTRODEPOSITION PAINT COMPONENTS

Initial Dose of Paint Components:

ACTICIDE® MBS 2550 microbiocide should be added to the resin, pigment, or other component of the electrodeposition paint at a level to ensure that the final use-dilution fluid will contain no more than 0.4% ACTICIDE® MBS 2550.

*Not approved for this use in the State of California

INK/INK COMPONENTS, *PHOTOPLATE PROCESSING, AND *FOUNTAIN SOLUTIONS

ACTICIDE® MBS 2550 microbiocide is recommended for the control of bacteria and fungi in *photoplate processing such as stabilizer solutions and in *fountain solutions.

ACTICIDE® MBS 2550 microbiocide is recommended for water-based printing inks such as flexographic, gravure, screen and ink jet types.

ACTICIDE® MBS 2550 microbiocide is recommended for the control of bacteria and fungi in printing ink components including resins, plasticizers, water soluble dyes, pigments, gelling agents, waves, surfactants, and thickeners.

A level adjustment may be necessary to accommodate slight changes in solution formulations.

ACTICIDE® MBS 2550 may be added to concentrates so long as the final use-dilution product contains no more than 0.4% ACTICIDE® MBS 2550.

NOTE: To ensure uniform mixing, add ACTICIDE® MBS 2550 microbiocide to latex or solution slowly with agitation. The actual concentrations required will depend upon such factors as the specific substance to be treated, frequency of repeated microbial contamination expected and level of protection required.

*Not approved for these uses in the state of California

*PRESERVATIVE FOR OIL-IN-WATER EMULSIONS

ACTICIDE® MBS 2550 is recommended for use in spin-finish solutions used in the textile industry and photographic emulsions.

*Not approved for these uses in the state of California

0.05 – 0.4% ccc 0.5 – 4.0 LB per 1000-k € c

emulsion

JUL 29 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under LSE

0.05 - 0.4%

on a total weight basis

Information Sheet# 056-0 V002 - 03/27/2014 Page 3 of 5

EPA Reg. No. 67071-56

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360 Thor Specialties, Inc.

U.S. Office: Thor Sp

50 Waterview Drive, Shelton, CT 06484 USA

Tel. (203) 516-6980

ACTICIDE® MBS 2550 INFORMATION SHEET



THIS ACTICIDE® MBS 2550 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS 2550

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*IN-CONTAINER PRESERVATIVE

ACTICIDE® MBS 2550 is recommended as an in-container preservative for the control of bacteria and fungi in aqueous products such as aqueous emulsions and dispersions including stabilized oil/water emulsions, surface preparation compounds, foam control products, nutrient solutions and aqueous pesticides which include, but are not limited to, insecticides, termiticides, fungicides, bactericides, algaecides, herbicides, rodenticides [includes use as an in-container preservative for the control of bacteria and fungi in pesticide products for dilution (with a MIT level of not more than 9 ppm in the final solution) applied to crops and for use in pesticide formulations for use on food contact surfaces at rates described for incontainer-preservative category].

For use in pesticide products that are not applied to crops, ACTICIDE® MBS 2550 should be added to concentrates at a level to ensure that the final use dilution of the product will contain 0.025 to 0.4% ACTICIDE® MBS 2550.

*Not approved for these uses in the state of California

HOUSEHOLD, CONSUMER, INDUSTRIAL, JANITORIAL PRODUCTS

For the control of bacteria and fungi in liquid and solid soaps, liquid and solid cleaners, liquid and solid detergents, liquid and solid laundry products, liquid and solid dishwashing detergents, waxes, polishes, liquid and solid fabric treatment/refresher products, liquid and solid air fresheners/deodorizers, car care products, and other similar cleaners.

ACTICIDE® MBS 2550 may also be used for the control of bacteria and fungi in package utility products such as pre-moistened sponges and mops.

ACTICIDE® MBS 2550 may also be used for the control of bacteria and fungi in solutions that are then put into/onto wet wipes fro use in industrial, commercial, residential and household uses cited above. Wet wipes containing a solution preserved with this product may not be used fro personal care, as baby wipes, or for food contact.

ACTICIDE® MBS 2550 microbiocide may be added to those products formulated as concentrates which are in turn diluted for use at a level to ensure that the final use-dilution product will contain between 0.05% and 0.4% ACTICIDE® MBS 2550 microbiocide.

0.025 – 0.4% 0.25 – 4.0 LB per 1000 LB aqueous product

0.05 – 0.4%
0.5 – 4.0 LB per 1000 LB product to be protected

ACLE PLED

JUL 29 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the compessicide, registered under the FPA Reg. No. 1, 100 CCC

Information Sheet# 056-0 V002 - 03/27/2014 Page 4 of 5

EPA Reg. No. 67071-56

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360

U.S. Office:

Thor Specialties, Inc. 50 Waterview Drive, Shelton, CT

06484 USA Tel. (203) 516-6980

ACTICIDE® MBS 2550 INFORMATION SHEET



THIS ACTICIDE® MBS 2550 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® MBS 2550

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling,

*PRESERVATIVE FOR METAL WORKING FLUIDS

ACTICIDE® MBS 2550 microbiocide is recommended for the control of bacteria and fungi in aqueous metal working fluid solutions and emulsions.

A higher dosage rate and/or increased frequency of treatment may be required depending upon the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. The preservative should be dispensed into the use dilution of the metal working fluid using a metering pump and uniformly dispersed throughout the

*Not approved for these uses in the state of California

For noticeably fouled systems:

Initial dose of up to 4.0 GAL (35.2 LB) per 1000 GAL emulsion followed by subsequent maintenance dose below.

To maintain control:

Add 1 GAL (8.8 LB) per 1000 GAL emulsion every 4 weeks.

*PRESERVATIVE FOR TEXTILES/CORDAGE PRODUCTS AND TEXTILE-/TEXTILE-FIBERS MAKING

ACTICIDE® MBS 2550 is recommended as a preservative for the control of bacteria and fungi in textiles and non-woven products (such as canvas, carpet, cordage, drapes, and shower curtains), in chemicals commonly used in the production of natural and synthetic fibers and fabrics (such as fiber lubricants, spin finishes, sizes, dyestuffs, textiles printing inks, dispersants, thickeners, dye fixatives, hand builders and weighters), and in textile coatings.

*Not approved for these uses in the state of California

0.05 - 0.4%

0.5 - 4.0 LB per 1000 LB fluid

ACTICIDE® MBS 2550 microbiocide weighs 8.8 lbs. per gallon



Information Sheet# 056-0 V002 - 03/27/2014 Page 5 of 5

EPA Reg. No. 67071-56

Manufactured For: Thor GmbH

D-67346 Speyer, Germany

Tel. (06232) 6360 Thor Specialties, Inc.

U.S. Office:

50 Waterview Drive, Shelton, CT

06484 USA Tel. (203) 516-6980