

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 05, 2019

Carol Ferraro Regulatory Administrator Thor Specialties, Inc. 50 Waterview Drive Shelton, CT 06484

Subject: Label Notification per PRN 98-10 – Label changes as required by

The State of California Per PR Notice 98-10.

Product Name: ACTICIDE®IPS 20 EPA Registration No: 67071-65 Application Date: December 10, 2018

Decision Number: 547432

Dear Ms. Ferraro,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 67071-65 Decision No. 547432

If you have any questions, you may contact Lorena Rivas at 703-305-5027 or via email at rivas.lorena@epa.gov.

Sincerely,

Registration Risk Manager Regulatory Management Branch II Antimicrobials Division (7510P) Office of Pesticide Programs

Enclose: Notification Stamped Label

# ACTICIDE® IPS 20



# **Precautionary Statements:** Hazards to Humans and Domestic Animals

DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using restroom. contaminated clothing and wash before reuse.

## **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

# CONDITIONS OF SALE AND WARRANTY

Thor GmbH warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. THOR GMBH MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Thor GmbH and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL THOR GMBH OR SÉLLER BE HELD LIABLE FOR CONSEQUENTIAL SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT

# **DIRECTIONS FOR USE** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Industrial microbiocide for use in \*polymer latices, paints and coatings, building materials, adhesives and \*tackifiers, \*mineral slurries, \*oil-in-water emulsions, \*as an in-container preservative for aqueous products, Remove asterisk→\*for use in household consumer, industrial, janitorial products, \*metal working fluids, and \*textiles/cordage products and \*textile-/textile fibers-making. READ AND FOLLOW THE DIRECTIONS FOR USE ON THE ACCOMPANYING INFORMATION SHEET.

# ACTIVE INGREDIENTS:

3-lodo-2-Propynyl Butyl Carbamate	20.00%
OTHER INGREDIENTS:	80.00%
TOTAL:	100.00%

# KEEP OUT OF REACH OF CHILDREN **DANGER - PELIGRO**

See Side panel for additional precautionary statements

# **FIRST AID**

## If in Eves:

- >Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- >Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- >Call a poison control center or doctor for treatment advice.

## If on Skin or clothing:

- >Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- >Call a poison control center or doctor for treatment.

- >Call a poison control center or doctor immediately for treatment advice.
- >Have person sip a glass of water if able to swallow.
- >Do not induce vomiting unless told to do so by the poison control center
- >Do not give anything by mouth to an unconscious person

## If Inhaled:

- Move person to fresh air.
- >If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to- mouth, if possible.
- > Call a poison control center or doctor for further treatment advice

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

HOT LINE NUMBER: In case of emergency, for additional information call toll free 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For Transportation / Spill Emergency: Call Chemtrec at 1-800-424-9300

EPA Reg. No. 67071-65 Manufactured Bv/For: Thor GmbH

EPA Est. No. 67071-DEU-001 NOTIFICATION

U.S. Office: Thor Specialties, Inc.

50 Waterview Drive

Tel. (203) 516-6980

67071-65

changes, other than those reported to butylcarbamate), 9, PG-III the Agency have been made to the labeling. The Agency acknowledges

PHYSICAL AND CHEMICAL HAZARD Materials to be avoided: oxidizing agents

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Do not store or transport in unlined metal containers. Store in original container in a cool place. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: [For containers < 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. [For containers > 5 gallons in size] - Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONSULT FEDERAL, STATE OR GENERAL: LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

**UN 3082** 

**ENVIRONMENTALLY HAZARDOUS SUBSTANCE.** Shelton, CT 06484 USA The applicant has certified that no LIQUID, N.O.S. (3-iodo-2-propynyl-

*Not approved for this use in the State of California		this posification by letter dated		
Batch:	Mfg Date:	2/05/2019	Net Contents (pounds):  (gallons):	



# INFORMATION SHEET ACTICIDE® IPS

# THIS ACTICIDE® IPS 20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® IPS 20

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Adhesives	
ACTICIDE® IPS 20 may be used in non-medical, non-food use natural and synthetic adhesive formulations for protection of these solutions against attack by fungal organisms in both the wet state and in the dry film of the finished product.	0.05 – 1.25% of ACTICIDE® IPS 20 (0.05 lb to 1.25 lbs per 100 lbs formula)
Add this product at the end of the production cycle with good agitation	
Inks	
ACTICIDE® IPS 20 may be used in aqueous-based ink solutions for protection of these solutions against attack by fungal organisms.	0.05 – 1.5% of ACTICIDE® IPS 20 (0.05 lb to 1.5 lbs per 100 lbs
Add this product at the end of the production cycle with good agitation.	formula)
Paints and Coatings (including stains)	Interior:
coatings for protection against attack by fungal organisms in both the wet state and in the dry film of the finished product.	(0.2 lb to 1.0 lbs per 100 lbs formula)
Add this product at the end of the production cycle with good agitation.	Exterior:  0.5 - 2.5% of ACTICIDE® IPS 20
	(0.5 lb to 2.5 lbs per 100 lbs formula)
*Plastics and Plastic Coatings	
ACTICIDE® IPS 20 may be used to prevent surface mildew growth on non-	0.5 – 5.0% of ACTICIDE® IPS 20
medical, non-food use plastic items (such as shower curtains, cable and wire, etc.). Intended plastics include PVC, polyurethanes, elastomers and	(0.5 lb to 5.0 lbs per 100 lbs formula)
rubbers, neoprene, styrene compounds and polyolefins.	
To ensure uniform distribution, disperse in the plasticizer or color concentrate before it is incorporated into the resin	
Do not use if the heat of processing is above 350°F for prolonged periods.	
*Not approved for this use in the state of California	

Information Sheet # 065-0  $\frac{\text{V002}-13\text{-APR-}2017}{\text{V003}}$  10-DEC-2018 Page 1 of 3

**EPA Reg. No. 67071-65**Manufactured By/For: T

Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
Thor Specialties, Inc.
50 Waterview Drive,
Shelton, CT 06484 USA
Tel. (203) 516-6980

U.S. Office:



# INFORMATION SHEET ACTICIDE® IPS

# THIS ACTICIDE® IPS 20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® IPS 20

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

	This product is to be solubilized or stirred in the dye bath or polymer coating pan to minimize mechanical losses and ensure a uniform distribution of the
	and backings, canvas and cordage, drapes and shower curtains. Not to be used in fabrics intended for human wear of direct skin contact.
(0.1 lb to 2.5 lbs per 100 lbs formula)	based processing. End-use applications of these materials include: fibers
0.1 – 2.5% of ACTICIDE® IPS 20	*Textiles  ACTICIDE® IPS 20 is used as a mildewcide in both aqueous and solvent-
	*Not approved for this use in the state of California
	floor care products, car care products. For the preservation of liquids, gels, waxes, pre-moistened wipes or solutions delivered by mops or sponges.
	End use applications include cleaning wipes, laundry products, cleaners,
(0.02 lb to 0.15 lbs per 100 lbs formula)	ACTICIDE® IPS 20 may be used to control the growth of fungi in non-food contact household consumer, industrial, janitorial products.
0.02 - 0.15% of ACTICIDE® IPS 20	Products
	Remove asterisk—*Household Consumer, Industrial, Janitorial
	*Not approved for this use in the state of California
formula)	*concrete, *masonry, wood composite materials, grouts, caulks.
0.1 – 2.5% of ACTICIDE® IPS 20 (0.1 lb to 2.5 lbs per 100 lbs	ACTICIDE® IPS 20 may be used to treat non-food contact building materials including: cellulosic materials, wallboard/drywall/sheetrock/gypsum board,
	Building Materials
	*Not approved for this use in the state of California
	Add this product at the end of the production cycle with good agitation.
	of the finished product.
formula)	substrates to prevent surface mold and mildew growth. for protection
(0.1 lb to 1.5 lbs per 100 lbs	coatings which are applied to non-food contact paper and cardboard
0.1 – 1.5% of ACTICIDE® IPS 20	ACTICIDE® IPS 20 may be used in solvent and aqueous paints and
	*Paper Coatings

Information Sheet # 065-0  $\sqrt{002-13-APR-2017}\sqrt{003}$  10-DEC-2018 Page 2 of 3

**EPA Reg. No. 67071-65**Manufactured By/For: T

Thor GmbH
D-67346 Speyer, Germany
Tel. (06232) 6360
Thor Specialties, Inc.
50 Waterview Drive,
Shelton, CT 06484 USA
Tel. (203) 516-6980

U.S. Office:



# INFORMATION SHEET ACTICIDE® IPS

# THIS ACTICIDE® IPS 20 INFORMATION SHEET MUST ACCOMPANY EACH SHIPMENT OF ACTICIDE® IPS 20

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

\*Not approved for this use in the state of California

# \*Aqueous Metalworking, Cutting, Cooling and Lubricating Fluids:

the reservoir (sump) containing the fluid. If added to the reservoir, circulate the fluid to ensure mixing this product to the diluted fluid (0.2 gallons per 100 gallons of fluid). Add this product to the fluid at preparation or to To inhibit the growth of fungi in aqueous metalworking, cutting, cooling and lubricating fluids, add up to 2,000 ppm 0

To inhibit the growth of fungi in aqueous metalworking, cutting, cooling and lubricating concentrates, add an amount that will give up to 2,000 ppm in the diluted fluid. The amount required in the concentrate will depend on the end use dilution.

\*Not approved for this use in the state of California

# \*Wood Preservation

determined by field trials. the various applications to indicate the approximate levels for a particular application. Exact level of use must be ACTICIDE® IPS 20 is a liquid designed for use as a wood preservative for use in above ground applications. All recommendations of use levels are in percentage by weight, and refer to this product. Dosage ranges are given for

recommended for use on wood in above ground use only. board, millwork, etc., to prevent the growth of mildew, sapstain and wood rot on these substrates. This product is ACTICIDE® IPS 20 may be applied from solvent solutions or aqueous dispersions to new lumber, plywood, particle

extent of time that protection is required. Levels of 0.2 - 2.4% of this product are suggested depending upon the severity of conditions for end use, and the Treating solutions may be prepared by diluting this product in alcohols or aromatic solvents or by dispersion in water.

means of application and the optimum concentration of this product to be used within the range specified humidity, method of treatment, etc., it is usually necessary to carry out field tests to determine the most appropriate susceptibility of fresh sawn lumber relating to the type of wood, sawing and storage techniques, conditions of control the development of mildew and sapstain organisms on the lumber. Because of the great variation in ambient temperatures in a solution or aqueous dispersion containing 0.4% of this product must be adequate to For freshly sawn lumber, a concentration of 0.4% of this product is suggested as a starting level. A one minute dip at

wood, plastic, or stainless steel construction) and add to the treating vessel To add additional product while treating, first prepare the proper solution or emulsion in a separate container (of immersed in the treating bath, and the treating vat designed to permit easy immersion and removal, and to minimize For best results, lumber must be treated within twenty-four hours after it is sawed. The lumber must be completely The vat may be cleaned by emptying and rinsing with a suitable solvent or by use of a detergent solution.

water to drain off quickly. least 16 feet wide. Stack foundations must be sufficiently elevated to permit ready access of air to the pile, and allow promote growth of decay and stain producing fungi. All debris and lumber scraps must be removed from the area. A will accumulated, in any area. The yard must be kept free from weeds and vegetation, which may hold moisture and After treatment, lumber must be stacked in a properly maintained seasoning yard with good drainage so that no water properly laid out yard must take advantage of prevailing winds to permit good air circulation. Main alleys must be at

\*Not approved for this use in the state of California

Information Sheet # 065-0 V002 - 13-APR-2017 V003 10-DEC-2018 Page 3 of 3

**EPA Reg. No. 67071-65**Manufactured By/For: T

Thor GmbH

50 Waterview Drive, Shelton, CT 06484 USA Tel. (06232) 6360 Thor Specialties, Inc. D-67346 Speyer, Germany

U.S. Office: