Specimen Label

ACCEPTED

Under the Federal Insectedde, Fundedda, 61 1 Rodentiedde Act, as amended, for the pesticide remained under EPA Reg. No. 6-2-77

Tordon* RTU Herbicide

INSERT A

For Controlling Unwanted Trees Via Cut Surface Treatments

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO:

PRECAUCION AL USUARIO:

SI usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUSES SUBSTANTIAL BUT
TEMPORARY EYE INJURY •
HARMFUL IF SWALLOWED,
INHALED OR ABSORBED
THROUGH SKIN

Do Not Get In Eyes Or On Clothing
• Wear Goggles, Face Shield Or Safety
Glasses When Handling • Avoid Contact
With Skin • Wash Thoroughly With Soap
And Water After Handling • Remove
Contaminated Clothing And Wash Before
Reuse • Do Not Drink Solution • Avoid
Breathing Spray Mist

STATEMENTS OF PRACTICAL TREATMENT:

If in eyes, flush with plenty of water for at least 15 minutes. Get medical attention. If on sidin, wash with plenty of soap and water. Get medical attention if irritation persists. Contains ethylene glycol. If swallowed, induce vomiting immediately by giving two glasses of water and sticking finger down throat. Do not induce vomiting or give anything by mouth to an unconscious person.

F'hysical or Chemical Hazards
C'OMBUSTIBLE • Do Not Use or Store Near
Heat or Open Flame • Do Not Cut or Weld
Container.

Enviror..nental Hazards

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Do not contaminate water used for irrigation or domestic purposes by cleaning of equipment or disposal of wastes. Do not allow run-off or spray to contaminate wells, irrigation ditches or any body of water used for irrigation or domestic purposes. Do not make application when circumstances favor movement from treatment site. See additional precautionary statements elsewhere on this label.

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" elsewhere on this tabel. If terms are not acceptable, return unopened package at once to seller for full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under WARRANTY LIMITATIONS AND DISCLAIMER.

IN CASE OF AN EMERGENCY

endangering life or property involving this product, call collect 517-636-4400 AGRICULTURAL CHEMICAL Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

Tordon* RTU

TORDON RTU Herbicide is a reedy-to-use product that is effective in cut surface applications for killing unwanted trees and preventing undestrable sprouting of cut trees in forest and other non-crop areas such as fence rowsfandinght-of-ways. Among the many species that can be controlled are: silanthus, alder, aspen, birch, cedar, cherry, dogwood, elm, firs, green sish, gum, hawthorn, hickory, hombeam, maples, oaks, pecan, persimmon,

USE DIRECTIONS

only it is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use undiluted as indicated below.

serviceberry, sourwood, sweetbay.

TREE INJECTION TREATMENT: Use 1 milliliter of undiluted TORDON RTU Herbicide solution through the bark completely around the tree trunk at intervals of 2 to 3 inches between edges of the injector wounds. Make injections near ground level when using the tree injector or 2 to 4 feet above the ground when using a HYPOHATCHET Injector or similar ince. Treatments can be made in any season. Maples anould not be treated during the spring sap flow. With some difficult to control species such as dogwood, hickory, sugar maple, bigleaf maple, tanoak, and some firs, application to a continuous cut rather than to spaced cuts may be more uniformly effective.

FRILL OR GIRDLE TREATMENT: Make a single hack girdle or "fill" of overlapping axe cuts through the bank completely around the tree as close to the ground as feasible. Spray or paint the injured surface with uncilluted TORDON RTU Herbicide, using enough volume to wet treated areas.

STUMP TREATMENT: Spray or paint the cut surfaces of freshly cut stumps and stubs with undiluted TORDON RTU Herbicide. The cambium area next to the bank is the most vital area to wet.

USE PRECAUTIONS

Use this product only as specified on this label, TORDON RTU Herbicide is highly active as a herbicide, is water soluble, can move with surface runoff water, and can remain phytotoxic for a year or more if it gets into the soil. Untreated trees occasionally an affected by root uptake of herbicide leached into the sell or excreted by the seets of nearby treated trees. If such injury cannot be telerated, do not use TORDON RTU close to desirable trees.

Do not contaminate cropland, water, or imigation ditches. Do Not Contaminate Water Intended for Irrigation or Domestic Purposes. To avoid Injury to crop* or other desirable plants, do not treat or allow apray drift or run-off to full onto banks or bottoms of irrigation ditches, either dry or containing water, or other channels that carry water that may be used for irrigation or domestic purposes. Do not apply to anow or frozen ground.

Do not rotate food or feed crops on treated land if they are not registered for use with pictoram until an adequately sensitive blossay or chemical test shows that no detectable pictoram is present in the soil.

Do not apply on or in the vicinity of sensitive crops of desirable broadlesf plants. Small amounts can cause injury to plants.

Do not " 'ow careless application or apray drift. Do not permit any apray or apray drift to contact desirable plants. Use only gravity flow or very low apray pressure.

Do not remove product from original container except to apply as indicated under USE DIRECTIONS.

Do not store near food, feedstuff, fertilizer, seeds, insecticides, fungicides, or other pesticides.

PRECAUTIONARY STATEMENTS

Environmental Hazards

Picloram is a chemical which can travel (seep or leach) through soil and under certain conditions has the potential to contaminate groundwater which may be used for irrigation and drinking purposes. Users are advised not to apply picloram where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an underlying aquifer is shallow or to soils containing sinkholes over limestone bedrock, severely fractured surfaces, and substrates which would allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

An aquifer is defined as "an underground, saturated, permeable, geologic formation capable of producing significant quantities of water to a well or spring. It is the ability of the saturated zone, or portion of that zone, to yield water which makes it an aquifer" (American Chemical Society, 1983).

STORAGE AND DISPOSAL fertilizer

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or nnsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Rinse application equipment after use, at least three times with water, and dispose of rinse water in a non-cropland area away from water supplies.

Container Disposal: Do not reuse container. Triple nnse (or equivalent). Puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke.

General: Consult federal, state or local disposal authorities for approved alternative procedures.

Be sure that use of this product conforms to all application regulations.

WARRANTY LIMITATIONS AND DISCLAIMER

The Dow Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stared on the label when used in strict accordance with the directions therein under normal conditions of use. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT, NO OTHER EXPRESS AND NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL. Therefore, neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatuess soil coedifigns, etc.), under abnormal conditions (such da excessive jainfall, drought, tomadoes, humcanes, etc.) or under conditions not reasonably foresesable to or beyond the control of

INSERT B

When buyer or user suffers losses or damage, resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other equipments), buyer or user must promptly notify in writing The Dow Chemical Company of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of The Dow Chemical Company or any other seller will be one of the following, at the election of The Dow Chemical Company:

- Refund of purchase price paid by buyer twister for product bought, or
- (2) Replacement of amount of product used.

The seller will not be liable for consequential or incidental damages or losses.

The terms of this Warranty Limitations And Disclaimer cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the seller is not authorized to vary or exceed the terms of this Warranty Limitations And Disclaimer in any manner.

876-1-12

-{

C1089



THE DOW CHEMICAL COMPANY Midland, Michigan 48674 U.S.A.

*Trademark of THE DOW CHEMICAL COMPANY

)

INSERT A

In Forests And Other Non-Cropland Areas Such As Fence Rows, Roadsides And Right-Of-Ways

INSERT' B

TORDON RTU Herbicide should not be applied on residential or commercial lawns or near ornamental trees and shrubs. Untreated trees can occasionally be affected by root uptake of herbicide through movement into the top soil or by excretion of the product from the roots of nearby treated trees. Do not apply TORDON RTU Herbicide within the root zone of desirable trees unless such injury can be tolerated.

