

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- A. Long-sleeved shirt and long pants
- B. Waterproof gloves
- C. Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

First Aid

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

Environmental Hazards

This product may be toxic to aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal

Do Not Contaminate Water, Food or Feed by Storage or Disposal.

Pesticide Disposal: Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

HOT PEPPER WAX

**Insect and Animal Repellent
for Fruits, Vegetables,
and Indoor and Outdoor Ornamentals
Repels Rabbits and Tree Squirrels
From the Yard and Garden**

Concentrate

ACTIVE INGREDIENT	
Capsaicin and other capsaicinoids*	0.00018%
OTHER INGREDIENTS	99.99982%
TOTAL	100.0 %

* Includes 0.00012% capsaicin and 0.00006% other capsaicinoids

Made From Hot Cayenne Peppers

This product contains 0.0000144 lbs. of Active Ingredient per Gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 67238-1 Est. No.67238-PA-0003

Net Contents:

Manufactured by:
Hot Pepper Wax, Inc.
305 Third Street
Greenville, PA 16125

Toll Free Number: 888-667-3785
Internet Address:www.hotpepperwax.com

Produced Under Patents: U.S. No.: 5,466,459
Canada No.: 2,116,237 New Zealand No.: 254,436
Australia No.: 46487/93 Euro. No.0600080 AT/
BE/CH/DE/DK/ES/FR/GB/IE/IT/LI/LU/MC/NL/PT/SE
Other Patents Pending

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL USE REQUIREMENTS:

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements of training, decontaminating, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas until the restricted entry interval of 0 hours after the spray has dried.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is: coveralls, waterproof gloves and shoes plus socks.

ACCEPTED

AUG 02 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 67238-1

67238-1

08/02/1999

1/11

DIRECTIONS FOR USE (cont.):

Hot Pepper Wax repels aphids, cabbage loopers, beet army worms, spider mites, thrips, whiteflies, lace bugs, leafhoppers and scale.

USES: Hot Pepper Wax may be used to repel insects from fruit and vegetable plants, indoor/outdoor ornamentals, and grasses. Avoid use on Variegated African Violets, Sweet Basil, Parsley, Dicentra eximia, and fruit trees when in the pink bud stage until after the petals fall.

MIXING: Shake Hot Pepper Wax thoroughly before combining with water. When mixing solutions larger than 5 gallons, add the product to the tank before adding the water.

RATE: Generally, Hot Pepper Wax is mixed with water at the rate of 1 part Hot Pepper Wax to 32 parts water. However, this rate may be varied according to need. If the infestation is heavy, the rate may be doubled until the pests are controlled. Once pests are under control, the rate may be reduced to half for maintenance.

DOUBLE RATE* <i>(use when infestation is particularly heavy and more control is needed)</i>	NORMAL RATE	HALF RATE <i>(for maintaining repellency once pests are under control)</i>
<p style="text-align: center;">1:16 (1 part product to 16 parts water) (i.e., 8 fl. oz. to 1 gallon water)</p> <p><i>* Double rate not for greenhouse use; see below.</i></p>	<p style="text-align: center;">1:32 (1 part product to 32 parts water) (i.e., 4 fl.oz. to 1 gallon water)</p>	<p style="text-align: center;">1:64 (1 part product to 64 parts water) (i.e., 2 fl. oz. to 1 gallon water)</p>

APPLICATION: Apply Hot Pepper Wax using spray equipment as a foliar spray to the leaves, stems, fruits, and flowers of the plant until wet but not dripping. Good coverage of all portions of the plant will enhance repellency. In general, 40 to 60 gallons per acre of the Hot Pepper Wax/water mixture (combined as discussed in the Rate section above) is sufficient for row crops. Trees and ornamentals generally will require more per acre depending on size and spacing (possibly 100 to 200 gallons per acre). Do not drench roots in soil or media. Do not apply Hot Pepper Wax through any type of irrigation system.

Do not apply when rain is expected within 24 hours. During hot and humid weather, spray plants in the evening. Avoid use when plants are stressed by drought. Discontinue use if burning occurs.

FREQUENCY: For best results, keep new growth coated. In general, the repellency of Hot Pepper Wax is most effective on existing growth when applied every 7 to 14 days. However, more frequent application of up to every 3 days may be appropriate when infestation is heavy. Use increased frequency only until pest numbers begin to decrease.

GREENHOUSE USE: Do not exceed the 1:32 rate in greenhouses. Avoid use of this product if greenhouse temperature will exceed 85°F before the product has dried. Use spray equipment that will allow spray to contact all foliage surfaces. Low pressure-high volume sprayers are most effective. Low volume applicators will require more frequent application.

DIRECTIONS FOR USE (cont.):**Hot Pepper Wax repels rabbits and tree squirrels**

USES: Hot Pepper Wax may be used to repel rabbits and tree squirrels from fruit and vegetable plants, indoor/outdoor ornamentals and grasses. Avoid use on Variegated African Violets, Sweet Basil, Parsley, Dicentra eximia, and fruit trees when in the pink bud stage until after the petals fall. Hot Pepper Wax also is effective in repelling rabbits and tree squirrels from chewing on wooden structures and fences.

MIXING: Shake Hot Pepper Wax thoroughly before combining with water. When mixing solutions larger than 5 gallons, add the product to the tank before adding the water.

RATE: Hot Pepper Wax is mixed with water at the rate of 1 part Hot Pepper Wax to 16 parts water (8 fl. oz. product to 1 gallon water).

APPLICATION: Apply Hot Pepper Wax using spray equipment as a foliar spray to the leaves, stems, fruits, and flowers of the plant until wet but not dripping. Good coverage of all portions of the plant is essential for repellency. Do not drench roots in soil or media. Do not apply Hot Pepper Wax through any type of irrigation system.

Do not apply when rain is expected within 24 hours. During hot and humid weather, spray plants in the evening. Avoid use when plants are stressed by drought. Discontinue use if burning occurs.

FREQUENCY: Frequency of application depends on the rate of plant growth and occurrence of feeding by the animals. For best results, keep new growth coated. If feeding occurs, reapply Hot Pepper Wax as soon as possible. Once feeding is under control, maintain repellency by re-spraying every 7 to 14 days.

WOODEN STRUCTURES AND FENCES: Hot Pepper Wax repels rabbits and tree squirrels from chewing on wooden structures and fences. The rate is 1 part Hot Pepper Wax to 16 parts water (8 fl. oz. per gallon of water). Apply until surface is wet. Repeat application as soon as possible after any nibbling is observed. Once control is established, reapply every 3 to 4 weeks.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Keep out of treated area until spray has dried.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- A. Long-sleeved shirt and long pants
- B. Waterproof gloves
- C. Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

First Aid

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

Environmental Hazards

This product may be toxic to aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

HOT PEPPER WAX

**Insect and Animal Repellent
for Fruits, Vegetables,
and Indoor and Outdoor Ornamentals
Repels Rabbits and Tree Squirrels
From the Yard and Garden**

Concentrate

ACTIVE INGREDIENT	
Capsaicin and other capsaicinoids*	0.00018%
OTHER INGREDIENTS	<u>99.99982%</u>
TOTAL	100.0 %

* Includes 0.00012% capsaicin and 0.00006% other capsaicinoids

Made From Hot Cayenne Peppers

This product contains 0.0000144 lbs. of Active Ingredient per Gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 67238-1

Est. No.67238-PA-0003

Net Contents:

Manufactured by:
Hot Pepper Wax, Inc.
305 Third Street
Greenville, PA 16126

ACCEPTED
AUG 02 1999
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 67238-1

Toll Free Number: 888-667-3785

Internet Address:www.hotpepperwax.com

Produced Under Patents:

U.S. No.: 5,466,459 Canada No.: 2,116,237 New Zealand No.:
254,436 Australia No.: 46487/93 Euro. No.0600080 AT/BE/CH/DE/
DK/ES/FR/GB/IE/IT/LI/LU/MC/NL/PT/SE
Other Patents Pending

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR RESIDENTIAL USE ONLY

Hot Pepper Wax repels aphids, cabbage loopers, beet army worms, spider mites, thrips, whiteflies, lace bugs, leafhoppers and scale.

USES: Hot Pepper Wax may be used to repel insects from fruit and vegetable plants, indoor/outdoor ornamentals, and grasses. Avoid use on Variegated African Violets, Sweet Basil, Parsley, Dicentra eximia, and fruit trees when in the pink bud stage until after the petals fall.

MIXING: Shake Hot Pepper Wax thoroughly before combining with water.

RATE: Generally, Hot Pepper Wax is mixed with water at the rate of 1 part Hot Pepper Wax to 32 parts water. However, this rate may be varied according to need. If the infestation is heavy, the rate may be doubled until the pests are controlled. Once pests are under control, the rate may be reduced to half for maintenance.

DOUBLE RATE* <i>(use when infestation is particularly heavy and more control is needed)</i>	NORMAL RATE	HALF RATE <i>(for maintaining repellency once pests are under control)</i>
<p style="text-align: center;">1:16</p> <p>(1 part product to 16 parts water) (i.e., 8 fl. oz. to 1 gallon water)</p> <p><i>* Double rate not for greenhouse use; see below.</i></p>	<p style="text-align: center;">1:32</p> <p>(1 part product to 32 parts water) (i.e., 4 fl.oz. to 1 gallon water)</p>	<p style="text-align: center;">1:64</p> <p>(1 part product to 64 parts water) (i.e., 2 fl. oz. to 1 gallon water)</p>

APPLICATION: Apply Hot Pepper Wax using spray equipment as a foliar spray to the leaves, stems, fruits, and flowers of the plant until wet but not dripping. Good coverage of all portions of the plant will enhance repellency. Do not drench roots in soil or media. Do not apply Hot Pepper Wax through any type of irrigation system.

Do not apply when rain is expected within 24 hours. During hot and humid weather, spray plants in the evening. Avoid use when plants are stressed by drought. Discontinue use if burning occurs.

FREQUENCY: For best results, keep new growth coated. In general, the repellency of Hot Pepper Wax is most effective on existing growth when applied every 7 to 14 days. However, more frequent application of up to every 3 days may be appropriate when infestation is heavy. Use increased frequency only until pest numbers begin to decrease.

HOME GREENHOUSES: Do not exceed the 1:32 rate in greenhouses. Avoid use of this product if greenhouse temperature will exceed 85°F before the product has dried. Use spray equipment that will allow spray to contact all foliage surfaces.

6/11

DIRECTIONS FOR USE (cont.):

Hot Pepper Wax repels rabbits and tree squirrels

USES: Hot Pepper Wax may be used to repel rabbits and tree squirrels from fruit and vegetable plants, indoor/outdoor ornamentals, and grasses. Avoid use on Variegated African Violets, Sweet Basil, Parsley, Dicentra eximia, and fruit trees when in the pink bud stage until after the petals fall. Hot Pepper Wax also is effective in repelling rabbits and tree squirrels from chewing on wooden structures and fences.

MIXING: Shake Hot Pepper Wax thoroughly before combining with water.


RATE: Hot Pepper Wax is mixed with water at the rate of 1 part Hot Pepper Wax to 16 parts water (8 fl. oz. product to 1 gallon water).

APPLICATION: Apply Hot Pepper Wax using spray equipment as a foliar spray to the leaves, stems, fruits, and flowers of the plant until wet but not dripping. Good coverage of all portions of the plant is essential for repellency. Do not drench roots in soil or media. Do not apply Hot Pepper Wax through any type of irrigation system.

Do not apply when rain is expected within 24 hours. During hot and humid weather, spray plants in the evening. Avoid use when plants are stressed by drought. Discontinue use if burning occurs.

FREQUENCY: Frequency of application depends on the rate of plant growth and occurrence of feeding by the animals. For best results, keep new growth coated. If feeding occurs, reapply Hot Pepper Wax as soon as possible. Once feeding is under control maintain repellency by re-spraying every 7 to 14 days.

WOODEN STRUCTURES AND FENCES: Hot Pepper Wax repels rabbits and tree squirrels from chewing on wooden structures and fences. The rate is 1 part Hot Pepper Wax to 16 parts water (8 fl. oz. per gallon of water). Apply until surface is wet. Repeat application as soon as possible after any nibbling is observed. Once control is established, reapply every 3 to 4 weeks.





ONE - TWO - THREE!

1. Attach the hose!
2. Choose settings & spray your garden.
3. Detach hose. Store Hot Pepper Wax In sprayer.

HOT
PEPPER

WAX
INSECT REPELLENT
Hose End Sprayer

3 Spray Choices

3 Mixture Settings

Made From Hot
Cayenne Peppers

7/11

OFF


ON

**LIFETIME
GUARANTEE**

**HOT
PEPPER
WAX™**

- ▶ Adheres to plants longer - does not wash off in rain.
- ▶ Can be used right through harvest day.

▶ A Responsible Choice




The Hot Pepper Wax Hose End Sprayer is designed to last a lifetime and we guarantee it. If you are ever dissatisfied with the performance of this sprayer we will replace it - no questions asked.

Wax or Water

Your choice. With twin controls at your fingertips, you can turn the mixture setting to Off & spray only water without removing the sprayer from your hose.

Won't clog.

Simple.




Hose End Sprayer

3 Spray Choices


Jet Stream

-for
fruit
trees




Fan Spray

-for
shrubs
& gardens



Gentle Rain

-for
delicate
flowers



3 Mixture Settings


From Heavy Control thru Light Maintenance.

	Double Rate	Normal Rate	Half Rate
Setting:	1:16	1:32	1:64
Coverage:	1650 to 2175 Sq. Ft.	3300 to 4350 Sq. Ft.	6612 to 8700 Sq. Ft.

See label for information on appropriate settings for specific situations.

Manufactured by: **HOT PEPPER WAX, INC.**

305 Third Street, Greenville, PA 16125 • Toll Free 1-888-NO PEST-5 (688-667-3785) • Internet address: <http://www.hotpepperwax.com>



HOT PEPPER WAX™

ANIMAL REPELLENT
Hose End Sprayer

3 Spray Choices

ONE - TWO - THREE!

1. Attach the hose.
2. Choose settings & spray your garden.
3. Detach hose. (Store Hot Pepper Wax in sprayer)

Made From Hot Cayenne Peppers

10/11

ALC-1000


11/11

Hose End Sprayer

3 Spray Choices


Jet Stream

-for
fruit
trees




Fan Spray

-for
shrubs
& gardens



Gentle Rain

-for
delicate
flowers



FOR BEST RESULTS, SET SPRAYER TO 1:16 SPRAY SETTING.
See product label for more information.

Manufactured by: HOT PEPPER WAX, INC.

305 Third Street, Greenville, PA 16125 • Toll Free 1-888-NO PEST-5 (888-667-3785) • Internet address: <http://www.hotpepperwax.com>

8 7 05539101202

