

KEEPOUT™ [#1] [#2] [#3] [#4]

A four-part program to repel foraging deer & small animals.

ROTATIONS™
 Animal repellents work best when rotated.

- ① For Fruits, Vegetables, Flowers & Ornamentals
 Alternate with KEEPOUT™ # 2
- ② For Fruits, Vegetables, Flowers & Ornamentals
 Alternate with KEEPOUT™ #1
- ③ For Trees, Shrubs, & Ornamentals
 Alternate with KEEPOUT™ #1 and #2
 (#3 Not for use on food crops)
- ④ For Trees, Shrubs, & Ornamentals
 For winter use, when new growth is not expected.

CONCENTRATE
36 oz. makes 4.5 gals.

EPA Reg. No. 67238-3

EPA Est. No: 67238-PA-003

ACTIVE INGREDIENT

Capsaicin and other capsaicinoids.....0.0046%

OTHER INGREDIENTS.....99.9954%

TOTAL.....100.00 %

This product contains 0.00036 lbs. of Active Ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Contents: 36 fl. oz. (1.06 L)

ACCEPTED

JAN 22 2002

Under the Federal Insecticides,
 Fungicides, and Rodenticides Act,
 we certify that the pesticide
 registered under
 EPA Reg. No. 67238-3

HOT PEPPER WAX BRAND™

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Keep out of treated area until spray has dried.

FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS: This product may be toxic to aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR RESIDENTIAL USE ONLY

KEEPOUT™ repels deer and small animals.

Uses:

[Select one of the following three paragraph options]

KEEPOUT™ may be used to protect fruit and vegetable plants, flowers, shrubs, trees, and ornamentals against deer and small animal foraging. Avoid use on Variegated African Violets, Sweet Basil, Parsley, Dicentra eximia, and fruit trees when in the pink bud stage until after the petals fall.

OR

KEEPOUT™ may be used to protect flowers, shrubs, trees, and ornamentals against deer and small animal foraging. Avoid use on Variegated African Violets, Sweet Basil, Parsley, and Dicentra eximia.

OR

KEEPOUT™ may be used to protect shrubs, trees, and ornamentals against deer and small animal foraging. Best for over-winter protection. Use when little or no new growth is expected; late fall through early spring, depending on climate.

Rate: KEEPOUT™ should be mixed with water at a rate of 1 part KEEPOUT™ to 16 parts water. (8 fl. oz. product to 1 gallon water).

Application: **Shake well before use.** Remove lid and attach container to hose-end applicator. Push main valve to OFF position. Turn dial on top to the 1:16 ratio and select the appropriate nozzle setting. Slide main valve to ON position and spray product evenly on the plants to be treated. Apply KEEPOUT™ as foliar spray to above ground portions of the plant until wet but not dripping. Thorough coverage of all portions of the plant is essential for repellency. Do not drench roots in soil or media. Do not apply KEEPOUT™ through any type of irrigation system.

[Select one of the following two options]

Do not apply when rain is expected within 8 hours. During hot and humid weather, spray plants in the evening. Avoid use when plants are stressed by drought. Discontinue use if burning occurs.

OR

Apply KEEPOUT™ only when temperatures are above 40°F (5°C) and rain is not expected for 8 hours.

Frequency/Rotation:

[Select one of the following two paragraph options]

Frequency of application depends on the rate of plant growth and occurrence of feeding by the animals. For best results, treat at planting and keep new growth coated. If feeding occurs before next scheduled application, reapply KEEPOUT™ as soon as possible. Once feeding is under control, maintain repellency by re-spraying every 7 to 14 days. After 4 applications, it's time to rotate. Rotate KEEPOUT™ [#1][#2][#3] to KEEPOUT™ [#1 or][#2][#3]. Application rate and frequency are the same. See directions for use on KEEPOUT™ [#1][#2][#3] for more information.

OR

Frequency of application depends on the rate of plant growth and occurrence of feeding by the animals. For best results, re-apply every month. If feeding occurs before next scheduled application, reapply KEEPOUT™ as soon as possible. Use KEEPOUT™ exclusively in the winter. In springtime (when you see new growth), start with warm weather rotations. See Directions for use on other labels.

Clean-up instructions: Turn dial on top of sprayer to Water Only and use sprayer until water runs clear.

<p>Storage and Disposal</p> <p>STORAGE: Store only in original container, in a dry place inaccessible to children and pets.</p> <p>DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.</p>
--

Manufactured by:
 Hot Pepper Wax, Inc.
 305 Third St.
 Greenville PA 16125-2467
 For information call 1-888-No PEST 5 (1 888-667-3785)
 or visit www.hotpepperwax.com
MADE IN USA

Produced Under Patents: U.S. No.: 5,466,459
 Canada No.: 2,116,237 New Zealand No.: 254,436 Australia No.: 46487/93 Euro. No.0600080 AT/
 BE/CH/DE/DK/ES/FR/GB/IE/IT/LI/LU/MC/NL/PT/SE
 Other Patents Pending

© Copyright 2000 Hot Pepper Wax Co., Inc.