



{Directions to be used for swimming pool algaecide}

**WHY TO USE THIS PRODUCT:** This product is a potent way to destroy green and other types of algae in white plaster pools. It is especially effective against black algae because it can be applied directly to the black spots which occur with this type of growth.

**IMPORTANT NOTES:**


1. When using other products, as outlined in directions for this product, always follow label directions for those products.
2. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use affect the rate of chlorine loss. Adjust cleaning and chemical maintenance accordingly. To eliminate harmful algae and micro-organisms, superchlorinate pool every 2-4 weeks.
3. Use this product **ONLY** on **white** plaster pool surfaces. It can bleach or damage painted surfaces or vinyl or fiberglass materials.
4. When applying this product on surfaces near water inlets and outlets, shut off pump before application and wait until granules have dissolved completely.

**DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

**BEFORE YOU BEGIN**

1. Ensure all pool equipment is working properly. Backwash filter following manufacturer's directions.
2. Check chlorine level with a test kit and adjust to 1-3 ppm by adding [Stabilized Granular Chlorinator] [a stabilized granular chlorinator].
3. Check water pH, alkalinity and calcium hardness with a test kit. Adjust pH to 7.2 - 7.6 by adding [pH Decreaser] [pH Down] to lower pH, or [pH Add] [pH Up] to raise pH. Adjust alkalinity to 80 - 125 ppm for plaster pools, 125 - 150 for vinyl or fiberglass pools by adding [an alkalinity increaser] [Total Alkalinity Increaser] [Alkalinity Plus]. Adjust calcium hardness to 200 - 275 ppm for plaster pools, 175 - 225 for vinyl or fiberglass pools by adding Calcium Hardness Increaser.
4. Turn off the pump, vigorously brush all algae spots and wait 4 hours for the pool to become stationary.





*{Environmental hazards statement for end-use products in containers of less than 5 gallons (liquid) or less than 50 pounds (solid, dry weight).}*

**[ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.]

*{Environmental hazards statement of end-use products in containers of equal to or greater than 5 gallons (liquid) or equal to or greater than 50 pounds (solid, dry weight).}*

**[ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

**NOTE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

*{The following is optional text to be used at Recreational Water Products' discretion with swimming pool use directions. This information is non-essential and will be provided only as a courtesy. Will not appear on all swimming pool products.}*

**If you have any questions or comments about Aqua Chem Products or their use, please call us toll free. In the continental U.S. call 1-800-252-POOL (7665). Ask for your free pool care booklet.**

**[Questions or comments, Call 1-800-252-POOL (7665).]**

