ese read instructions on reverse before completing form.	NOTIFICATION Form And	111.02	. (72(こ-5) パッパ
United State Environmental Protect Washington, DC	United States Environmental Protection Agency Washington, DC 20460		OPP Identifier Number
Applica	tion for Pesticide - Sec	tion I	
ompany/Product Number 67262-5 ompany/Product (Name) Aqua Chem Balanced lean Pools Shock Treatment		ager 3. (Proposed Classification None Restricted
ecreational Water Products, Inc. O. Box 887 cottdale, GA 30079 Check if this is a new address		is similar or identical in o	th FIFRA Section 3(c)(3) composition and labeling
	Section - II		
Resubmission in response to Agency letter dated	Other - Expection I and Section II.)	Application.	on meets every
	Section - III		
isterial This Product Will Be Packaged In:			
d-Resistant Packaging Yes No If "Yes" Unit Packaging Yes No. per Unit Packaging wgt. contain		2. Type of Contain Metal Plasti Glass Papel Other	l ic
Label Container	Retail Container		ctions companying product
Manner in Which Label is Affixed to Product Li	thograph Other Discourage of the Country of the Cou		• • •
	Section - IV		
Contact Point (Complete items directly below for identifi	cetion of individual to be contacted	, if necessary, to process t	this application.)
ark Jernigan	Title Federal Registrati	•	none No. (Include Arta Code) 378-1761 ext - 55
Cert	ification		6. Data Application
I certify that the statements I have made on this form I acknowledge that any knowingly false or misleading both under applicable law.			Received (Stamped)

3. Title

5. Date


Federal Registration Manager

White - EPA File Copy (original) A Yell

2. Signature

4. Typed Name

Mark Jernigan



FRONT FANEL





BEST COPY AVAILABLE

WHY TO USE THIS PRODUCT

PRODUCT DISCRIPTION: Aqua Chem Shock Treatment is a fast dissolving granular product used for periodic superchlorinating to eliminate most of the algae and micro-organisms found in a pool. It also oxidizes other waste material reducing the demand on chlorine used for disinfection. These directions cover the shock treatment of your pool under normal conditions. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use all affect the rate at which shock treatment applications are needed.

IMPORTANT NOTES:

- When using other Aqua Chem products, as outlined in directions for Aqua Chem Shock Treatment, always follow label directions for those products.
- 2. Broadcasting Aqua Chem Shock Treatment over water surfaces may cause bleaching of pool surfaces. To reduce the chances of this occurring, pre-dissolution of this product prior to addition to pool water is required (Dissolve this product outdoors, in a clean plastic bucket using a plastic or wooden spoon; add shock to water, never water to shock; use 1 gallon of cool water per 2 oz. of shock). This product may also cause staining on your pool surfaces due to metals in your water, Always check for metal content. If present, remove with a stain & scale inhibitor prior to the addition of this product.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOU BEGIN

- Make sure all pool equipment is working properly. Backwash pool filter following manufacturer's directions.
- Check water pH, alkalinity and catcium hardness with a test kit following kit directions. Adjust pH to 7.2-7.6, if necessary, by adding Aqua Chem pH Decreaser to lower pH or by adding Aqua Chem pH Add to raise pH. Adjust alkalinity, if necessary to 80-125 ppm for plaster pools, 125-150 for vinyl or fiberglass pools by adding Aqua

Chem Akalinity Increaser. Adjust calcium hardness, if necessary, to 200-275 ppm for plaster pools, 175-225 for vinyl or fiberglass pools by adding Aqua Chem Calcium Hardness Increaser.

NOW USE ADUA CHEM SHOCK TREATMENT

- To shock pools not treated with stabilizer, add 20 ounces (predissolved) of Aqua Chem Shock Treatment per 10,000 gallons of water in deep end of pool. For pools treated with stabilizer, add 16 ounces (predissolved) of Aqua Chem Shock Treatment per 10,000 gallons of water in deep end of pool. Resume regular chlorine treatments when residual chlorine drops to 1.0-3.0 ppm, as measured by a test kit.
- One day after the shock treatment, brush pool walls and bottom to dislodge dead algae, then vacuum to remove debris. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to disselve all material before discarding this container. DO NOT REUSE CONTAINER, but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER; Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before rause.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chloring gas (and possible fire and explosion). In case of contamination or decomposition, do not

reseal container, if possible, isolate container in open air or well ventilated area, Flood area with large volumes of water, if necessary.

ERYINONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuarles, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Any questions or comments about Aqua Chem Products or their use? Call us toll free 1-800-252-POOL. Ask for your free pool care booklet.

IN THE EVENT OF A MEDICAL EMERGENCY CALL: 1-303-823-5716.


1793121 L25240N 05926 AQU

EPA REG. NO. 87262-5 EPA EST. NO. 5185-GA-1

Manufactured for: Recreational Water Products AOUA CHEM DIVISION Scottdale, GA 30079



BACK PANEL



05926 AQU