H130	67262-9	
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75: 767) WASHINGTON, DC 20460	67262-9	DATE OF ISSUANCE
	TERM OF ISSUANCE	JUN 3 0 1994
NOTICE OF PESTICIDE: REGISTRATION	Aqua Chem Balanced for Clean	
(Under the Federal Insecticide, Fungicide,		
and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	<del> </del>	
Recreational Water Products Inc. PO Box 887 Scottdale, GA 30079		
Scottdale, GA 30079		
L	٦	.•
NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. $rac{r_{ij}}{r_{ij}}$		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cance) the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to it; use if it has been covered by others.		
Based on your response to the P Document, EPA has reregistered the to the comments recorded in the su action is taken under the authorit the Federal Insecticide, Fungicide amended. Reregistration under thi the need for continual reassessment require submission of data at any registration of your product.	e above named productions and section 4(g) and Rodenticide section does not of pesticides.	duct subject  oh. This  (2)(C) of  Act, as  ot eliminate  EPA may
Make the following labeling changes before you release the product for shipment:		
1. The Environmental Hazards statement required by PR Notice 93-10 is preferred. Delete the paragraph immediately above it.		
<ol><li>The percentage available chlorine must be stated as a footnote beneath the ingredient statement.</li></ol>		
<ol> <li>Refer to the enclosed Isocy the necessary revisions to the Pre subject product label.</li> </ol>	ranurate RED Attac cautionary Statem	chment A for ments of the
ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL	<del></del>	DATE

20H7

4. On the submitted CSF, the upper and lower certified limits should be indicated, noting that the nominal concentration of 99% should fall between the certified limits. Sumbit a revised CSF.

A stamped copy of the product label is enclosed for your records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

(C)

Ruth G. Douglas Product Manager 32 Antimicrobial Program Branch Registration Division (7505C)

Enclosures

)

)

67262-9 307

#### ISOCYANURATE RED ATTACHEMENT A

LABELING: (Statements are based on review of referenced acute toxicity data)

1. The signal word is "DANGER"

1

2. Revise the Precautionary Statements to read:

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eatin, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

3. Revise the Statement of Practical Treatment to read:

STATEMENT OF PRACTICAL TREATMENT.

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconcious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

4011

# AQUA CHEM BALANCED FOR CLEAN POOLS STABILIZED FLOATER

**ACTIVE INGREDIENT:** 

KEEP OUT OF REACH OF CHILDREN

DANGER

Trichloro-s-triazinetrione

99.0%

Inert

j

1

1.0%

TOTAL INGREDIENTS

100.0%

ASCIPTED

WIS COMMINTED

IN LIVA ... ... F. Dates:

JUN 30 1994

6-272-4

Trends Act us

STATEMENTS OF PRACTICAL TREATMENT: IF CONTACT WITH EYES OCCURS:

Immediately flush with cold water for at least 15 minutes. Then get immediate medical attention. IF CONTACT WITH SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If INHALED: Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If not breathing, give artificial respiration. Call a physician immediately. IF SWALLOWED: Drink large amounts of water. DO NOT induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. IN CASE OF MEDICAL EMERGENCY, CALL 1-303-625-57 i6.

See back panel for additional precautionary statements.

MANUFACTURED FOR: RECREATIONAL WATER PRODUCTS SCOTTDALE, GEORGIA

EPA REG. #67262-9 EPA EST. # 5185-GA-1



5047

**PRODUCT DESCRIPTION:** This product is an easy and economical way to regulate the chlorine that sanitizes your pool. When used as directed, this product continously releases the correct amount of chlorine in a constant flow to reduce the growth of harmful algae and micro-organisms in your pool. Unlike unstabilized pool sanitizers such as Calcium Hypochlorite or liquid chlorine (bleach), this product contains both chlorine and a stabilizer which reduces chlorine floss from sunlight

## **IMPORTANT NOTES:**

- 1. When using other products, as outlined in directions for this product, always follow label directions for those products.
- 2. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use affect the rate of chlorine loss. Adjust cleaning and chemical maintainence accordingly. To eliminate harmful algae and micro-organisms, superchlorinate every 2-4 weeks or each time floater is replaced.
- 3. During superchlorination, remove floater from pool. Place floater in a empty clean, dry plastic container. Place it back in pool when the process is completed.
- 3. Do not completely submerge floater or allow holes to become clogged. This could trap excess amount of chlorine gas possibly resulting in a violent explosion.
- 4. Do not attempt to open or refill this product.

### **DIRECTIONS FOR USE**

}

•

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label directions and use strictly in accordance vith precautionary statements and directions.

#### **BEFORE YOU BEGIN:**

- 1. Ensure all pool equipment is working properly. Backwash filter following manufactuer's directions.
- 2. Adjust stabilizer levels to 40-50 ppm with Stabilizer. Check residual chlorine level with a test kit. Adjust to 1-3 ppm by adding a stabilized granular chlorinator.
- 3. Check water pH, alkalinity and calcium hardness with a test kit. Adjust pH to 7.2 7.6 by adding pH Decreaser to lower pH, or pH Add to raise pH. Adjust alkalinity to 80 125 ppm for plaster pools, 125 150 for vinyl or fiberglass pools by adding Alkalinity Increaser. Adjust calcium hardness to 200 275 ppm for plaster pools, 175 225 for vinyl or fiberglass pools by adding Calcium Hardness Increaser.

#### **NOW USE THIS PRODUCT:**

- 1. Floater is marked in gallons increments from 5,000 to 40,000 gallons. To use, cut off all feeder nubs on both sides of cartridge up to and including the one corresponding to your pool's size. If pool is between sizes marked, open next higher nubs. Use a sharp knife and cut in direction away from your body and limbs. (Fig.A) Make certain holes are wide open to allow water to flow through freely.
- 2. Place floater with open holes in center of the pool. (Fig. B) After 24 hours check residual chlorine level with a test kit. If residual chlorine level is below 1.0 ppm. cut-off one additional nub until chlorine stabilizes at 1-3 ppm. If the residual chlorine is too high, seal one set of holes with waterproof plastic tape.
- 3. When ready for replacement, this product will float on its side.



Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk of body injury.

STORAGE AND DISPOSAL Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large amounts of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal. **CONTAINER DISPOSAL:** Do not reuse container, but place in trash collection. Rinse throughly before discarding in trash.

# **PRECAUTIONARY STATEMENTS**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse. For skin or eye contact, or if dust/fumes are inhaled, immediately follow statements of practical treatment on front label panel.

j

PHYSICAL OR CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quanities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.

**ENVIRONMENTAL HAZARDS** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For cuidance contact your State Water Board or Regional Office of the EPA.



70/11

NOTE: THIS IS THE ENVIRONMENTAL STATEMENT REQUIRED BY PR-93-10.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

# OPTIONAL INFORMATION IF SPACE PERMITS HOW TO CALCULATE POOL CAPACITY

Shape of Pool

Gallons of water

Rectangular Average depth x average length x average width x 7.5

Circular

.)

)

Diameter x diameter x average depth x 5.9

Oval

Full width x full length x average depth x 6.7

Irregular

Consult pool builder

