

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
238262

Application for Pesticide - Section I

1. Company/Product Number 67262-9	2. EPA Product Manager 32	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Aqua Chem Balanced For Clean Pools Stabilized Floater	PM# R. Douglas	
5. Name and Address of Applicant (Include ZIP Code) Recreational Water Products, Inc. P.O. Box 887 Scottsdale, GA 30079 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>July 29, 1993</u>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification per PR Notice 93-10. This is to certify that this notification meets every requirement of PR Notice 93-10.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container If "Yes" Package wgt No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Mark Jernigan	Title Federal Registration Manager	Telephone No. (Include Area Code) 404-378-3761 ext 359
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Mark Jernigan</i>	3. Title Federal Registration Manager	
4. Typed Name Mark Jernigan	5. Date 7/14/95	

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS.
DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS/STRONG OXIDIZING AGENT: Mix this product with water only. Use only clean, dry utensils. Do not completely submerge cartridge or allow holes to become clogged. If either occurs, chlorine gas may become trapped and cause a violent explosion. Do not attempt to open or refill this cartridge. Contamination of cartridge contents with moisture, organic matter or other chemicals may start a chemical reaction, generating heat, liberating hazardous gases, and possibly causing fire or explosion. If cartridge becomes contaminated or product becomes decomposed, do not reuse. Isolate container outdoors. Flood cartridge with large volumes of water, and keep animal and humans away from water flow path.


ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID): IF SWALLOWED: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Never give any liquids by mouth to any unconscious person. Call a physician immediately. IF ON SKIN: Brush off excess dry chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. IF IN EYES: Flush with cold water for at least 15 minutes. Obtain medical attention. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

If you have any questions or comments about Aqua Chem Products or their use, please call us toll free. In the continental U.S., call 1-800-252-POOL. Ask for your local pool care booklet.

IN THE EVENT OF A MEDICAL EMERGENCY CALL 1-303-823-5718.

EPA Reg No. 67262-9
 EPA Est. No. 5185-GA-1
 Manufactured for:
 Recreational
 Water Products
 AQUA CHEM POOL
 & SPA PRODUCTS
 P.O. Box 887,
 Scottdale, GA 30079



LEFT PANEL

FRONT P

BEST COPY AVAILABLE

PRODUCT DESCRIPTION: Aqua Chem Stabilized Floater is an easy and economical way to regulate the chlorine that sanitizes your pool. It contains cyanuric acid, a stabilizer, which reduces chlorine loss from sunlight and other factors. When used as directed, the cartridge automatically releases the correct amount of chlorine in a constant flow, thus preventing release of excess chlorine that will be destroyed by sunlight. The released chlorine reduces the growth of harmful algae and micro-organisms in your pool for several weeks. If used regularly, no additional stabilizer is needed.

IMPORTANT NOTES:

1. Do not completely submerge cartridge or allow feeder nubs to become clogged. This could trap excess amounts of chlorine gas possibly resulting in a violent explosion.
2. Do not attempt to open or refill this cartridge.
3. Superchlorination to eliminate harmful algae and micro-organisms, should be done every 2-4 weeks — or at least each time a chlorinating cartridge is replaced. For this purpose, use a shock treatment or liquid chlorinator following label directions. During Superchlorination, remove chlorinating cartridge from pool, place in clean plastic container that does not contain remnants of any other chemical or organic matter which may react with the chlorine in the cartridge. Place it back in pool when the process is completed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

BEFORE YOU BEGIN:

1. Make sure all pool equipment is working properly, including pump, filter, skimmer and heater.
2. For water with unstabilized chlorine, no cyanuric acid, add stabilizer following label directions.
3. Check residual chlorine level with a Test Kit. Desired range is 1.0-1.5 ppm (ppm). If necessary, add stabilized granular or liquid chlorinator according to directions till water reaches desired level.




FIG. A




FIG. B

4. Also check water pH (acidity/alkalinity balance) with a test kit. Water pH should be 7.2-7.6. If not, adjust by adding pH Decreaser to lower pH, or pH Add to raise pH. Be sure to follow product directions.

NOW USE AQUA CHEM STABILIZED FLOATER:

1. Cartridges are marked in gallons increments from 5,000 to 40,000 gallons. To use, cut off all feeder nubs on both sides of cartridge up to and including the one corresponding to your pool's size. If pool is between sizes marked, open next higher nubs. Use a sharp knife and cut in direction away from your body and limbs (Fig. A). Make certain holes are wide open to allow water to flow through freely.

FOR MAXIMUM PROTECTION, THIS CARTRIDGE IS CHILD-RESISTANT. DO NOT ATTEMPT TO OPEN OR REFILL THIS CARTRIDGE.

2. Place cartridge with open holes in center of the pool as shown in Fig. B. After 24 hours check residual chlorine level with a test kit. If residual chlorine level is below 1.0-1.5 ppm, cut-off one additional nub until chlorine stabilizes at that level. If the residual chlorine is too high, seal one set of holes with waterproof plastic tape. Do not use pool until chlorine is below 3.0 ppm.
3. Once proper release of chlorine has been achieved, measurement of residual chlorine may be done less frequently, and further adjustments of the cartridge should not be necessary under normal condition. When ready for replacement, Stabilized Floater will float on its side (Fig. C). **NOTE:** Sunlight, rainfall, temperature and number of swimmers all affect the rate of chlorine loss. Under extreme conditions, it may be necessary to cut off additional nubs.

STORAGE AND DISPOSAL: Keep this product in tightly closed original container when not in use. Store in a locked, cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, or disposal, or cleaning of equipment.




FIG. C

BACK PANEL

BEST COPY AVAILABLE

RIGHT PANEL

W
A
W