

AQUA CHEM
BALANCED FOR CLEAN POOLS
GRANULAR CHLORINIZOR

ACTIVE INGREDIENTS:	
CALCIUM HYPOCHLORITE	65%
INERT INGREDIENTS:	35%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN
DANGER

AVAILABLE CHLORINE 65%

BEST AVAILABLE COPY

STATEMENTS OF PRACTICAL TREATMENT IF SWALLOWED: Drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately. IF CONTACT WITH EYES OCCURS: Flush with cold water for at least 15 minutes. Get medical attention. IF CONTACT WITH SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.
IN THE EVENT OF A MEDICAL EMERGENCY CALL: 1-303-623-5716

See back panel for additional precautionary statements.

WHY TO USE THIS PRODUCT

PRODUCT DESCRIPTION: Aqua Chem™ Granular Chlorinizer is a convenient and economical source of chlorine for routine sanitizing or for periodic superchlorinating of your pool. When used regularly as part of a complete maintenance program, it will help prevent the growth of harmful algae and micro-organisms. These directions cover routine chlorinating and shock treatment of your pool under normal conditions. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use all affect the rate at which shock treatments are needed.

IMPORTANT NOTES:

1. When using other Aqua Chem (AC) products, as outlined in directions for AC Granular Chlorinizer always follow label directions for those products.
2. Broadcasting AC Granular Chlorinizer over water surfaces may cause bleaching of pool surface. To reduce the chances of this occurring, pre-dissolution of this product prior to addition to pool water is required (Dissolve this product outdoors, in a clean plastic bucket using a plastic or wooden spoon; add granules to water, never water to granules; use 1 gallon of cool water per 2 oz. of granules). This product may also cause staining on your pool surfaces due to metals in your water. Check for metal content. If present, remove with a stain & scale inhibitor prior to the addition of this product.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOU BEGIN

1. Make sure all pool equipment is working properly. Backwash pool filter following manufacturer's directions.
2. Check water pH, alkalinity and calcium hardness with a test kit following kit directions. Adjust pH to 7.2-7.6, if necessary, by adding pH Decreaser to lower pH, or by adding pH Add to raise pH. Adjust alkalinity, if necessary to 80-125 ppm for plaster pools, 125-150 for vinyl or fiberglass pools by adding alkalinity increaser. Adjust calcium hardness, if necessary, to 200-275 ppm for plaster pools, 175-225 for vinyl or fiberglass pools by adding calcium hardness increaser. Be sure to follow label directions.
3. If your pool water is not stabilized, add stabilizer following label directions. Addition once a season will help reduce chlorine loss from sunlight and other factors.

BEST AVAILABLE COPY

NOW USE AQUA CHEM GRANULAR CHLORINIZOR FOR INITIAL POOL OPENING OR NEW POOL START UP:

1. With pump running, add 1 oz. of this product per each 1,000 gallons of pool water.
2. After operating circulating system for at least 1 hour, check chlorine residual with a test kit. If the available chlorine is below 1.0 ppm, repeat the dosage recirculate and retest until you reach the desired range of chlorine of 1.0-3.0 ppm.

FOR ROUTINE SANITIZING

1. Check free available chlorine level with a test kit. The desirable range is 1.0-3.0 ppm for stabilized pools. If below this level proceed to step 2.
2. With pump running add 4-6 oz. of this product per 10,000 gallons of pool water.
3. Operate circulating system for at least 1 hour and then check chlorine residual with a test kit. If the available chlorine is below 1.0 ppm, repeat the dosage, recirculate and retest until you reach the desired range of chlorine of 1.0-3.0 ppm.
4. To maintain desirable free available chlorine levels of 1.0-3.0 ppm, add AC Granular Chlorinizer at a rate of 4-6 oz. per 10,000 gallons daily, or as determined by the use of a test kit.

FOR SUPERCHLORINATION

1. For maximum effectiveness, superchlorination (shock treatment) should be done in the evening. For pools not treated with stabilizer, add AC Granular Chlorinizer at a rate of 20 ounces per 10,000 gallons of water at the deep end of pool. To shock pools treated with stabilizer, add 16 ounces of AC Granular Chlorinizer per 10,000 gallons of water in the deep end of pool as directed above. Resume regular chlorine treatments when residual chlorine drops to 1.0-3.0 ppm as measured with a test kit.
3. Operate recirculating pump while adding product and for at least one hour afterward to ensure even distribution of chemical in water.
4. One day after the shock treatment, brush pool walls and bottom to dislodge dead algae, then vacuum to remove debris.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse container, but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning or equipment.

BEST AVAILABLE COPY

4044

PHYSICAL OR CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Any questions or comments about Aqua Chem Products or their use? Call us toll free 1-800-252-POOL. Ask for your free pool care booklet. NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA REG. NO. 67262-11 EPA EST. NO. 5185-GA-1
RECREATIONAL WATER PRODUCTS

AQUA CHEM POOL AND SPA PRODUCTS
P. O. BOX 887
Scottdale, GA 30079

ACCEPTED
MAY 18 1994
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 67262-11

BEST AVAILABLE COPY