

PM 32

67262-11
NOTIFICATION

Page 1 of 3

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

| | |
|-------------------------------------|--------------|
| <input type="checkbox"/> | Registration |
| <input type="checkbox"/> | Amendment |
| <input checked="" type="checkbox"/> | Other |

| |
|-----------------------|
| OPP Identifier Number |
| 238265 |

Application for Pesticide - Section I

| | | |
|--|--|--|
| 1. Company/Product Number 67262-11 | 2. EPA Product Manager 32 | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) Aqua Chem Balanced For Clean Pools Granular Chlorinizer | PM# R. Douglas | |
| 5. Name and Address of Applicant (Include ZIP Code) Recreational Water Products, Inc. P.O. Box 887 Scottdale, GA 30079 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |

Section - II

| | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>July 29, 1993</u> |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application. |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification per PR Notice 93-10. This is to certify that this notification meets every requirement of PR Notice 93-10.

Section - III

| | | | | | |
|---|---|--|--|---|--|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | If "Yes" Unit Packaging wgt. No. per container | | <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ |
| * Certification must be submitted | | If "Yes" Package wgt. No. per container | | | |
| 3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container | | 4. Size(s) Retail Container | | 5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product | |
| 6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | | <input type="checkbox"/> Other _____ | |

Section - IV

| | | |
|---|---------------------------------------|--|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name Mark Jernigan | Title Federal Registration Manager | Telephone No. (Include Area Code) 404-378-1761 ext. 359 |
| 2. Signature | | 6. Date Application Received (Stamped) |
| 3. Title Federal Registration Manager | | |
| 4. Typed Name Mark Jernigan | | |
| 5. Date 7/14/95 | | |

AQUA CHEM

BALANCED FOR CLEAN POOLS

Granular Chlorinizer

FOR EVERYDAY USE

NET WT 25 LB
DANGER: High / Corrosive
KEEP OUT OF REACH OF CHILDREN
See back panel for additional precautionary statements
STATEMENTS OF PRACTICAL TREATMENT ARE ALLOWED
DO NOT induce vomiting. Call a physician for further
CONTACT WITH EYES OCCURS: Flush with cold water for at least 15 minutes
IF CONTACT WITH SKIN: Brush off excess chemical and wash with soap
for at least 15 minutes. If irritation persists, get medical attention
IN THE EVENT OF A MEDICAL EMERGENCY CALL 1-800-333-8711

ROUTINE CHLORINATOR

BEST COPY AVAILABLE

WHY TO USE THIS PRODUCT

PRODUCT DESCRIPTION: Aqua Chem Shock Treatment is a fast dissolving granular product used for periodic superchlorinating to eliminate most of the algae and micro-organisms found in a pool. It also breaks other waste material reducing the demand on chlorine used for disinfection. These directions cover the shock treatment of your pool under normal conditions. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use all affect the rate at which shock treatment applications are needed.

IMPORTANT NOTES:

1. When using other Aqua Chem products, as outlined in directions for Aqua Chem Shock Treatment, always follow label directions for those products.

2. Broadcasting Aqua Chem Shock Treatment over water surfaces may cause bleaching of pool surfaces. To reduce the chances of this occurring, pre-dissolution of Aqua Chem Shock Treatment prior to addition to pool water is required (Dissolve this product outdoors, in a clean plastic bucket using a plastic or wooden spoon, add shock to water, never water to shock; use 1 gallon of cool water per 2 oz. of shock). Aqua Chem Shock Treatment may also cause staining on your pool surfaces due to metals in your water. Always check for metal content, if present, remove with Aqua Chem Stain & Scale Inhibitor prior to the addition of this product.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOU BEGIN

1. Make sure all pool equipment is working properly. Backwash pool filter following manufacturer's directions.

2. Check water pH, alkalinity and calcium hardness with a test kit following kit directions. Adjust pH to 7.2-7.6, if necessary, by adding pH Decreaser to lower pH or by adding pH Add to raise pH. Adjust alkalinity, if necessary to 80-125 ppm for plaster pools, 125-150 for vinyl or fiberglass pools by adding alkalinity increaser. Adjust calcium hardness, if necessary, to 200-275 ppm for plaster pools, 175-225 for vinyl or fiberglass pools by adding calcium hardness increaser.

NOW USE AQUA CHEM SHOCK TREATMENT

1. To shock pools not treated with stabilizer, add 20 ounces (pre-dissolved) of Aqua Chem Shock Treatment per 10,000 gallons of water in deep end of pool for pools treated with stabilizer, add 16 ounces (pre-dissolved) of Aqua Chem Shock Treatment per 10,000 gallons of water in deep end of pool. Resume regular chlorine treatments when residual chlorine drops to 1.0-3.0 ppm, as measured by a test kit.

2. One day after the shock treatment, brush pool walls and bottom to dislodge dead algae, then vacuum to remove debris. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. **DO NOT REUSE CONTAINER**, but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reuse container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water if necessary.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Any questions or comments about Aqua Chem Products or their use? Call us toll free 1-800-252-PCOL. Ask for our free pool care booklet.



EPA REG NO 57262-11
EPA EST NO. 5185-GA-1

Manufactured for Recreational Water Products
AQUA CHEM DIVISION
Scottdale, GA 30079

1183122
L35267
05975 PQJ AC

BEST COPY AVAILABLE