

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Antimicrobials Division (7510W) 401 "M" St., S.W. Washington, D.C. 20460

Registration

_ Reregistration

NOTICE OF PESTICIDE:

67

Date of Issuance:

MAX 14 1998

67262-12

Number:

Term of Issuance:

Name of Pesticide Product:

Aqua Chem Balanced for Clean Pools Algaecide Granules

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Recreational Water Products, Inc. P.O. Box 887 Scottdale, GA 30079

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in_no way to be construed as an endorsement or recommendation of this product by the Agency-In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a posticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Make the following labeling changes before you release the product for shipment:

- 1. Include the word "Poison" and the skull and crossbones symbol immediately below the signal word "DANGER" on the front panel of the label.
- Revise the "Precautionary Statement" to read:

Fatal if inhaled. Corrosive. Causes irreversible eye damage or skin burns. May be fatal is swallowed. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wear goggles or face shield. For handling activities, use dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and beore eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

4. Signature of Approving Official:

Date

Robert S. Brennis, PM 32

95

3. Revise the "Statement of Practical Treatment" to read:

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If on Skin: Wash with plenty of soap and water. Get medical attention.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If in Eyes: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

4. The net content should be declared on the label or on the container.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

Robert S. Brennis Product Manager 32

Regulatory Management Branch II Antimicrobials Division (7504C)

ACCEPTED
with CONDIDNES
in EPA Letter Dated.

MAY | 4 1998

Under the receral Insections Pungicial, and Lodenticide F. amended, for the restiregistered under EPA Re-

61597-13

ACTIVE INGREDIENT:

Lithium Hypochlorite 29% KEEP OUT OF REACH OF CHILDREN

INERT INGREDIENTS: 71% DANGER

TOTAL INGREDIENTS: 100%

STATEMENTS OF PRACTICAL TREATMENT: IF CONTACT WITH EYES OCCURS: Immediately flush with cold water for at least 15 minutes. Then get immediate medical attention. IF CONTACT WITH SKIN: Brush, off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If INHALED: Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If not breathing, give artificial respiration. Call a physician immediately. IF SWALLOWED: Drink large amounts of water. DO NOT induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. IN CASE OF MEDICAL EMERGENCY, CALL 1-303-623-5716.

See back panel for additional precautionary statements.

MANUFACTURED FOR: RECREATIONAL WATER PRODUCTS SCOTTDALE, GEORGIA

EPA REG. # 67262-12 EPA EST. # 5185-GA-1 Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk of body injury.

STORAGE AND DISPOSAL Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large amounts of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal. **CONTAINER DISPOSAL:** Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse. For skin or eye contact, or if dust/fumes are inhaled, immediately follow statements of practical treatment on front label panel.

PHYSICAL OR CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.

environmental hazards—This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

WHY TO USE THIS PRODUCT: This product is a potent way to destroy algae and bacteria growth. The quick-dissolving granular form makes this product appropriate for use with most pool surfaces when used as directed. For black algae in white plaster pools, use Black Out. If you have yellow or mustard colored spots, use Mustard Free™.

IMPORTANT NOTES:

- 1. When using other products, as outlined in directions for this product, always follow label directions for those products.
- 2. Damage may be caused by direct contact of this product with pool surface or materials such as colored plaster, vinyl, wood or fiberglass.
- 3. This product may promote metal stains on pool surfaces. Always check water for metal content and if present, remove with a Stain & Scale Inhibitor prior to the addition of this product.
- 4. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use affect the rate of chlorine loss. Adjust cleaning and chemical maintenance accordingly. To prevent the establishment of harmful algae and micro-organisms, superchlorinate (shock) pool every 2-4 weeks.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOU BEGIN

)

- 1. Ensure all pool equipment is working properly. Backwash filter following manufacturer's directions.
- 2. Adjust stabilizer levels to 40-50 ppm by adding Stabilizer.
- 3. Check water alkalinity, pH and calcium hardness with a test kit. Adjust alkalinity to 80-125 ppm for plaster pools, 125-150 for vinyl or fiberglass pools by adding an alkalinity increaser. Adjust pH to 7.2 7.6 by adding a pH decreaser to lower pH, or by adding a pH increaser to raise pH. Adjust calcium hardness to 200-275 ppm for plaster pools, 175-225 for vinyl or fiberglass pools by adding a calcium hardness increaser.
- 4. Recheck pH and maintain between 7.2-7.6 for at least 6 hours before adding this product.
- 5. Vigorously brush any visible algae spots.

NOW USE THIS PRODUCT

TO REMOVE EXISTING ALGAE GROWTH:

- 1. Broadcast 32 oz. of this product per 10,000 gallons of pool water directly into the pool at deep end of pool. To prevent damage to pool surface, use a pool brush to disperse granules which may have settled to the bottom of the pool.
- 2. Operate recirculating pump while adding granules and continue for 6' hours thereafter to ensure even distribution of chemical in water.
- 3. Wait approximately 24 hours, brush and vacuum dead algae from pool.
- 4. Following algae removal, recheck pH and adjust if necessary, to maintain a chlorine residual of 1-3 ppm.