

7/17/95

NOTIFICATION

PA 32 67262-16 P: 183

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
235378

Application for Pesticide - Section I

1. Company/Product Number 67262-16	2. EPA Product Manager 32	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Vinyl Pool Shock	PM# R. Douglas	
5. Name and Address of Applicant (Include ZIP Code) Recreational Water Products, Inc. P.O. Box 887 Scottdale, GA 30079 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>July 29, 1993</u>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification per PR Notice 93-10. This is to certify that this notification meets every requirement of PR Notice 93-10.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Mark Jernigan	Title Federal Registration Manager	Telephone No. (include Area Code) 404-378-1761 ext 359
2. Signature 		6. Date Application Received (Stamped) 65
3. Title Federal Registration Manager		
4. Typed Name Mark Jernigan	5. Date 7/14/95	

213

VINYL POOL SHOCK

Destroys Swimmer Wastes • Restores Water Clarity • Best For Vinyl-Lined and Colored Pools



Pool Time.

ACTIVE INGREDIENT:
 Sodium dichloro-s-triazinetriate 96%
 INERT INGREDIENTS: 4%
 TOTAL INGREDIENTS: 100%
 Provides 62% available chlorine

KEEP OUT OF REACH OF CHILDREN
DANGER See back panel for additional precautionary statements.
 NET WEIGHT: 5 LBS. (2.27 kg)

SEAM

38

WHY To Use This Product

This Shock product contains a completely soluble active ingredient to destroy non-filterable swimmer wastes in vinyl-lined and colored pools with very little risk of bleaching pool surfaces. When used as directed, VINYL POOL SHOCK restores water clarity, kills germs, helps kill algae that resists normal chlorine levels, and destroys unpleasant odors. Reduces the chances of bleach spoiling vinyl, fiberglass, colored plaster and other chlorine sensitive pool surfaces.

HOW To Use This Product

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL APPLICATION

Always add VINYL POOL SHOCK with pump on and water circulating. Broadcast product over pool surface. Use pool brush to disperse granules that may settle on pool bottom.

START-UP/INITIAL SHOCKING: When pH is adjusted (7.4 to 7.6), add 1 pound (approximately 1-3/4 cups) of this product per 10,000 gallons of water. Repeat after 24 hours if needed to establish a chlorine residual of 1.0-3.0 ppm as determined by a test kit.

ROUTINE SHOCKING: Every 2 weeks, after pool pH is adjusted, broadcast 1 pound (approximately 1-3/4 cups) of this product per 10,000 gallons of water. Prohibit swimming until chlorine level falls below 3.0 ppm.

How to Determine Pool Capacity

Shape of Pool	Compute Total Gallons of Water By Multiplying:
Rectangle	Length x Width x Average Depth x 7.5
Round	Diameter x Diameter x Average Depth x 5.9
Oval	Long Diameter x Short Diameter x Average Depth x 5.9
Irregular	Consult with pool builder

STORAGE AND DISPOSAL: Keep product dry in a tightly closed container, when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate water, food or food by storage or disposal, or cleaning of equipment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Irritating to nose and throat. Harmful or fatal if swallowed. Will burn with the evolution of chlorine and equally toxic gases.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS — STRONG OXIDIZING AGENT: Will burn with the evolution of chlorine and equally toxic gases. Contact with water slowly liberates irritating and hazardous chlorine-containing gases. Decomposes at 460°F. to 480°F. with liberation of harmful gases. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such uses may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

IN CASE OF FIRE: If possible isolate container in open air or well ventilated area. Flood with large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION,** do not reseal container.


ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STATEMENT OF PRACTICAL TREATMENT: If swallowed: Drink promptly a large quantity of water. DO NOT induce vomiting. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Avoid alcohol. Get medical attention. If in eyes: Flush with plenty of water for 15 minutes. Get medical attention. If on skin: Immediately brush off excess chemical and flush with plenty of soap and water. Remove contaminated clothing. Wash clothing before reuse. Get medical attention if irritation persists. If inhaled: Remove person to fresh air. Get medical attention. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

IN THE EVENT OF A MEDICAL EMERGENCY CALL 1-303-623-5716.

MANUFACTURED FOR:
Recreational Water Products
Pool Time Division
Scottsdale, GA 30079

EPA REG. NO. 67262-16
EPA EST. NO. 6185-GA-1



114
22082 P1M

3