US ENVIRONMENTAL PROTECTION AGENCY __ OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

NOTICE OF PESTICIDE:

REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

EPA REGISTRATION NO. 67262-23

DATE OF

TERM OF ISSUANCE

Conditional NAME OF PESTICIDE PRODUCT

RWP Master BCDMH

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

OM-22

Rog # 67262-23

Recreational Water Products, Inc.

P.O. Box 877

30079 Scottdale,

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Add the phrase, "EPA Registration No. 67262-23" to your label before you release the product for shipment.
- 3. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL	DATE	
	0CT 17 1996	
CD F 0570 / /D 57/3		

EPA Form 8570-6 (Rev. 5-76)

that the state of the state of

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

A stamped copy of the label is enclosed for your records.


Sincerely,

lover Transglin' for

Vivian Turner Acting Product Manager (32) Antimicrobial Program Branch Registration Division (7505C)

Enclosures

RWP MASTER BCDMH



ACTIVE INGREDIENT:

1-Bromo-3-chloro-5,5-dimethylhydantoin

INERT INGREDIENTS:

TOTAL:

96.0% 4.0%

100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENTS OF PRACTICAL TREATMENT: IF CONTACT WITH EYES OCCURS: Immediately flush with cold water for at least 15 minutes. Then get immediate medical attention. IF CONTACT WITH SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If INHALED: Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If not breathing, give artificial respiration. Call a physician immediately. IF SWALLOWED: Drink large amounts of water. DO NOT induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. IN CASE OF MEDICAL EMERGENCY, CALL 1-303-623-5716.

See back panel for additional precautionary statements.

MANUFACTURED FOR: RECATIONAL WATER PRODUCTS, INC. SCOTTDALE, GA

EPA REG. # 67262

NET WEIGHT:

FOR POOLS:

WHY TO USE THIS PROODUCT: This product is a highly effective sanitizer for your swimming pool water. It's sanitizing ability is less impaired by pH fluctuations than chlorine based sanitizers, thus providing more consistent levels of sanitation. In addition, this product does not require the use of a stabilizer and will not produce the unpleasant chlorine odors that are many times associated with other sanitizers.

IMPORTANT NOTES:

- 1. When using other products, as outlined in directions for this product, always follow label directions for those products.
- 2. Damage may be caused by direct contact of this product with pool surface or materials such as colored plaster, vinyl, wood or fiberglass.
- 3. To effectively sanitize your pool, this product must be used in a feeding device specifically designed for use with bromine. This product should not be used in a skimmer.
- 4. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use affect the rate of bromine consumption. Adjust cleaning and chemical maintainence accordingly. To prevent the establishment of harmful algae and micro-organisms, superchlorinate (shock) pool every 2-4 weeks.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOUR BEGIN

- 1. Make sure all pool equipment is working properly. Backwash pool filter following manufacturer's directions.
- 2. Check water alkalinity, pH and calcium hardness with a test kit. Adjust alkalinity to 80 125 ppm for plaster pools, 125 150 for vinyl or fiberglass pools by adding an alkalinity increaser. Adjust pH to 7.2-7.6 by adding a pH decreaser to lower pH, or by adding a pH increaser to raise pH. Adjust calcium hardness to 200 275 ppm for plaster pools, 175 225 for vinyl or fiberglass pools by adding a calcium hardness increaser.

- 1. Fill bromine feeder with this product and adjust feeder to the highest prod
- 2. When the bromine residual reaches 1-2 ppm, adjust the feeder, to maintain the correct bromine residual for your application: 1-3 ppm in residential pools, and 3-5 ppm in commercial pools. Regular use of a test kit will help to maintain a bromine residual in the pool water.

FOR SPAS:

WHY TO USE THIS PRODUCT: This product is a highly effective sanitizer for your spa or hot tub water and will help maintain sparkling clean, odor-free water. It's sanitizing ability is less impaired by pH fluctuations than chlorine based sanitizers, thus providing more consistent levels of sanitation. In addition, this product does not require the use of a stabilizer and will not produce the unpleasant chlorine odors that are amany times associated with other sanitizers.

IMPORTANT NOTES

- 1. When using other products, as outlined in directions for this product, always follow label directions for those products.
- 2. Damage may be caused by direct contact of this product with spa or hot tub surfaces or materials such as colored plaster, vinyl, wood or fiberglass.
- 4. Sunlight, rainfall, temperature, number of bathers and frequency of spa and hot tub use affect the rate of bromine loss. Adjust cleaning and chemical maintenance accordingly.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOUR BEGIN

- 1. Make sure all spa or hot tub equipment is working properly. Backwash filter following manufacturer's directions.
- 2. Check water alkalinity, pH and calcium hardness with a test kit. Adjust alkalinity to 80 -125 ppm for plaster spas, 125 150 for other spa type surfaces by adding an alkalinity increaser. Adjust pH to 7.2-7.6 by adding a pH decreaser to lower pH, or a pH increaser to raise pH. Adjust calcium hardness to 200-275 ppm for plaster spas or 175-225 for other types of spa surfaces by adding a calcium hardness increaser.

- 1. Fill spa bromine feeder with this product and adjust feeder following manufactuer's directions to yield bromine residual between 2-4 ppm in residential spas and 4-6 ppm in commercial spas.
- 2. The pump and filter should be operated for at least three hours every day whether spa is used or not. Do not heat water above 104°F.
- 3. To maintain clear, clean water and insure the performance of your spachemicals, spas should be drained and refilled with fresh water every 60 days.

FOR MINI PAK DISPENSER:

This product is a highly effective sanitizer for your spa or hot tub water and will help maintain sparkling clean, odor-free water. It's sanitizing ability is less impaired by pH fluctuations than chlorine based sanitizers, thus providing more consistent levels of sanitation. In addition, this product does not require the use of a stabilizer and will not produce the unpleasant chlorine odors that are many times associated with other sanitizers.

IMPORTANT NOTES

- 1. When using other products, as outlined in directions for this product, always follow label directions for those products.
- 2. Damage may be caused by direct contact of this product with spa or hot tub surfaces or materials such as colored plaster, vinyl, wood or fiberglass.
- 4. Sunlight, rainfall, temperature, number of bathers and frequency of spa and hot tub use affect the rate of bromine consumption. Adjust cleaning and chemical maintenance accordingly.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOUR BEGIN

- Make sure all spa or hot tub equipment is working properly. Backwash filter following manufacturer's directions.
- 2. Check water alkalinity, pH and calcium hardness with a test kit. Adjust alkalinity to 80 -125 ppm for plaster spas, 125 150 for other types of spa surfaces by adding an alkalinity increaser. Adjust pH to 7.2-7.6 by adding a pH Decreaser to lower pH, or a pH increaser to raise pH. Adjust calcium hardness to 200-275 ppm for plaster spas or 175-225 for other types of spa surfaces by adding a calcium hardness increaser.

- 1. Place one or more of this product in skimmer basket.
- 2. Add additional product to maintain bromine residual of 2-4 ppm in residential spas .
- 3. Normally, one of this product for each 200 gallons, or fraction, of water will be sufficient to maintain proper bromine levels.
- 4. The pump and filter should be operated for at least three hours every day. Do not heat water above 104°F.
- 6. Residential spas and hot tubs should be drained and refilled with fresh water every 60 days.

FOR SPA FLOATER:

WHY TO USE THIS PRODUCT:

This product is a highly effective sanitizer for your spa or hot tub water and will help maintain sparkling clean, odor-free water. Its self contained delivery system makes for trouble free sanitation and tells you when you need to add more product. This product's sanitizing ability is less impaired by pH fluctuations than chlorine based sanitizers, thus providing more consistent levels of sanitation. In addition, this product does not require the use of a stabilizer and will not produce the unpleasant chlorine odors that are associated with other sanitizers.

IMPORTANT NOTES

1. When using other products, as outlined in directions for this product, always follow label directions for those products.

 Damage may be caused by direct contact of this product with spa or hot tub surfaces or materials such as colored plaster, vinyl, wood or fiberglass.

3. Sunlight, rainfall, temperature, number of bathers and frequency of spa and hot tub use affect the rate of bromine consumption. Adjust cleaning and chemical maintenance accordingly.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOUR BEGIN

- 1. Make sure all spa or hot tub equipment is working properly. Backwash filter following manufacturer's directions.
- 2. Check water alkalinity, pH and calcium hardness with a test kit. Adjust alkalinity to 80 -125 ppm for plaster spas, 125 150 for other types of spa surfaces by adding an alkalinity increaser. Adjust pH to 7.2-7.6 by adding a pH Decreaser to lower pH, or a pH increaser to raise pH. Adjust calcium hardness to 200-275 ppm for plaster spas or 175-225 for other types of spa surfaces by adding a calcium hardness increaser.

- 1. Place one or more of this product in skimmer basket or directly in spa or hot tub. (Usually one dispenser per 350 gallons water.)
- 2. Maintain bromine residual at 2-4 ppm in residential spas.

FOR START UP/FRESH FILL WATER:

- 1. Twist cap so the flow indicator setting is on #5. Put chemical dispenser in spa water.
- 2. Test bromine residual frequently.
- 3. When a 2-4 ppm bromine residual is obtained, lower the flow indicator setting to maintain a desired residual of 2-4 ppm.

FOR GENERAL MAINTAINENCE:

- 1. To increase the amount of bromine dispensed, turn the cap to a higher number located in the flow indicator window. To decrease the bromine residual, turn to a lower number in the flow indicator window.
- 2. As the bromine in your floater dissolves, additional floaters should be added to maintain a 2-4 ppm bromine residual.
- 4. The pump and filter should be operated for at least three hours per day. Do not heat water above 104°F.
- 5. Residential spas and hot tubs should be drained, cleaned and refilled with fresh water every 60 days.

991

FOR BROMINATING CARTRIDGE SYSTEM

WHY TO USE THIS PROODUCT: The Brominating Cartridge System is part of an advanced Feeder/Cartridge Delivery System that efficiently controls bacteria and algae for weeks under normal conditions in a balanced pool. The convenient disposable cartridge lets you control the rate of delivery to meet changing conditions in your pool, by simply adjusting the control dial on the delivery system. You never have to touch the chemical. USE ONLY IN BROMINATING CARTRIDGE SYSTEM.

IMPORTANT NOTES:

- 1. When using other products, as outlined in directions for this product, always follow label directions for those products.
- 2. Damage may be caused by direct contact of this product with pool surface or materials such as colored plaster, vinyl, wood or fiberglass.
- 4. Sunlight, rainfall, temperature, number of swimmers and frequency of pool use affect the rate of bromine consumption. Adjust cleaning and chemical maintainence accordingly.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOUR BEGIN

- Make sure all pool equipment is working properly. Backwash pool filter following manufacturer's directions.
- 2. Check water alkalinity, pH and calcium hardness with a test kit. Adjust alkalinity to 80 125 ppm for plaster pools, 125 150 for vinyl or fiberglass pools by adding an alkalinity increaser. Adjust pH to 7.2-7.6 by adding a pH decreaser to lower pH, or by adding a pH increaser to raise pH. Adjust calcium hardness to 200 275 ppm for plaster pools, 175 225 for vinyl or fiberglass pools by adding a calcium hardness increaser.

- 1. TO INSTALL CARTRIDGE: Take feeder cap off. Remove cartridge tabs A and B where designated (see diagram). Hold cartridge so the open end faces down. Point the arrow in the direction of the water flow (towards pool). Insert into feeder with the male end of the cartridge aligned with the female end located inside the bottom of the feeder (see diagram). DO NOT FORCE. Replace feeder-cap and set the control dial to the appropriate setting.
- 2. Begin with the control dial set on 2 for a 13,500 gallon poof with a pump running 8 hours/day. Check bromine residual in 24 hours and increase/decrease feeder setting to maintain 1-3 ppm bromine residual.

3. During superchlorination of pool, turn setting to 0 before superchlorination. Establish bromine residual and return the feeder to the normal operating setting. Check the feeder canister periodically and replace when empty. Do not attempt to open or refill this cartridge.

FOR SPAS:

Reentry into treated spas is prohibited above levels of 8 ppm bromine due to risk of body injury.

FOR POOLS:

Reentry into treated swimming pools is prohibited above levels of 8 ppm bromine due to risk of body injury.

storage and disposal Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container if possible and flood area with large amounts of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal. **CONTAINER DISPOSAL:** Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse. For skin or eye contact, or if dust/fumes are inhaled, immediately follow statements of practical treatment on front label panel.

PHYSICAL OR CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.