AGENCY STATES ENVIRONMENTAL PROTECT

October 31, 2006

Mark Jernigan Federal Registration Manager Recreational Water Products, Inc. PO Box 1449 **Buford, GA 30515**

Subject:

RWP Shock Plus

EPA Registration No. 67262-27 Application Date: October 10, 2006 Receipt Date: October 13, 2006

Dear Mr. Jernigan:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

addition of marketing claims

General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

CONCURRENCES							
YMBOL 7 510 P 7510P							
JRNAME E. Berg /fenson							
ATE 10/31/06/0/31/06							
EPA Form 1320-1A (1/90)	Printed on Recycled Pages	OFFICIAL EUE FORY					

Please read instructions of	n reverse before com	ing form.		Form Approvi	QMB No.	2070-006	O. Approvel expires 2-28-9		
United States Environmental Protection A Washington, DC 20460			gency		ation ment	OPP Identifier Number			
		Applicati	on for Pesticid	e - Section	1				
1. Company/Product Num 67262-27	ber		2. EPA Product Manager E. Mitchell		3. Pr	3. Proposed Classification			
4. Company/Product (Nan RWP Shock Plus	ne)		PM# 32				Nostricted		
5. Name and Address of Applicant (Include ZIP Code) Recreational Water Products, Inc. PO Box 1449 Buford, GA 30515 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name						
	. 		Section - II						
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			[] :	Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.					
Notification for addition of a in letter dated 9/22/06. Ple	narketing claims to label ase see cover letter for a	per PR Notice additional detail	98-10, Section II, per P is. See attached page f	art N (Other Rev or certification.	isions). Re-	submission	to address EPA comments		
1 Material This Product W	fill Re Deckaged In:		Section - III						
Child-Resistant Packaging Yes No Certification must be submitted	Yes Yes No No Certification must If "Yes" No. per Unit Packaging wgt. container		Water Soluble Packaging Yes No If "Yes" No. per Package wgt Container		2. Type of Container Metal Plastic Glass Paper Other (Specify)				
3. Location of Net Content			tail Container 5. Location of Lab			nş			
6. Manner in Which Label		Lithog Paper Stend	graph glued iled	Other					
······································			Section - IV	H		.			
1. Contact Point (Complete	e items directly below	for identification	on of individual to be c	ontacted, if nec	essary, to pr	ocess this	application.)		
Name Mark Jernigan		1 .			Telephone 673 502-4	hone No. (Include Area Code) 502-4149			
I certify that the state I acknowledge that a both under applicable	ements I have made or ny knowlingliy felse or a law.	Certifica this form and misleading sta	all attachments there	to are true, acci nable by fine or	urate and cor imprisonmen	nplete t er	6. Date Application Received (Stamped)		
2. Signeture Mark Jernegan		3. Title Federal Registration Manager							
4. Typed Neme Mark Jernigan			5. Date 10/10/	106					

{All text in brackets [xxx] is optional and may or may not be included on a final label.} {All text in braces $\{xxx\}$ is administrative and will not appear on a final label.}

RWP SHOCK PLUS™

[TO OPEN CUT ALONG DOTTED LINE WITH SCISSORS] {Statement to appear in upper corner of child resistant bag when product is sold in a bag.}

[4-IN-1 POOL SHOCK]

[Oxidizer, Buffer, Clarifier and Flocculant]

[No pre-dissolving]

[Produces super clear water]

[Treat and Swim in as soon as 15 minutes*]

[Swim in as soon as 15 minutes after use*]

[*Refer to the Re-entry statement on the back panel for further guidance] {This statement will appear on the front panel of label when one of the asterisked statements is used concerning swim in 15 minutes.}

[Reduces the need for other maintenance products]

[Fast dissolving shock treatment]

[Do not mix with other products]

[Treats 12,000 gallons] {Only to be used when sold in one pound units.}

100.0%

[One pound treats 12,000 gallons]

[For use with small pools]

[For small pools]

[For small vinyl pools]

[Treats pools up to 10,000 gallons]

[U. S. Patent # 5,670,059]

[For all pool surfaces] [including vinyl, plaster and fiberglass]

[For all pools, including vinyl, plaster and fiberglass]

[Reduces organic contaminants]

[Clarifies water]

[Enhances filtration]

[Does not increase pH]

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetrione 58.2% OTHER INGREDIENTS 41.8%

TOTAL INGREDIENTS

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [IN CASE OF MEDICAL EMERGENCY, CALL [1-303-623-5716] [1-877-800-5553] [telephone number supplied by supplemental registrant].]

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

See [back] [side] panel for additional precautionary statements.

MANUFACTURED FOR: RECREATIONAL WATER PRODUCTS P.O. BOX 1449 BUFORD, GEORGIA 30515

EPA REG. # 67262-27 EPA EST. # 5185-GA-1

NET CONTENT:

PATENTED TECHNOLOGY

WHY TO USE THIS PRODUCT: This premium shock product is easy to use and performs multiple, important maintenance functions. Shock PlusTM effectively oxidizes during shock treatment organic contaminants that cause cloudy water, musty odors and eye irritation by utilizing advanced patented technology. This technology combines oxidizers, water clarifiers, flocculants and buffers to provide crystal clear water with no cloudy residue and without increasing pH like ordinary shock products.

Shock Plus is designed for use in all pool types by adding the product directly to the pool without predissolving. Because it dissolves rapidly and performs multiple maintenance functions, this product works fast and effectively, allowing swimming to resume in as little as 15 minutes.* Shock Plus is ideal for both last minute and routine maintenance applications.

DO NOT mix Shock Plus directly with any other shock products or pool chemicals, as violent reactions could occur. Shock Plus must be applied directly into the pool water. DO NOT predissolve Shock Plus.

IMPORTANT NOTES:

- 1. When using other products, always follow label directions for those products.
- 2. As with other products, this product may promote metal stains on pool surfaces. Always check water for metal content and if present, remove metals with a stain and scale inhibitor prior to the addition of this product.
- 3. This product is not a sanitizer or algicide. To sanitize your pool or for removal of algae, use the appropriate [Pool Time] [Aqua Chem] product specifically formulated for those purposes.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

BEFORE YOU BEGIN:

- 1. Make sure all pool equipment is working properly.
- 2. Backwash filter following manufacturer's directions.
- 3. Check alkalinity, pH and calcium hardness with a test kit. Adjust alkalinity to 80 125 for plaster pools and 125 150 for vinyl and fiberglass pools. Adjust pH to 7.2 7.6. Adjust calcium hardness to 200 275 for plaster pools and 175 225 for vinyl and fiberglass pools.

NOW USE THIS PRODUCT:

Routine Maintenance

- 1. [With pump operating, apply 1 lb. of Shock Plus per 12,000 gallons directly into pool.] {and/or} [For small vinyl pools, with pump operating, apply 3.5 teaspoons of Shock Plus per 500 gallons or 1.3 ounces per 1,000 gallons directly into pool.**] DO NOT pre-dissolve Shock Plus. DO NOT apply Shock Plus through skimmer or chemical feeding device as other chemicals may be present which could result in a violent reaction.
- 2. Wait at least 15 minutes after product application before entering pool.*
- 3. Operate pump and filter continuously for 4 to 8 hours after product addition.
- 4. For best results, apply Shock Plus weekly as part of your maintenance routine.

[**Use a clean, dedicated spoon to dose the appropriate amount of product into the pool. Keep the dosage spoon stored out of reach of children. 3 teaspoons equals 1 tablespoon. 1.75 tablespoons equals 1 ounce.]

Wind, rain, increased water temperature and the number and frequency of bathers can cause cloudy water, unpleasant odors or eye irritation which may require additional application(s) of this product. Follow routine maintenance instructions.

* TEST CHLORINE LEVEL PRIOR TO RE-ENTRY. RE-ENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 4 PPM CHLORINE DUE TO RISK OF BODILY INJURY.

[FOR POOL CLOSURE:

Apply Shock Plus at a rate of 1 lb. per 6,000 gallons before closing pool for the winter. Apply an appropriate winter algaecide after addition of this product.]

{Storage and Disposal directions when product is sold in bags.}

[STORAGE AND DISPOSAL Keep this product dry in its original unopened bag until use. For partially used bags, fold over top of bag and secure with adhesive tape. Store unopened and partially used bags in a secure location away from children. Store in a cool, dry, well ventilated area away from heat or open flame. If product becomes damp, discard, following instructions for contamination under Physical or Chemical Hazards. CONTAINER DISPOSAL: Rinse empty bag thoroughly. Discard in trash. Do not reuse bag.]

{Storage and Disposal directions when product is sold in bottles.}

[STORAGE AND DISPOSAL Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. If product becomes damp, discard, following instructions for contamination under Physical or Chemical Hazards. CONTAINER DISPOSAL: Rinse empty container thoroughly. Discard in trash. Do not reuse container.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Corrosive: Causes irreversible eye damage. Do not breathe dust; may be harmful if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Causes skin irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear protective eyewear (safety glasses). Wash thoroughly with soap and water after handling product. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS CONTAINS OXIDIZING AGENTS. Do not mix with other chemicals or any other substance. DO NOT pre-dissolve or add water to this product. Always apply directly into the pool. Contamination of this product with small amounts of water or other substances may start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal [bag] [container]. Isolate [bag] [container] in open air or well-ventilated area. Flood [bag] [container] and area with large volumes of water. In case of spills, scoop up and place product in pool water, then flood spilled area with large volumes of water.

{Environmental hazards statement for end-use products in containers of less than 5 gallons (liquid) or less than 50 pounds (solid, dry weight).}

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

{label/67262-27.doc}