

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON DC 20460

June 6, 2012

| Moule Terror | | OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION |
|---|-----------------------------|--|
| Mark Jernigan | | |
| Regulatory Affairs Manager | | |
| Recreation Water Products, Inc. | | |
| P.O. Box 1449 | | |
| Buford, GA 30515 _{\$} 1449 | | |
| | | |
| Subject RWP Shock-Plus | | 20 10 10 10 10 10 10 10 10 10 10 10 10 10 |
| EPA Reg # 67262-27—— | | gay digenter and affirm the second control of the second control o |
| Notification Date_May 17, 2012 | | - AND THE PROPERTY OF THE PROP |
| Receipt Date May 21, 2012 | _ - | |
| | | |
| Dear Mr- Jernigan | | |
| | | The second secon |
| This acknowledges the receipt of your notif | fication, submitted under t | the provision of PR |
| Notice 98-10 and FIFRA section 3(c)9 | | |
| | | Administration. |
| Proposed Notification — | | acc and |
| -Addition of optional marketing claims, [Fas | st dissolving] and [Will no | ot increase pH] for |
| "RWP Shock Plus" (EPA Reg# 67262-27) | | |
| | | |
| General Comment | - | |
| Based on the review of the material submitted | ted, the additional above n | oted optional |
| labeling claims are acceptable | | - |
| | | |
| - This notification and letter are inserted in year | our-file for future record | _ |
| If you have further question on this letter, p | lease contact David Liem | by email at |
| <u>liem david@epa gov</u> or call at 703-305-1284 | | |
| | | |
| | | |
| | | - |
| - | Sincerely / | - |

Ionisha Harris

Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division

20+14

| Please read instructions | on n | everse before c et | ing form | | | Form Apr | 21 | OMB No | 2070-00 | 80. Approval expires 2 28 9 |
|---|---------|---|--|--------------------------|-----------------------------------|---|--------------------|-----------------------|------------------|---|
| ⊕EPA | | United States Environmental Protection Agency Washington DC 20460 | | | | Registi Amend Other | | OPP Identifier Number | | |
| | | ļ | Application | on for F | esticio | le - Sec | tion | l | | |
| 1 Company/Product Nu 67262-27 | mber | | | | | roduct Man a Harris | ager | - | 3 P | roposed Classification |
| 4 Company/Product (Na RWP Shock Plus | ame) | | | | PM# 32 | | | | | , notations |
| Name and Address of Recreational Water PO Box 1449 Buford GA 30515 | er Pi | | le) | | (b)(i) m to EPA R Produc | y product i eg No ct Name _ | s simi | ilar or ider | ntical in co | n FIFRA Section 3(c)(3) omposition and labeling |
| | | | | Seci | ion - II | | | | | |
| Amendment Ex Resubmission in Notification Exp | respo | onse to Agency letter o | deted | | - 📋 | Final printed Agency lett "Me Too A Other Expl | er date Applica | ed Ition | se to | |
| Fee Determination Fee Notification to add additi Please see attached page | onal r | marketing statements F | • | | • | | cations |) Part N (C | other Revision | ons) |
| | | | | Sect | on - II | | | | | |
| 1 Material This Product | Will | Be Packaged In | | | . ,, | | | | | |
| Child Resistant Packaging Yes No If "Yes No per | | Water Soluble Packaging Yes ✓ No If Yes No per | | 2 Type o | Metal Plastic Glass Paper | | | | | |
| * Certification mus be submitted | t | Unit Packaging wgt | container | Packag | e wgt | container | | | | Specify) |
| 3 Location of Net Conte | 1 | nformation ontainer | 4 Size(s) Re | tail Contain 4 ounces | | <u> </u> | 5 Loc | cation of La | | ons |
| 6 Manner in Which Lab | el is / | Affixed to Product | ✓ Lithog Paper Stenc | raph glued iled | | Other | | | | |
| | | | | Secti | on - IV | <u> </u> | | | | ······································ |
| 1 Contact Point (Comp | lete i | tems directly below fo | r identificatio | n of individ | dual to be | contacted | if nece | ssary to p | rocess this | s application) |
| Name Mark Jernigan | | | | Title Regulato | ry Affairs | Manager | | | | ne No (Include Area Code) |
| I certify that the s I acknowledge the both under applica | at any | nents I have made on 1 knowlingliy false or n aw | Certifica this form and nisleading sta | all attachr | nents the | reto are true shable by fi | accu ne or ii | rate and comprisonme | omplete nt or | 6 Data Application Poseived (Stamped) |
| 2 Signature | 3 | Jemigan | , | 3 Title Regulator | y Affairs M | lanager | | | | , , , |
| 4 Typed Name Mark Jernigan | | | | 5 Date | 5/1 | 7/12 | | | | , |

EPA Registration Number 67262-27

Product RWP Shock Plus

Application for Pesticide dated May 17, 2012

Section - II
Explanation (Continued)

Notification to add additional marketing claims Per PR Notice 98-10, Section II (Labeling Notifications), Part N (Other Revisions)

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152 46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U S C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152 46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Mr. Jernigan 5/17/2012



May 17, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

Re RWP Shock Plus EPA Registration No 67262-27

Dear Sır/Madam

Please process the enclosed notification for the above referenced product

The purpose of this notification is to add optional marketing claims to the front panel The new text is located on page 2 of the enclosed master label

Enclosed are

- 1 Application for Pesticide (EPA Form 8570-1),
- 2 Notification Certification Statement, and
- 3 Proposed label with changes marked

If you have any questions, please call me at 678-502-4149 or mark jernigan@chemtura.com

Thank you for your attention to this matter

Sincerely,

Mark Jernigan

Regulatory Affairs Manager

Enclosures

{All text in brackets [xxx] is optional and may or may not be included on a final label } {All text in braces {xxx} is administrative and will not appear on a final label }

RWP SHOCK PLUS®

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetrione 58 2% OTHER INGREDIENTS 41 8% TOTAL INGREDIENTS 100 0%

KEEP OUT OF REACH OF CHILDREN

DANGER

See [back] [side] panel for First Aid and additional precautionary statements

MANUFACTURED FOR RECREATIONAL WATER PRODUCTS P O BOX 1449 BUFORD, GEORGIA 30515

EPA REG NO 67262-27 EPA EST NO 5185-GA-1

NET CONTENT {as indicated on container}

NOTIFICATION 22

```
[TO OPEN CUT ALONG DOTTED LINE WITH SCISSORS] {Statement to appear in upper corner of
       child resistant bag when product is sold in a bag }
       [What?] {For use on front panel of label as a header above/beside product name }
       [Why?] {For use on front panel of label as a header above/beside use claims chosen from accepted label
       text that relates to the consumer features and benefits of product }
       [4-IN-1 POOL SHOCK]
       Oxidizer, Buffer, Clarifier and Flocculantl
       [No pre-dissolving]
       [Produces super clear water]
       [Treat and Swim in as soon as 15 minutes*]
       [Swim in as soon as 15 minutes after use*]
       [*Refer to the Re-entry statement on the back panel for further guidance] {This statement will appear on
       the front panel of label when one of the asterisked statements is used concerning swim in 15 minutes }
       [Reduces the need for other maintenance products]
       [Fast dissolving shock treatment]
Fast dissolving]
       [Do not mix with other products]
       [Treats 12,000 gallons] {Only to be used when sold in one pound units }
       [One pound treats 12,000 gallons]
       [For use with small pools]
       [For small pools]
       [For small vinyl pools]
       [Treats pools up to 10,000 gallons]
       [U S Patent # 5,670,059]
       [For use with all pool surfaces]
       [For all pool surfaces]
       [For all pool surfaces] [including vinyl, plaster and fiberglass]
       [For all pools, including vinyl, plaster and fiberglass]
       [Reduces organic contaminants]
       [Clarifies water]
       [Clears cloudy water]
       [Creates sparkling water]
       [Enhances filtration]
      [Improves filter performance]
       [Gathers debris for easy removal]
       [Gathers debris for easy filtration]
       [Does not increase pH]
     ⇒[Will not increase pH]
       [pH balanced]
       [Reduces chlorine odor and eye irritation]
       [Suitable for opening pools]
       [Suitable for pool opening and winterization]
       [Suitable for pool opening and closing]
       [Suitable for winterizing pools]
       [Can be used in salt pools]
       [Compatible with salt pools]
       [Suitable for closing pools]
       [Reduces chlorine odor]
       [Reduces eye irritation]
       [Helps reduce eye irritation]
```

IEW

[Destroys eye irritating compounds in swimming pool water] [Helps make swimming pool water less irritating to eyes] [PATENTED TECHNOLOGY] [Made in USA]

[When?] {For use on front panel of label as a header above/beside text chosen from accepted label text that relates to the consumer anticipated frequency of product use } [1 X a week]

{The "Pool Essentials System box below may be placed on the label to allow easy product category


identification by consumers }


| Pool Essentials System | \bigcirc | \bigcirc | \bigcirc | \bigcirc | |
|---------------------------|------------|------------|------------|------------|--|
| | balance | chlorinate | shock | algaecide | |

(The 4-step System' box below may be placed on the label to allow easy product category and the label to allow easy product category and the label to allow easy product category.)

identification by consumers }

4 step System balance chlorinate shock algaecide









{Directions to be used for shock application, Option A}

IWHY TO USE THIS PRODUCT This premium shock product is easy to use and performs multiple, important maintenance functions. Shock Plus® effectively oxidizes during shock treatment organic contaminants that cause cloudy water, musty odors and eye irritation by utilizing advanced patented technology. This technology combines oxidizers, water clarifiers, flocculants and buffers to provide crystal clear water with no cloudy residue and without increasing pH like ordinary shock products.

Shock Plus is designed for use in all pool types by adding the product directly to the pool without predissolving. Because it dissolves rapidly and performs multiple maintenance functions, this product works fast and effectively, allowing swimming to resume in as little as 15 minutes.* Shock Plus is ideal for both last minute and routine maintenance applications.]

{or}

[WHY TO USE THIS PRODUCT | Swimming pool shock treatment]

DO NOT mix Shock Plus directly with any other shock products or pool chemicals, as violent reactions could occur. Shock Plus must be applied directly into the pool water. DO NOT predissolve Shock Plus.

IMPORTANT NOTES

- When using other products, always follow label directions for those products
- As with other products, this product may promote metal stains on pool surfaces. Always check water for metal content and if present, remove metals with a stain and scale inhibitor prior to the addition of this product.
- This product is not a sanitizer or algicide. To sanitize your pool or for removal of algae, use the appropriate [Pool Time] [Aqua Chem] product specifically formulated for those purposes

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling Read entire label and use strictly in accordance with precautionary statements and directions

BEFORE YOU BEGIN

- 1 Make sure all pool equipment is working properly
- 2 Backwash filter following manufacturer's directions
- Check alkalınıty, pH and calcium hardness with a test kit. Adjust alkalınıty to 80 125 for plaster pools and 125 150 for vinyl and fiberglass pools. Adjust pH to 7 2 7 6. Adjust calcium hardness to 200 275 for plaster pools and 175 225 for vinyl and fiberglass pools.

NOW USE THIS PRODUCT

Routine Maintenance

- [With pump operating, apply 1 lb [(2, 8oz cups)] *(for use if product is not in premeasured bag)* of Shock Plus per 12,000 gallons directly into pool [***]] *(and/or)* [For small vinyl pools with pump operating, apply 3 5 teaspoons of Shock Plus per 500 gallons or 1 3 ounces per 1,000 gallons directly into pool **] DO NOT pre-dissolve Shock Plus DO NOT apply Shock Plus through (skimmer or chemical feeding device as other chemicals may be present which could result in a violent reaction
- Wait at least 15 minutes after product application before entering pool *
- Operate pump and filter continuously for 4 to 8 hours after product addition
- 4 For best results, apply Shock Plus weekly as part of your maintenance routine

[**Use a clean, dedicated spoon to dose the appropriate amount of product into the pool Keep the dosage spoon stored out of reach of children 3 teaspoons equals 1 tablespoon 1 75 tablespoons equals 1 ounce] [***Always apply this product in its dry form using a clean dry plastic cup or scoop Do not use this cup for any other purpose] [for use if product is not in premeasured bag]

Additional Applications

Wind, rain, increased water temperature and the number and frequency of bathers can cause cloudy water, unpleasant odors or eye irritation which may require additional application(s) of this product. Follow routine maintenance instructions

* TEST CHLORINE LEVEL PRIOR TO RE-ENTRY RE-ENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 4 PPM CHLORINE DUE TO RISK OF BODILY INJURY

FOR POOL CLOSURE

Apply Shock Plus at a rate of 1 lb per 6,000 gallons before closing pool for the winter Apply an appropriate winter algaecide after addition of this product]

{Directions to be used for shock application, Option B}

[How?]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling Read entire label and use strictly in accordance with precautionary statements and directions

To Shock Water Clear

- Add [1 lb [(2, 8oz cups)] *{for use if product is not in premeasured bag}* per 12,000 gallons into the deepest pool area [***]] {or} [Add 3 5 teaspoons per 500 gallons or 1 3 ounces per 1,000 gallons directly into pool **] while filter and pump are operating
- DO NOT pre-dissolve, DO NOT apply through skimmer or chemical feeder, DO NOT mix with other chemicals, a violent reaction may result
- Wait at least 15 minutes after product application before entering pool *
- Operate pump and filter continuously for 4 to 8 hours after product addition
- Apply more product after heavy use, high temperatures, or rain For best results, shock pool weekly
- [This product is not a sanitizer or [algaecide] {or} [algicide] Use the appropriate product specifically formulated for sanitization or removing algae]

[**Use a clean, dedicated spoon Keep the spoon stored out of reach of children 3 teaspoons equals 1 tablespoon 1 3/4 tablespoons equals 1 ounce]

[***Always apply this product in its dry form using a clean dry plastic cup or scoop Do not use this cup for any other purpose] {for use if product is not in premeasured bag}

* TEST CHLORINE LEVEL PRIOR TO RE-ENTRY RE-ENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 4 PPM CHLORINE DUE TO RISK OF BODILY INJURY

[To Close Pool

- Apply this product at a rate of 1 lb per 6,000 gallons into the deepest pool area while filter and pump are operating
- Apply an appropriate winter algaecide after addition of this product]
- [Visit [the Aqua Chem Web Site] {or} [www aquachem com] {or} [the Pool Time website] {or} [www pooltime com] for complete pool closing instructions]]

120414

{Storage and Disposal directions when product is sold in bags }

ISTORAGE AND DISPOSAL Keep this product dry in its original unopened bag until use. For partially used bags, fold over top of bag and secure with adhesive tape. Store unopened and partially used bags in a secure location away from children. Store in a cool, dry, well ventilated area away from heat or open flame. If product becomes damp, discard, following instructions for contamination under Physical or Chemical Hazards. **CONTAINER DISPOSAL** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.]

{Storage and Disposal directions when product is sold in bottles }

[STORAGE AND DISPOSAL Keep this product dry in original tightly closed container when not in use Store in a cool, dry, well ventilated area away from heat or open flame. If product becomes damp, discard, following instructions for contamination under Physical or Chemical Hazards CONTAINER DISPOSAL Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER Corrosive Causes irreversible eye damage Do not breathe dust, may be harmful if inhaled May be harmful if swallowed or absorbed through the skin Causes skin irritation. Prolonged and frequently repeated skin contact may cause allergic reactions in some individuals. Wear protective eyewear (safety glasses, goggles) and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse

{First Aid will be separated by line rules from adjacent text and be in a different color }

FIRST AID IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible Call poison control center or doctor for treatment advice IF ON SKIN OR CLOTHING. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED. Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment [IN CASE OF MEDICAL EMERGENCY, CALL [1-303-623-5716] [1-877 998-5553] [telephone number supplied by supplemental registrant]

Note to Physician Probable mucosal damage may contraindicate the use of gastric lavage

PHYSICAL OR CHEMICAL HAZARDS CONTAINS OXIDIZING AGENTS Do not mix with other chemicals or any other substance DO NOT pre-dissolve or add water to this product. Always apply directly into the pool. Contamination of this product with small amounts of water or other substances may start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal [bag] [container]. Isolate [bag] [container] in open air or well-ventilated area. Flood [bag] [container] and area with large volumes of water. In case of spills, scoop up and place product in pool water, then flood spilled area with large volumes of water.

{Environmental hazards statement for end-use products in containers of less than 5 gallons (liquid) or less than 50 pounds (solid dry weight) }

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms

NOTE Buyer assumes all responsibility for safety and use not in accordance with directions

{label/67262-27 doc}



