61262-

08/26/2004

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

AUG 2 6 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mark Jernigan Federal Registration Manager Recreational Water Products, Inc. PO Box 1449 Buford, GA 30515

FILE COPY

Subject: Granular Chlorinator EPA Registration No. 67262-36 Application Date: August 5, 2009 Receipt Date: August 7, 2009

Dear Mr. Jernigan:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

Revision of Storage and Disposal Statement per PR Notice 2007-4

General Comments:

Based on a review of the material submitted, the following comments apply:

The notification is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henšon Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

Please read instructions on	reverse before com	'ng form.		Form Ap	prove(OMB No.	2070-006	30. Approval expires 2-28-	
United States Environmental Protection Washington, DC 20460			Agency ✓		Registration Amendment Other		OPP Identifier Number		
		Applicatio	n for Pestic	ide - Sec	tion	1		, · · ·	
. Company/Product Numb	er		1	Product Man	ager		3. P	roposed Classification	
67262-36		· · · · · · · · · · · · · · · · · · ·	1 1			None Restricted			
4. Сотралу/Product (Name) Granular Chlorinator			PM# 32						
5. Name and Address of Applicant <i>(Include ZIP Code)</i> Recreational Water Products, Inc. PO Box 1449 Buford, GA 30515			(b)(i), <i>t</i> to:	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling					
Check if the	is is a new address		Produ	uct Name		<u></u>			
			Section -	11					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.						
xplanation: Use additio									
_		osal language pe	r PR Notice 2007-4	ura.com 4.					
_		osal language pe	r PR Notice 2007-4 Section - I	4.			<u></u>		
See attached page for certif	ication.	osal language pe		4.					
See attached page for certif	ication.	osal language pe		4. 		2. Type of	f Containe		
See attached page for certif . Material This Product Wi hild-Resistant Packaging Yes	II Be Packaged In: Unit Packaging Yes	osal language pe	Section - I	4. 		2. Type of	f Container Metal Plastic		
Material This Product Win	Il Be Packaged In: Unit Packaging Yes No		Section - I Water Soluble F Yes No	4. III Packaging		2. Type of	Metal Plastic Glass		
See attached page for certif	II Be Packaged In: Unit Packaging Yes	No. per	Section - I	4. 		2. Type of	Metal Plastic Glass Paper	r Specifγ)	
See attached page for certif	Il Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt	No. per	Section - I	4. III Packaging No. per		cation of La	Metal Plastic Glass Paper Other (s	Specify)	
Material This Product Winhild-Resistant Packaging Yes No Certification must bubmitted Location of Net Contents Label	II Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Information Container	No. per container 4. Size(s) Reta	Section - I Water Soluble F Yes No If "Yes" Package wgt iil Container	4. Packaging No. per containe	5. Lo		Metal Plastic Glass Paper Other (s	Specify)	
See attached page for certif	II Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Information Container	No. per container 4. Size(s) Reta	Section - I Water Soluble F Yes No If "Yes" Package wgt iil Container	4. III Packaging No. per	5. Lo	cation of La	Metal Plastic Glass Paper Other (s	Specify)	
Material This Product Winhild-Resistant Packaging Yes No Certification must bubmitted Location of Net Contents Label	II Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Information Container	No. per . container	Section - I Water Soluble F Yes No If "Yes" Package wgt il Container	4. Packaging No. per containe Containe	5. Lo	cation of La	Metal Plastic Glass Paper Other (s	Specify)	
See attached page for certif	Il Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Information Container Affixed to Product	No. per container 4. Size(s) Reta Lithogr Paper g Stencil	Section - I Water Soluble F Yes No If "Yes" Package wgt ill Container aph Jued ed Section - I	4. III Packaging No. per containe Containe	5. Lo	cation of La	Metal Plastic Glass Paper Other (Specify) ons 	
No Certification must be submitted	Il Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Information Container Affixed to Product	No. per container 4. Size(s) Reta Lithogra Paper of Stencil for identification	Section - I Water Soluble F Yes No If "Yes" Package wgt ill Container aph Jued ed Section - I	4. III Packaging No. per containe Othe V De contacted,	5. Lo	cation of La	Metal Plastic Glass Paper Other (bel Directi	Specify) ons 	
See attached page for certif	Il Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Information Container Affixed to Product	No. per container 4. Size(s) Reta Lithogra Paper g Stencion for identification Certificat	Section - I Water Soluble F Yes No If "Yes" Package wgt iil Container Section - I for individual to b Title Regulatory Affair ion all attachments th	4. III Packaging No. per containe Othe V De contacted, rs Manager hereto are true	5. Lo	essary, to p	Metal Plastic Glass Paper Other (bel Directi	Specify) ons cccc sepplication; ne No. (Inciude Area Code) -4149: cccc 6. Dute Application Received (Stamped)	
See attached page for certif	Il Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt Information Container Affixed to Product	No. per container 4. Size(s) Reta Paper g Stencil for identification Certificat to this form and a misleading state	Section - I Water Soluble F Yes No If "Yes" Package wgt iil Container Section - I for individual to b Title Regulatory Affair ion all attachments th	4. III Packaging No. per containe Othe V De contacted, rs Manager hereto are true nishable by fi	5. Lo	essary, to p	Metal Plastic Glass Paper Other (bel Directi	Specify) ons	

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

EPA Registration Number: 67262-36

Product: Granular Chlorinator

Application for Pesticide dated: August 5, 2009

(

Section - II Explanation (Continued)

,

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Mar Jemigan

 $\left(\right)$



August 5, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U. S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

Re: Granular Chlorinator EPA Registration No.: 67262-36

Dear Sir/Madam:

Please process the enclosed notification for the above referenced product.

The purpose of this notification is to add language required by the Pesticide Container Rule under Storage and Disposal per PR Notice 2007-4.

Enclosed are:

- 1. Application for Pesticide (EPA Form 8570-1);
- 2. Notification Certification Statement; and
- 3. Proposed label with changes marked.


If you have any questions, please call me at 678-502-4149 or mark.jernigan@chemtura.com.

Thank you for your attention to this matter.

Sincerely, nack Gernigan

Mark Jernigan Regulatory Affairs Manager

Enclosures



{All text in brackets [xxx] is optional and may or may not be included on a final label.} {All text in braces {xxx} is administrative and will not appear on a final label.}

Ć

2

.

Granular Chlorinator

Nata Ba	DTIFICATION 126/09
53.5% 46.5% 100.0%	od By: Charge
tionary statements.	
FRA: not	nce on Master
other product. See label for	
	53.5% 46.5% 100.0% tionary statements. EPA REG. # 67 EPA EST. # 51 of per EPA's prefer hange ets or front panel of bags.} other product. See label for

{Optional marketing statements for use only with swimming pool sanitization directions} [Swimming Pool Sanitizer] [Granular Sanitizer and Shock] [Sanitizer and Shock] [For use as a Shock] [With built in clarifier, filtration enhancer and sun light protector] [[Multifunctional Sanitizer and Shock][With built in clarifier, filtration enhancer and sun light protector]] [Sanitizes, Clarifies, Kills Algae and Enhances Filtration] [Granular Chlorinated Sanitizer & Shock] [Routine Chlorinator] [Buffered Sanitizer]

{Optional marketing statements for use only with superchlorination/shock directions} [Shock product] [Shock Treatment] [Shock] [With built in clarifier, filter enhancer and sun light protector]] [[Multifunctional Shock][With built in clarifier, filter enhancer and sun light protector] [For Pool Start-up and Weekly Shock Treatment] [For Heavy Bather Loads] [For Use After Heavy Rains] [For Heavy Bather Loads or After Heavy Rains] [Superchlorinator] [Shock Treatment and Superchlorination]

(

{Following chart is optional}

Our Ingredients:	What They Do:
Trichloro-s-triazinetrione	Kills Bacteria, Kills Algae, Destroys Organic Wastes
Clarifier/Filtration enhancer	Makes water Crystal Clear
Sunlight Protector	Protects chlorine from sunlight dissipation

{Directions to be used for swimming pool sanitization product}

[This product is a concentrated chlorinating agent. It is in a dry, free-flowing form. It kills bacteria and destroys organic contaminants in pools]

[You [can] use this product:]

- [For routine daily chlorination (sanitation)]
- [To superchlorinate]
- [To shock]
- [To kill algae]
- [To kill bacteria]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

[WATER BALANCE: Optimum product performance and swimmer comfort will be achieved if you test, adjust and maintain to the following: pH between 7.2 - 7.6, alkalinity between 80 - 125 ppm for plaster pools and 125 – 150 ppm for vinyl, fiberglass and painted pools. Calcium hardness between 200 - 250 ppm for plaster pools, and 175 – 225 ppm for vinyl, fiberglass and painted pools.]

[DO NOT pre-dissolve this product before adding to pool or skimmer. DO NOT mix this product with any other products or chemicals. Always apply this product in its dry form using a clean dry plastic cup or scoop. Do not use this cup for any other purpose. This product should be applied through the skimmer or directly to pool as follows:]

Add Directly to Skimmer: Add product in dry form directly through the skimmer with the basket removed and the pump running. Replace the skimmer basket and keep the pump running for at least 2 to 4 hours.

Add Directly to Pool: Add product in dry form directly to the pool water, with the pump running for at least 2 to 4 hours. If your pool has a bleachable surface, such as vinyl, colored plaster, painted plaster, or fiberglass, use skimmer application, or add directly to pool, brushing visible product until completely dissolved to avoid bleaching.

[To open your pool in the spring, if the pool has not been maintained for several weeks, or if the pool is freshly filled: brush all pool surfaces with pump operating. Add 1 lb. (2, 8oz cups) of this product in dry form per 10,000 gallons of pool water. After two hours, test chlorine level (residual). Repeat dosage until you obtain a chlorine level of 1 - 3 ppm.]

[To sanitize your pool, add 4 to 6 oz (1/2 to 3/4, 8oz cup) of this product in dry form per 10,000 gallons of pool water every day, every other day or as often as needed to maintain a chiorine level between 1 - 3 ppm.] [The amount of product required and frequency of addition will vary with the number of swimmers, water temperature and amount of rain. [Operate the pump a minimum of 10 hours per day for best results.]

[To shock your pool, apply product weekly, when bather loads are high, water appears hazy or dull, unpleasant odors or eye irritation occurs, or after heavy rain. Add 1lb. (2, 8oz cups) of this product in dry form per 10,000 gallons of pool water.]

[To treat algae, brush algae from pool surfaces. Add 1lb. (2, 8oz cups) of this product in dry form per 10,000 gallons of pool water for light algae growth. Add 2 lb. (4, 8oz cups) of this product in dry form per 10,000 gallons of pool water for moderate to heavy algae growth. Repeat if necessary.]

(

1-

[To winterize your pool, treat any algae present, then: add 2.5 lbs. (5, 8oz cups) of this product in dry form per 10,000 gallons of pool water.]

Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk of bodily injury.

8/12

[You [can] use this product:]

- [To superchlorinate]
- [To shock]
- [To kill algae]
- [To kill bacteria]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.**

[WATER BALANCE: Optimum product performance and swimmer comfort will be achieved if you test, adjust and maintain to the following: pH between 7.2 - 7.6, alkalinity between 80 - 125 ppm for plaster pools and 125 – 150 ppm for vinyl, fiberglass and painted pools. Calcium hardness between 200 - 250 ppm for plaster pools, and 175 – 225 ppm for vinyl, fiberglass and painted pools.]

{For application as a Shock when sold in a child resistant bag}

[DO NOT pre-dissolve this product before adding to pool or skimmer. DO NOT mix this product with any other products or chemicals. This product should be applied in its dry form through the skimmer or directly to pool as follows:]

{For application as a Shock when sold in a bottle/bucket}

[DO NOT pre-dissolve this product before adding to pool or skimmer. DO NOT mix this product with any other products or chemicals. Always apply this product in its dry form using a clean dry plastic cup or scoop. Do not use this cup for any other purpose. This product should be applied through the skimmer or directly to pool as follows:]

Add Directly to Skimmer: Add product in dry form directly through the skimmer with the basket removed and the pump running. Replace the skimmer basket and keep the pump running for at least 2 to 4 hours.

Add Directly to Pool: Add product in dry form directly to the pool water, with the pump running for at least 2 to 4 hours. If your pool has a bleachable surface, such as vinyl, colored plaster, painted or fiberglass, use skimmer application, or add directly to pool, bruching visible product until completely dissolved to avoid bleaching.

[To open your pool in the spring, if the pool has not been maintained for several weeks; or if the pool is freshly filled: brush all pool surfaces with pump operating. Add 1 lb. (2, 862 cups) of this product in dry form per 10,000 gallons of pool water. After two hours, test chlorine level (residual). Repeat dosage until you obtain a chlorine level of 1 – 3 ppm.]

[To shock your pool, apply product weekly when bather loads are high, water appears hazy or dull, unpleasant odors or eye irritation occurs, or after heavy rain. Add 1lb. (2, 8oz cups) of this product in dry form per 10,000 gallons of pool water.]

[To treat algae, brush algae from pool surfaces. Add 1lb. (2, 8oz cups) of this product in dry form per 10,000 gallons of pool water for light algae growth. Add 2 lb. (4, 8oz cups) of this product in dry form per 10,000 gallons of pool water for moderate to heavy algae growth. Repeat if necessary.]

[To treat winterize your pool, treat any algae present then add 2.5 lbs. (5, 8oz cups) of this product in dry form per 10,000 gallons of pool water.]

Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk of bodily injury.

· · · · · · · · · · · · · · · · · · ·
; , L L L ; , I K C G , I K C , I K , I , I , I , I , I , I , I , I , I , I
·

ļ

10/12

{Storage and Disposal directions when product is sold in bottles/buckets.}

ISTORAGE AND DISPOSAL Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not contaminate food or feed by storage or disposal, CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.]

{Storage and Disposal directions when product is sold in bags.}

[STORAGE AND DISPOSAL Keep this product dry in its original unopened bag until use. For partially used bags, fold over top of bag and secure with adhesive tape. Store unopened and partially used bags in a secure location away from children. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not contaminate food or feed by storage or disposal. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.] T changed per PRNotice 2007-4

PRECAUTIONARY STATEMENTS:

.1

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: Corrosive. Causes irreversible eve damage and skin irritation. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wear goggles, face shield, or shielded safety glasses, coveralls worn over short-sleeved shirt and short pants, socks, chemical-resistant gloves, chemical-resistant footwear, and a dust/mist filtering repirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, R, P or HE filter. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS CONTAINS AN OXIDIZING AGENT: DO NOT mix with other products or chemicals. Never add water to product. Always add product in dry form directly to pool or pool skimmer. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire, and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood area with large volumes of water. Keep area ventilated until all fumes are gone.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call'a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swailow, Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor. or going for treatment. IN CASE OF MEDICAL EMERGENCY, CALL 1-877-800-5553.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric layage.

(Environmental hazards statement for end-use products in containers of less than 5 gallons (liquid) or less than 50 pounds (solid, dry weight).}

[ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms.]

{Environmental hazards statement for end-use products in containers of equal to or greater than 5 gallons (liquid) or equal to or greater than 50 pounds (solid, dry weight).}

[ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.1

NOTE: Buyer assumes all responsibilities for safety and use not in accordance with directions.

(The following is optional text to be used at Recreational Water Product's discretion with swimming pool use directions. This information is non-essential and will be provided only as a courtesy. Will not appear on all swimming pool products.}

HOW TO CALCULATE POOL CAPACITY

Shape of Pool Gallons of water

Rectangular Average depth x average length x average width x 7.5 Diameter x diameter x average depth x 5.9 Circular Full width x full length x average depth x 5.9 Oval Consult pool builder Irregular

[Questions or Comments?

Use our ON-LINE water analysis at [www.aquachem.com] [www.pooltime.com] or CALL (800) 252-POOL (7665).]

[Questions or Comments?

Please call Pro Care at (800) 219-6468.]

[Free on-line water analysis from your home computer! Long onto [www.aquachem.com] . [www.pooltime.com] for: ьę

- personalized pool water analysis •
- step-by-step application instructions
- dosage recommendations
- store locator] •

LECTE

.... 5 **6** 6 • **6** • •