

67262-36

9/18/2012

1/16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D C 20460

SEP 18 2012

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mark Jernigan, Regulatory Affairs Manager
Recreational Water Products, Inc
P O Box 1449
Buford, GA 30515-1449

Subject Granular Chlorinator
EPA Registration Number 67262-36
Application Date August 17, 2012
Pin Punch Receipt Date August 22, 2012

Dear Mr Jernigan

This acknowledges receipt of your Notification submitted in accordance with the provisions of PR Notice 98-10 under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9

Proposed Notification

Addition of marketing language Reduces eye irritation when used as directed

General Comments

Based on a review of the material submitted, the notification is acceptable

If you have any questions about this letter, please contact Tom Luminello by telephone, (703) 308-8075, or by e-mail at luminello tom@epa gov

Sincerely,

for Tom Luminello

Monisha Harris
Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510 P)



United States Environmental Protection Agency Washington DC 20460

Registration Amendment Other

OPP Identifier Number

Application for Pesticide Section I

1 Company/Product Number 67262 36
2 EPA Product Manager M Harris
3 Proposed Classification None Restricted
4 Company/Product (Name) Granular Chlorinator PM# 32
5 Name and Address of Applicant (Include ZIP Code) Recreational Water Products Inc PO Box 1449 Buford GA 30515
6 Expedited Review In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to EPA Reg No Product Name

Section II

Amendment Explain below
Resubmission in response to Agency letter dated
Notification Explain below
Final printed labels in response to Agency letter dated
Me Too Application
Other Explain below

Explanation Use additional page(s) if necessary (For section I and Section II)
Fee Determination Fee Category Not Applicable (Notification) mark jernigan@chemtura.com
Notification to add additional marketing statement Addition is marked on page 2 of enclosed label Justification for permitting the addition of this claim regarding use of the product to reduce eye irritation are provided in the cover letter Per PR Notice 98 10 Section II (Labeling Notifications) Part N (Other Revisions) Please see attached page for certification

Section III

1 Material This Product Will Be Packaged In
Child Resistant Packaging Unit Packaging Water Soluble Packaging 2 Type of Container
3 Location of Net Contents Information 4 Size(s) Retail Container 5 Location of Label Directions
6 Manner in Which Label is Affixed to Product

Section IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)
Name Mark Jernigan Title Regulatory Affairs Manager Telephone No (Include Area Code) 678 502 4149
Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law
2 Signature Mark Jernigan 3 Title Regulatory Affairs Manager
4 Typed Name Mark Jernigan 5 Date 8/17/12
6 Date Application Received (Stamped)



AS b d ry f G t L k Ch m LC p t

3/16

August 17 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U S Environmental Protection Agency
Room S 4900 One Potomac Yard
2777 South Crystal Drive
Arlington VA 22202

**Re Granular Chlormator
EPA Registration No 67262 36**

Dear Ms Harris

Please process the enclosed notification for the above referenced product The purpose of this notification is to add the optional marketing claim Reduces eye irritation** with the footnote **when used as a shock product

We had submitted a notification in May of this year to add Reduces eye irritation EPA responded with a revised claim of Reduce eye irritation used as a shock product per label direction Through an email exchange (enclosed for reference) with the reviewer David Liem he agreed with the revised statement that we are submitting Therefore we are submitting the revised claim in this notification as requested

Enclosed are

- 1 Application for Pesticide (EPA Form 8570 1)
- 2 Notification Certification Statement
- 3 EPA letter of June 18 2012
- 4 E mail exchange with David Liem and
- 5 Proposed label with changes marked

If you have any questions please call me at 678 502 4149 or mark.jernigan@cheritua.com

Thank you for your attention to this matter

Sincerely

Mark Jernigan
Regulatory Affairs Manager

Enclosures

Bio Lab Inc
PO Box 300002
Lawrenceville GA 30049 1002

tel (678) 502 4000



4/16

{All text in brackets [xxx] is optional and may or may not be included on a final label }
{All text in braces {xxx} is administrative and will not appear on a final label }

Granular Chlorinator

ACTIVE INGREDIENT	
Trichloro s triazinetrione*	53 5%
OTHER INGREDIENTS	46 5%
TOTAL	100 0%
*Available Chlorine	48 6%

KEEP OUT OF REACH OF CHILDREN
DANGER

See [back] [side] panel for first aid and additional precautionary statements

MANUFACTURED FOR
RECREATIONAL WATER PRODUCTS INC
PO Box 1449
Buford GA 30515

EPA REG No 67262-36
EPA EST No 5185-GA-1

Net Contents

{The following statement will appear on the lid of bottles/buckets or front panel of bags }
DO NOT mix with [Calcium Hypochlorite or] any other product See label for additional important product information


- {General statements available to all labels}*
- [Do not mix this product with any other product]
- [Do Not Mix with Calcium Hypochlorite or Any Other Product]
- [Apply in dry form Do Not Pre-dissolve]
- [What?] *{For use on front panel of label as a header above/beside product name }*
- [Why?] *{For use on front panel of label as a header above/beside marketing statements chosen from accepted label text that relates to the consumer features and benefits of product }*
- [Kills Bacteria and Algae]
- [Contains a Filter Enhancer]
- [Convenient skimmer application]
- [Easy skimmer application]
- [Add directly to Skimmer]
- [Add Directly to Skimmer or Directly to Pool]
- [Add dry product through skimmer or directly to pool]
- [Destroys Swimmer Contaminants]
- [Destroys Organic Wastes]
- [For use as a Shock]
- [Kills Algae]
- [Kills Bacteria]
- [Controls Algae]
- [Produces Sparkling Clean Swimming Pool Water]

- [Suitable for all pool types]
- [For all pool surfaces] [including vinyl plaster and fiberglass]
- [For all pools including vinyl plaster and fiberglass]
- [For use in all pool types]
- [Creates sparkling water]
- [Clears cloudy water]
- [Add through skimmer or directly to pool]
- [Enhances filtration]
- [Improves filter performance]
- [Kills bacteria & algae]
- [Can be used in salt pools]
- [Compatible with salt pools]
- [Suitable for opening pools]
- [Suitable for pool opening and winterization]
- [Suitable for pool opening and closing]
- [Suitable for winterizing pools]
- [Suitable for pool closing]
- [Suitable for pool winterization]
- [Suitable for closing pools]
- [Shocks water clear]
- [Keeps water clean]
- [Made in the USA]
- [Reduces chlorine odor]
- [Reduces eye irritation when used as directed] ← New

{Optional marketing statements for use only with swimming pool sanitization directions}

- [Swimming Pool Sanitizer]
- [Granular Sanitizer and Shock]
- [Sanitizer and Shock]
- [For use as a Shock]
- [With built in clarifier filtration enhancer and sun light protector]
- [[Multifunctional Sanitizer and Shock][With built in clarifier, filtration enhancer and sun light protector]]
- [Sanitizes Clarifies Kills Algae and Enhances Filtration]
- [Granular Chlorinated Sanitizer & Shock]
- [Routine Chlorinator]
- [Buffered Sanitizer]
- [For Everyday Use]
- [When?] *{For use on front panel of label as a header above/beside text chosen from accepted label text that relates to the consumer anticipated frequency of product use }*
- [Daily*] *{To be used when sold with sanitizer/shock/algaecide directions}*
- [*Approximate application rate to chlorinate Please refer to directions for shock and algaecide application]
- { 4 step System box below may be placed on the label to allow easy product category identification by consumers }*

{When sold with sanitizer/shock/ algaecide directions}



{Optional marketing statements for use only with shock directions}

[TO OPEN CUT ALONG DOTTED LINE WITH SCISSORS] [ALWAYS OPEN BAG AWAY FROM FACE] {Statement to appear in upper corner of child resistant bag when product is sold in a bag }

[Shock product]

[Shock Treatment]

[Shock]

[1 lb treats 10 000 gallons]

[With built in clarifier filter enhancer and sun light protector]]

[[Multifunctional Shock]][With built in clarifier, filter enhancer and sun light protector]

[For Pool Start up and Weekly Shock Treatment]

[For Heavy Bather Loads]

[For Use After Heavy Rains]

[For Heavy Bather Loads or After Heavy Rains]

[Clarifies water]


[Reduces organic contaminants]

[When?] {For use on front panel of label as a header above/beside text chosen from accepted label text that relates to the consumer anticipated frequency of product use }

[1 X a week] {To be used when sold with shock directions only}


{ 4 step System box below may be placed on the label to allow easy product category identification by consumers }

{When sold with shock directions only}



4 Step System ① ② ③ ④

Step ③



{Following chart is optional}

Our Ingredients	What They Do
Trichloro s triazmetrione	Kills Bacteria Kills Algae, Destroys Organic Wastes
Clarifier/Filtration enhancer	Makes water Crystal Clear
Sunlight Protector	Protects chlorine from sunlight dissipation

{Directions to be used for swimming pool sanitization product Option A}

[This product is a concentrated chlorinating agent It is in a dry, free flowing form It kills bacteria and destroys organic contaminants in pools]

[Use this product]

- [For routine daily chlorination (sanitation)]
- [To shock]
- [To kill algae]
- [To kill bacteria]

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling **READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE**

[WATER BALANCE Optimum product performance and swimmer comfort will be achieved if you test, adjust and maintain to the following pH between 7.2 - 7.6 alkalinity between 80 - 125 ppm for plaster pools and 125 - 150 ppm for vinyl fiberglass and painted pools Maintain calcium hardness between 175 - 225 ppm]

[DO NOT pre-dissolve this product before adding to pool or skimmer **DO NOT** mix this product with any other products or chemicals Always apply this product in its dry form using a clean dry plastic cup or scoop Do not use this cup for any other purpose This product should be applied through the skimmer or directly to pool as follows]

Add Directly to Skimmer (Preferred Method) Add product in dry form directly through the skimmer with the basket removed and the pump running Replace the skimmer basket and keep the pump running for at least 4 hours

Add Directly to Pool Add product in dry form directly to the pool water with the pump running for at least 4 hours If your pool has a bleachable surface such as vinyl colored plaster painted plaster, or fiberglass, use skimmer application, or add directly to pool, brushing visible product until completely dissolved to avoid bleaching

[To open your pool in the spring, if the pool has not been maintained for several weeks, or if the pool is freshly filled brush all pool surfaces with pump operating Add 1 lb (2 8oz cups) of this product in dry form per 10 000 gallons of pool water After two hours test chlorine level (residual) Repeat dosage until you obtain a chlorine level of 1 - 4 ppm]

[To sanitize your pool add 4 to 6 oz (1/2 to 3/4 8oz cup) of this product in dry form per 10,000 gallons of pool water every day every other day or as often as needed to maintain a chlorine level between 1 - 4 ppm The amount of product required and frequency of addition will vary with the number of swimmers water temperature and amount of rain Operate the pump a minimum of 10 hours per day for best results]

[To shock your pool apply product weekly, when bather loads are high, water appears hazy or dull unpleasant odors or eye irritation occurs or after heavy rain Add 1lb (2, 8oz cups) of this product in dry form per 10 000 gallons of pool water]

8/16

[To treat algae, brush algae from pool surfaces Add 1lb (2 8oz cups) of this product in dry form per 10 000 gallons of pool water for light algae growth Add 2 lb (4 8oz cups) of this product in dry form per 10,000 gallons of pool water for moderate to heavy algae growth Repeat if necessary]

[To winterize your pool treat any algae present then add 2 5 lbs (5 8oz cups) of this product in dry form per 10 000 gallons of pool water]

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of bodily injury

{Simplified use directions to be used for swimming pool sanitization product Option B}

[How?]

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling **READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE**

- Test and balance water before using this product Visit [the Aqua Chem Web Site] {or} [www aquachem com] {or} [the Pool Time website] {or} [www pooltime com] {or} [the Brand website] {or} [www brand com] for complete pool balancing instructions
- If you have a vinyl liner and your water is cloudy follow the 'Add Directly to Skimmer' application method to avoid bleaching

Application Methods

If your pool has a bleachable surface such as vinyl, colored plaster painted plaster or fiberglass use skimmer application or add directly to pool brushing visible product until completely dissolved to avoid bleaching

Add Directly to Skimmer (Preferred Method) Remove basket Add product through the skimmer Operate the filter and pump at least 4 hours

Add Directly to Pool Add product to the deepest area of the pool Operate the filter and pump at least 4 hours

[To Keep Water Clean

Start-up

- Add [16 oz] {or} [1 lb] per 10 000 gallons using the application methods above Repeat as needed to establish 1 4 ppm free chlorine

Routine

- Add 2 to 4 oz per 10 000 gallons daily or as often as needed using the application methods above, to maintain a chlorine level between 1 4 ppm
- Apply more product after heavy use high temperatures, or rain To keep water clear, shock pool weekly
- Do not pre-dissolve this product before adding to pool or skimmer Do not mix this product with any other products or chemicals
- [Always apply this product in its dry form using a clean dry plastic cup or scoop Do not use this cup for any other purpose]

[To Shock Water Clear

- Add [16 oz] {or} [1 lb] per 10 000 gallons while filter and pump are operating using the application methods above
- Add more product after heavy use high temperatures or rain To keep water clear shock pool weekly
- Do not pre-dissolve this product before adding to pool or skimmer Do not mix this product with any other products or chemicals]

[To Kill Algae

- Brush visible algae from pool surfaces
- For light algae add [16 oz] {or} [1 lb] per 10,000 gallons using the application methods above
- For heavy algae add [32 oz] {or} [2 lb] per 10,000 gallons using the application methods above
- Product can be re applied after 72 hours if necessary]

[To Close Pools

- Kill any visible algae using To Kill Algae directions
- Add [40 oz] {or} [2 5 lb] per 10,000 gallons using the appropriate application method above
- [Add an appropriate winter [algacide] {or} [algicide] after addition of this product]
- [Visit [the Aqua Chem Web Site] {or} [www aquachem com] {or} [the Pool Time website] {or} [www pooltime com] {or} [the Brand website] {or} [www brand com]for complete pool closing instructions]]

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of bodily injury

{Directions to be used for shock product Option A}

[Use this product]

- [To shock]
- [To kill algae]
- [To kill bacteria]

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling **READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE**

[WATER BALANCE Optimum product performance and swimmer comfort will be achieved if you test adjust and maintain to the following pH between 7.2 - 7.6, alkalinity between 80 - 125 ppm for plaster pools and 125 - 150 ppm for vinyl, fiberglass and painted pools. Maintain calcium hardness between 175 - 225 ppm]

{For application as a Shock when sold in a child resistant bag}

[DO NOT pre dissolve this product before adding to pool or skimmer DO NOT mix this product with any other products or chemicals This product should be applied in its dry form through the skimmer or directly to pool as follows]

{For application as a Shock when sold in a bottle/bucket}

[DO NOT pre-dissolve this product before adding to pool or skimmer DO NOT mix this product with any other products or chemicals Always apply this product in its dry form using a clean dry plastic cup or scoop Do not use this cup for any other purpose This product should be applied through the skimmer or directly to pool as follows]

Add Directly to Skimmer (Preferred Method) Add product in dry form directly through the skimmer with the basket removed and the pump running. Replace the skimmer basket and keep the pump running for at least 4 hours.

Add Directly to Pool Add product in dry form directly to the pool water with the pump running for at least 4 hours. If your pool has a bleachable surface such as vinyl, colored plaster, painted or fiberglass, use skimmer application, or add directly to pool, brushing visible product until completely dissolved to avoid bleaching.

[To open your pool in the spring if the pool has not been maintained for several weeks, or if the pool is freshly filled brush all pool surfaces with pump operating. Add 1 lb [(2 8oz cups)] *{for use if product is not in premeasured bag}* of this product in dry form per 10,000 gallons of pool water. After two hours test chlorine level (residual). Repeat dosage until you obtain a chlorine level of 1 - 4 ppm]

[To shock your pool apply product weekly when bather loads are high water appears hazy or dull, unpleasant odors or eye irritation occurs or after heavy rain. Add 1lb [(2, 8oz cups)] *{for use if product is not in premeasured bag}* of this product in dry form per 10 000 gallons of pool water]

[To treat algae, brush algae from pool surfaces Add 1lb [(2 8oz cups)] *{for use if product is not in premeasured bag}* of this product in dry form per 10 000 gallons of pool water for light algae growth Add 2 lb [(4, 8oz cups)] *{for use if product is not in premeasured bag}* of this product in dry form per 10 000 gallons of pool water for moderate to heavy algae growth Repeat if necessary]

[To treat winterize your pool treat any algae present then add 2 5 lbs [(5, 8oz cups)] *{for use if product is not in premeasured bag}* of this product in dry form per 10 000 gallons of pool water]

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of bodily injury

{Directions to be used for shock application, Option B}

[How?]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling Read entire label and use strictly in accordance with precautionary statements and directions

- Test and balance water before using this product Visit [the Aqua Chem Web Site] {or} [www aquachem com] {or} [the Pool Time website] {or} [www pooltime com] {or} [the Brand website] {or} [www brand com] for complete pool balancing instructions
- If you have a vinyl liner and your water is cloudy follow the ‘ Add Directly to Skimmer application method to avoid bleaching

Application Methods

If your pool has a bleachable surface such as vinyl, colored plaster painted plaster, or fiberglass use skimmer application or add directly to pool brushing visible product until completely dissolved to avoid bleaching

Add Directly to Skimmer (Preferred Method) Remove basket Add product through the skimmer Operate the filter and pump at least 4 hours

Add Directly to Pool Add product to the deepest area of the pool operate the filter and pump at least 4 hours

To Shock Water Clear

- Add [16 oz] {or} [1 lb] per 10 000 gallons while filter and pump are operating using the application methods above
- Add more product after heavy use high temperatures or rain To keep water clear shock pool weekly
- Do not pre dissolve this product before adding to pool or skimmer Do not mix this product with any other products or chemicals
- [Always apply this product in its dry form using a clean dry plastic cup or scoop Do not use this cup for any other purpose]]

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of bodily injury

[To Close Pool

- Add [40 oz] {or} [2 5 lb] per 10 000 gallons using the appropriate application method above
- [Add an appropriate winter [algaecide] {or} [algicide] after addition of this product]
- [Visit [the Aqua Chem Web Site] {or} [www aquachem com] {or} [the Pool Time website] {or} [www pooltime com] {or} [the Brand website] {or} [www brand com] for complete pool closing instructions]]

{Storage and Disposal directions when product is sold in bottles/buckets }

[STORAGE AND DISPOSAL Keep this product dry in original tightly closed container when not in use Store in a cool dry well-ventilated area away from heat or open flame Do not contaminate food or feed by storage or disposal **CONTAINER DISPOSAL** Non refillable container Do not reuse or refill this container Offer for recycling, if available Triple rinse container (or equivalent) promptly after emptying]

{Storage and Disposal directions when product is sold in bags }

[STORAGE AND DISPOSAL Keep this product dry in its original unopened bag until use For partially used bags fold over top of bag and secure with adhesive tape Store unopened and partially used bags in a secure location away from children Store in a cool dry well ventilated area away from heat or open flame Do not contaminate food or feed by storage or disposal **CONTAINER DISPOSAL** Non refillable container Do not reuse or refill this container Offer for recycling if available Triple rinse container (or equivalent) promptly after emptying]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER Corrosive Causes irreversible eye damage and skin irritation May be fatal if inhaled Harmful if swallowed or absorbed through skin Do not get in eyes on skin or on clothing Do not breathe dust Wear goggles, face shield or shielded safety glasses, coveralls worn over short sleeved shirt and short pants socks, chemical resistant gloves, chemical resistant footwear, and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R P or HE filter Wash thoroughly with soap and water after handling and before eating, drinking chewing gum using tobacco or using toilet Remove and wash contaminated clothing before reuse

PHYSICAL OR CHEMICAL HAZARDS CONTAINS AN OXIDIZING AGENT DO NOT mix with other products or chemicals Never add water to product Always add product in dry form directly to pool or pool skimmer Use clean dry utensils Do not add this product to any dispensing device containing remnants of any other product Such use may cause a violent reaction leading to fire or explosion Contamination with organic matter or other chemicals will start a chemical reaction and generate heat hazardous gas possible fire and explosion In case of contamination or decomposition do not reseal container If possible isolate container in open air or well-ventilated area Flood area with large volumes of water Keep area ventilated until all fumes are gone

FIRST AID IF IN EYES Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present, after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice **IF INHALED** Move person to fresh air If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible Call poison control center or doctor for treatment advice **IF ON SKIN OR CLOTHING** Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice **IF SWALLOWED** Call poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person

Have the product container or label with you when calling a poison control center or doctor, or going for treatment IN CASE OF MEDICAL EMERGENCY CALL 1-877 800 5553

Note to Physician Probable mucosal damage may contraindicate the use of gastric lavage

{Environmental hazards statement for end-use products in containers of less than 5 gallons (liquid) or less than 50 pounds (solid dry weight) }

[ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms]

{Environmental hazards statement for end use products in containers of equal to or greater than 5 gallons (liquid) or equal to or greater than 50 pounds (solid dry weight) }

[ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms Do not discharge effluent containing this product into lakes, streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your State Water Board or Regional Office of the EPA]

NOTE Buyer assumes all responsibilities for safety and use not in accordance with directions

{The following is optional text to be used at Recreational Water Product s discretion with swimming pool use directions This information is non essential and will be provided only as a courtesy Will not appear on all swimming pool products }

HOW TO CALCULATE POOL CAPACITY

Shape of Pool Gallons of water

- Rectangular Average depth x average length x average width x 7.5
- Circular Diameter x diameter x average depth x 5.9
- Oval Full width x full length x average depth x 5.9
- Irregular Consult pool builder

[Questions or Comments?

Use our ON LINE water analysis at [www.aquachem.com] [www.pooltime.com] [www.brand.com] or CALL (800) 252-POOL (7665)]

Call 1-800-252-POOL (7665) or visit [www.aquachem.com] [www.pooltime.com] [www.brand.com]

[Free on line water analysis from your home computer! Long onto [www.aquachem.com] [www.pooltime.com] [www.brand.com] for

- personalized pool water analysis
- step-by step application instructions
- dosage recommendations
- store locator]

See [www.aquachem.com] [www.pooltime.com] [www.brand.com] for FREE online water analysis


Tamper Evident Tear Strip
Tear away by using "ring pull" on either side of lid




A line drawing of a hand pulling a strip of material from the top edge of a container's lid. The strip is being pulled away from the lid, demonstrating the 'ring pull' mechanism.

To open the lid (after the tear strip is removed)


Step 1



Step 2



Step-3



A series of three diagrams illustrating the steps to open the lid. Step 1 shows a hand lifting the lid edge, with labels '1. LIFT UP' and '2. RAISE UP'. Step 2 shows the hand pulling the lid further up, with labels '1. LIFT UP' and '2. RAISE UP'. Step 3 shows the hand holding the lid open, with labels '1. PRESS & HOLD', '2. LIFT OUT', and '3. RAISE UP'.