

**MASTER LABEL- FRONT PANEL (Page 1 of 1)**

**WS-DOSPCON X02**

**For Home & Garden Use Only**  
**Do Not Spray Directly On Plants Intended for Human Consumption**

- Deer, Rabbit, and Squirrel Repellent
- Repels by Odor and Taste
- Use on Ornamentals, Bulbs, Gardens, Lawns, and Landscaped Areas
- Protection...from the Ground Up! [*For Ornamental Bulb & Perennial Treatment Products Only*]
- Improved Formulation
- New and Improved-Higher Concentration of Odor and Taste Barriers
- [www.havahart.com](http://www.havahart.com)

**ACTIVE INGREDIENTS:**

Putrescent Whole Egg Solids.....12.000%  
 Capsaicin and related Capsaicinoids<sup>†</sup>.....0.011%  
 Garlic Oil.....0.050%

OTHER INGREDIENTS:.....87.939%  
 TOTAL: 100.000%

<sup>†</sup> From Oleoresin of Capsicum

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** (See back panel for additional precautionary statements)

STORE IN A COOL AREA  
SHAKE WELL BEFORE USING

NET CONTENTS: 8 FL. OZ. (1 PT) (236 ml); 16 FL. OZ (1PT.) (473 ml); 32 FL.OZ.  
(1QT.) (946 ml); 128 FL. OZ (1GAL.) (3.79 l); 2.5 Gallons (9.45 l)

**YIELDS**    *for 32 fl. oz.*    *for 16 fl. oz.*    *for 1 Gal.*    *For 2.5 Gal.*  
[2 GALLONS]; [1 GALLON]; [8 GALLONS]; [20 GALLONS]

**NOTIFICATION**

Date Reviewed: 11/10/09

Reviewed By: B. Casciano

**MASTER LABEL-BACK PANEL (Page 2 of 6)**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** This product contains egg solids, which may cause allergic reactions in some individuals. Not for direct use on plants intended for human consumption (i.e. food plants). Do not allow spray to drift onto plants intended for human consumption. Use this product to repel deer, rabbits and tree squirrels that feed on flowers, grass, ornamental bulbs, shrubs, plants, seedlings and trees. Do not apply at temperatures below 40°F, or in wet, windy conditions.

WS-DOSPCON X02 discourages animals from feeding on ornamental bulbs dipped in concentrate formulation for 5 minutes and allowed to dry.

**MIXING AND DILUTION DIRECTIONS:** Shake container of WS-DOSPCON X02 thoroughly prior to mixing. Mix concentrate with tap water at a ratio of 1 part concentrate to 7 parts water. Use 4 oz. of concentrate and 28 oz of water to make 1 quart (32 oz.) of spray mixture. *[for 1 gallon size]* Contents of 1 gallon bottle make 8 gallons of spray when mixed with 7 gallons of water. *[for 16 fl. oz size]* Contents of 1 pint bottle make 1 gallon of spray when mixed with 7 pints of water. *[for 32 fl. oz size]* Contents of 1 quart bottle make 2 gallons of spray when mixed with 7 quarts of water. *[for 2.5 gal. size]* Contents of 2.5 gallon bottle makes 20 gallons of spray when mixed with 17.5 gallons of water. **DO NOT OVER DILUTE THIS PRODUCT.**

**APPLICATION DIRECTIONS:** Shake container of WS-DOSPCON X02 spray thoroughly before use. Spray (non-food) leaves, stems and branches thoroughly from all angles, until run-off or leaves look wet. Treat vulnerable (non-food) plants at the beginning of each damage season. **Repeat every 2-3 months, or as new growth emerges, or if the effects of the previous treatment appear to be waning. Clean sprayer after each application to prevent clogging.**

*[for 16 fl. oz. size]*

16 oz. of WS-DOSPCON X02 yields enough spray to treat up to 200 ornamental shrubs 4 ft. tall or an area of about 2000 sq. ft. of treated plants. Surface conditions and size of plantings will affect the size of the area that can be treated with a given quantity of spray. Before large-scale treatments, test product on a small area of each type of plant to be treated to make sure that WS-DOSPCON X02 will not damage the plant.

*[for 32 fl. oz. size]*

32 oz. of WS-DOSPCON X02 yields enough spray to treat up to 400 ornamental shrubs 4 ft. tall or an area of about 4000 sq. ft. of treated plants. Surface conditions and size of plantings will affect the size of the area that can be treated with a given quantity of spray.

**MASTER LABEL- FRONT PANEL (Page 1 of 1)**

## WS-DOSPCON X02

**For Home & Garden Use Only**  
**Do Not Spray Directly On Plants Intended for Human Consumption**

- Deer, Rabbit, and Squirrel Repellent
- Repels by Odor and Taste
- Use on Ornamentals, Bulbs, Gardens, Lawns, and Landscaped Areas
- Protection...from the Ground Up! [*For Ornamental Bulb & Perennial Treatment Products Only*]
- Improved Formulation
- New and Improved-Higher Concentration of Odor and Taste Barriers
- [www.havahart.com](http://www.havahart.com)

**ACTIVE INGREDIENTS:**

Putrescent Whole Egg Solids.....	12.000%
Capsaicin and related Capsaicinoids <sup>†</sup> .....	0.011%
Garlic Oil.....	0.050%
<b>OTHER INGREDIENTS:.....</b>	<b>87.939%</b>
<b>TOTAL:</b>	<b>100.000%</b>

<sup>†</sup> From Oleoresin of Capsicum

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** (See back panel for additional precautionary statements)

STORE IN A COOL AREA  
SHAKE WELL BEFORE USING

NET CONTENTS: 8 FL. OZ. (1 PT) (236 ml); 16 FL. OZ (1PT.) (473 ml); 32 FL.OZ.  
(1QT.) (946 ml); 128 FL. OZ (1GAL.) (3.79 l); 2.5 Gallons (9.45 i)

**YIELDS**    *for 32 fl. oz.*    *for 16 fl. oz.*    *for 1 Gal.*    *For 2.5 Gal.*  
**[2 GALLONS]; [1 GALLON]; [8 GALLONS]; [20 GALLONS]**

### NOTIFICATION

Date Reviewed: 11/10/09

Reviewed By: B. Casiano

---

***MASTER LABEL-BACK PANEL (Page 1 of 6)***

Protects against deer, rabbits, tree squirrels and other animals that browse and feed upon flowers, grass, ornamental bulbs, shrubs, plants, seedlings and trees. Provides dual protection. Both odor and taste barrier.

Patented Dual Deterrent System™ provides odor and taste barriers to repel deer, rabbits, tree squirrels and other animals from browsing and feeding upon flowers, grass, ornamental bulbs, shrubs, plants, seedlings and trees. Weather-resistant formula provides effective protection [by forming both an odor and taste barrier to repel pests.]

***[for 16 FL Oz. size]*** Treats up to 200 ornamental shrubs four feet tall or approximately 2000 sq. ft. or twice as much area for a periphery spray, depending on surface conditions, density and size of plantings.

***[for 32 FL Oz. size]*** Treats up to 400 ornamental shrubs four feet tall or approximately 4000 sq. ft. or twice as much area for a periphery spray, depending on surface conditions, density and size of plantings.

***[for 1 Gal. size]*** Treats up to 1600 ornamental shrubs four feet tall or approximately 16,000 sq. ft. or twice as much area for a periphery spray, depending on surface conditions, density and size of plantings.

***[for 2.5 Gal. size]*** Treats up to 4000 ornamental shrubs four feet tall or approximately 40,000 sq. ft. or twice as much area for a periphery spray, depending on surface conditions, density and size of plantings.

***[For Ornamental Bulb & Perennial Treatment Products Only]***

Protects ornamental bulbs and perennials against damage by deer, rabbits, tree squirrels, and voles.

Patented Dual Deterrent System™ provides odor and taste barriers to repel deer, rabbits, tree squirrels and other animals from browsing and feeding upon flowers, grass, ornamental bulbs, shrubs, plants, seedlings and trees. Weather-resistant formula provides effective protection [by forming both an odor and taste barrier to repel pests.]

***[for 8 fl.oz. size]*** One-half pint of WS-DOSPCON X02 treats between 30-40 bulbs. ***[for 15 fl.oz. size]*** One pint of WS-DOSPCON X02 treats between 65-75 bulbs. ***[for 32 fl.oz. size]*** One quart of WS-DOSPCON X02 treats between 130-150 bulbs.

---

**MASTER LABEL-BACK PANEL (Page 2 of 6)**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** This product contains egg solids, which may cause allergic reactions in some individuals. Not for direct use on plants intended for human consumption (i.e. food plants). Do not allow spray to drift onto plants intended for human consumption. Use this product to repel deer, rabbits and tree squirrels that feed on flowers, grass, ornamental bulbs, shrubs, plants, seedlings and trees. Do not apply at temperatures below 40°F, or in wet, windy conditions.

WS-DOSPCON X02 discourages animals from feeding on ornamental bulbs dipped in concentrate formulation for 5 minutes and allowed to dry.

**MIXING AND DILUTION DIRECTIONS:** Shake container of WS-DOSPCON X02 thoroughly prior to mixing. Mix concentrate with tap water at a ratio of 1 part concentrate to 7 parts water. Use 4 oz. of concentrate and 28 oz of water to make 1 quart (32 oz.) of spray mixture. *[for 1 gallon size]* Contents of 1 gallon bottle make 8 gallons of spray when mixed with 7 gallons of water. *[for 16 fl. oz size]* Contents of 1 pint bottle make 1 gallon of spray when mixed with 7 pints of water. *[for 32 fl. oz size]* Contents of 1 quart bottle make 2 gallons of spray when mixed with 7 quarts of water. *[for 2.5 gal. size]* Contents of 2.5 gallon bottle makes 20 gallons of spray when mixed with 17.5 gallons of water. **DO NOT OVER DILUTE THIS PRODUCT.**

**APPLICATION DIRECTIONS:** Shake container of WS-DOSPCON X02 spray thoroughly before use. Spray (non-food) leaves, stems and branches thoroughly from all angles, until run-off or leaves look wet. Treat vulnerable (non-food) plants at the beginning of each damage season. **Repeat every 2-3 months, or as new growth emerges, or if the effects of the previous treatment appear to be waning. Clean sprayer after each application to prevent clogging.**

*[for 16 fl. oz. size]*

16 oz. of WS-DOSPCON X02 yields enough spray to treat up to 200 ornamental shrubs 4 ft. tall or an area of about 2000 sq. ft. of treated plants. Surface conditions and size of plantings will affect the size of the area that can be treated with a given quantity of spray. Before large-scale treatments, test product on a small area of each type of plant to be treated to make sure that WS-DOSPCON X02 will not damage the plant.

*[for 32 fl. oz. size]*

32 oz. of WS-DOSPCON X02 yields enough spray to treat up to 400 ornamental shrubs 4 ft. tall or an area of about 4000 sq. ft. of treated plants. Surface conditions and size of plantings will affect the size of the area that can be treated with a given quantity of spray.

---

**MASTER LABEL-BACK PANEL (Page 3 of 6)**

Before large-scale treatments, test product on a small area of each type of plant to be treated to make sure that WS-DOSPCON X02 will not damage the plant.

**[for 1-gallon size]**

1 gallon of WS-DOSPCON X02 yields enough spray to treat up to 1600 ornamental shrubs 4 ft. tall or an area of about 16,000 sq. ft. of treated plants. Surface conditions and size of plantings will affect the size of the area that can be treated with a given quantity of spray. Before large-scale treatments, test product on a small area of each type of plant to be treated to make sure that WS-DOSPCON X02 will not damage the plant.

**[for 2.5 gallon size]**

2.5 gallons of WS-DOSPCON X02 yields enough spray to treat up to 4,000 ornamental shrubs 4 ft. tall or an area of about 1 acre (40,000 sq. ft.) of treated plants. Surface conditions and size of plantings will affect the size of the area that can be treated with a given quantity of spray. Before large-scale treatments, test product on a small area of each type of plant to be treated to make sure that WS-DOSPCON X02 will not damage the plant.

**[For Ornamental Bulb & Perennial Treatment Products Only]**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** This product contains egg solids, which may cause allergic reactions in some individuals. Not for direct use on plants intended for human consumption (i.e. food plants). Do not allow spray to drift onto plants intended for human consumption. Use this product to repel deer, rabbits, tree squirrels and voles that feed on ornamental bulbs, flowers and other (non-food) plant life.

WS-DOSPCON X02 discourages animals from feeding on planted ornamental bulbs and perennials by creating odor and taste barriers that animals find repulsive.

**ORNAMENTAL BULBS:** Dip bulbs into undiluted WS-DOSPCON X02 and let soak for at least 5 minutes. Remove and allow to air-dry completely prior to planting. Once dry, plant treated bulbs as usual and spray surrounding ground area.

Prior to planting, treat ornamental bulbs with undiluted solution (per directions) and plant in usual manner. Once plantings begin to sprout, dilute 7 parts water to 1 part WS-DOSPCON X02 to produce an above-ground animal repellent that protects against animal damage.

---

**MASTER LABEL-BACK PANEL (Page 4 of 6)**

**PERENNIALS AND PLANTS:** Dilute WS-DOSPCON X02 solution per the directions below and spray directly onto (non-food) leaves, stems, buds and flowers.

**MIXING AND DILUTION DIRECTIONS:** For spraying perennials and plants, shake container of WS-DOSPCON X02 vigorously prior to mixing. Mix product with tap water at a ratio of 1 part WS-DOSPCON X02 to 7 parts water.

**DO NOT OVER DILUTE THIS PRODUCT.** Do not mix a fungicide or herbicide with WS-DOSPCON X02 for spraying. Some antidesiccants can be applied with WS-DOSPCON X02 to protect vegetation (test first on a small area).

**Apply at temperatures between 40° F and 90° F, but not under wet, windy conditions.** Do not use on new transplants, newly rooted cuttings or plants stressed by drought. Each application can last two to three months under normal animal pressure and weather conditions. [*for 8 fl.oz. size*] One-half pint of WS-DOSPCON X02 treats between 30-40 bulbs. [*for 16 fl.oz. size*] One pint of WS-DOSPCON X02 treats between 65-75 bulbs. [*for 32 fl.oz. size*] One quart of WS-DOSPCON X02 treats between 130-150 bulbs.

**APPLICATION DIRECTIONS:**

- **BULBS:** Prior to planting, remove all loose skin and other dead material from the bulb surface. Dip each bulb in undiluted solution for at least 5 minutes, allow to air-dry thoroughly, then plant treated bulbs as usual.
- **PERENNIALS AND PLANTS:** Dilute WS-DOSPCON X02 with water at a ratio of 1 part product to 7 parts water (per the directions above). Shake container containing WS-DOSPCON X02 diluted spray well before use. Apply when bulbs begin to bud. Spray (non-food) leaves, stems, flowers and buds thoroughly from all angles, until run-off or leaves look wet.

Treat vulnerable plants at the beginning of each damage season. For added protection, spray the surrounding ground area to help drive away pests. **Reapply every 2-3 weeks, or as new growth emerges, or if the effects of the previous treatment appear to be waning. Clean sprayers thoroughly after each application to prevent clogging.**

[*For 8 fl. oz. size*]

One-half pint of WS-DOSPCON X02 yields enough spray to treat approximately 100 perennials and plants or an area of about 1,000 sq. ft. Surface condition, size and texture of planting will affect the area of treatment with a given quantity of spray. Before large-scale treatments, test product on a small area of each plant type to avoid plant damage.

**MASTER LABEL-BACK PANEL (Page 5 of 6)**

[For 16 fl. oz. size]

One pint of WS-DOSPCON X02 yields enough spray to treat approximately 200 perennials and plants or an area of about 2,000 sq. ft. Surface condition, size and texture of planting will affect the area of treatment with a given quantity of spray. Before large-scale treatments, test product on a small area of each plant type to avoid plant damage.

[For 32 fl. oz. size]

One quart of WS-DOSPCON X02 yields enough spray to treat approximately 400 perennials and plants or an area of about 4,000 sq. ft. Surface condition, size and texture of planting will affect the area of treatment with a given quantity of spray. Before large-scale treatments, test product on a small area of each plant type to avoid plant damage.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

<b>FIRST AID</b>	
<b>If in eyes:</b>	<ul style="list-style-type: none"><li>- Hold eye open and rinse gently with water for 15-20 minutes.</li><li>- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>- Call a poison control center or doctor for treatment advice.</li></ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>- Take off contaminated clothing.</li><li>- Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>- Call a poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment advice.	

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Keep out of lakes, streams and ponds. Do not contaminate water by equipment cleaning or waste disposal.



**MASTER LABEL-BACK PANEL (Page 6 of 6)**

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Contact your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Note:** Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

EPA Reg. No. 67356-3

EPA Est. No. 779-NJ-001

Patent #5,368,866

Manufactured by:



69 North Locust Street

Lititz PA 17543

For information call 800-800-1819

[www.havahart.com](http://www.havahart.com)

© Copyright 2009 Woodstream Corporation