

CHLORINE-LIQUEFIED GAS UNDER PRESSURE NON-FLAMMABLE

For use as a disinfectant and algaecide in residential pools, decorative takes, fountains & ponds by trained service persons under the direct supervision and employment of the owner of the registration. The registrant is solely responsible for the safety of the servicing equipment used with this pesticide and for the repackaging of the gas from large containers into portable cylinders. This registration is not transferable. Each repackager must obtain his own EPA Registration Number for this pesticide for this use and his own EPA Establishment Number from the U.S Environmental Protection Agency.

DANGER TO POISON

STATEMENT OF PRACTICAL FREATMENT (FIRST AID). In case of inhalation exposure remove patient to fresh air. It may be necessary to remove clothing. Keep warm by covering with a blanket and keep quiet. Call a physician. If breathing has ceased administer artificial respiration, in case of contact with eyes or skin thoroughly rinse area with water for about 20 minutes. Call a physician if in eyes. It skin irritation persists, contact a physician or hospital.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Corrosive to eyes, skin and mucous membranes in presence of moisture. Fatal if innated. Do not get in eyes on skin or clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge in lakes, streams, ponds or public waters unless in accordance. In an NPDES Permit. For guidance contact the regional office of the Environmental Protection Agency

CHEMICAL & PHYSICAL HAZARDS

Chlorine is a non-flammable gas liquelied under pressure. Do not drop container. Keep away from intense heat and open sunlight. Corrosive to most metals in the presence of moisture.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the labeling. Have available gas masks approved by the US Bureau of Mines or the National Institute of Occupational Safety and Health. Handle and use only in accordance with practices recommended in the Chlorine Manual published by the Chlorine Institute. Inc. Use only in well ventilated areas. Only specially designed dispensing equipment should be used, in accordance with manufacturer's instructions and with the Chlorine Institute's recommendations. Dosages of residual chlorine levels which should be maintained for any specific site of application must be consistent with state and municipal recommendations.

STORAGE AND DISPOSAL

Cylinders should be stored in a dry area away from sources of heat and protected from direct sunlight and precipitation. Cylinders must not be stored where they will be exposed to temperatures warmer than 54.5°C (130°F). They should be segregated from other compressed gases and never stored near hydrocarbons, finely divided metals, turpentine, ether anhydrous ammonia or other flammable materials. All cylinders must have a weather resistant label attached near the outlet valve and must not be accessible to the public. Empty cylinders to be returned should be identified with a DOT tag or label and shipped in accordance with practices of the supplier and the Chlorine Institute. All valves must be closed tight and closures or caps secured. If container is damaged, or if the contents are leaking, notify the registrant immediately at the number listed below. If these reastes cannot be disposed of by use according to the label instructions cogretive. State Pesticide or Environmental Control Agency, or the Hazardous Wasterepresentative at the EPA Regional Office for souldance it is illegal to ship a leaking chlorine container. Return empty cylinder and valve protected head to regional.

Do not contaminate water, food or feed by storage or disposal of this product. Aqueous wastes resulting (rot in the use of this product may be disposed of on site or at an approved waste facility. Pesticide wastes are acutely hazardous, improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law.

Manufactured for

BLUE WATER CHEMICAL SERVICE, INC. 2876 Apopka Boulevard Apopka, FL 32703 (407) 291-1163

NET WEIGHT 20 LBS. MAX. EPA REGISTRATION NO. 67413-1 EPA ESTABLISHMENT NO. 67413-FL-001

