



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 18 2008

Mr. John Jones
Honeywell
101 Columbia Road
Morristown, NJ 07962-103

SUBJECT: Oxyfume 2002
EPA Registration No.: 67470-9
Notification Date: November 14, 2008
EPA Receipt Date: November 20, 2008

Dear Mr. Jones,

This letter acknowledges receipt of your notification under the provisions of FIFRA section 3(c)9 and PR Notice 91-2.

- Update Container Disposal statements per 2007-4
- Delete Non-FIFRA advisory language

General Comments

Based on a review of the submitted materials, the notification to update container disposal statements and delete non-FIFRA advisory language is acceptable and apart of the records on file.

Should you have any questions or comments concerning this letter, please contact Jacqueline McFarlane at (703) 308-6416 or Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble
Product Manager (31)

CONCURRENCES

SYMBOL									
URNAME									
ATE									



United States
Environmental Protection Agency
 Washington, DC 20460

Registration

OPP Identifier Number

Amendment

☒ Other

Application for Pesticide - Section I

1. Company/Product Number Honeywell/67470-9	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Honeywell/Oxyfume 2002	PM# 31	
5. Name and Address of Applicant (Include Zip Code) Honeywell International, Inc. 101 Columbia Road Morristown, NJ 07962-1053 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

This notification adds language required by PR Notice 2007-4 and deletes non-FIFRA advisory language. Time and experience show that the non-FIFRA advisory language is no longer required for equipment maintenance. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 C.F.R. Section 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Section 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 C.F.R. Section 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under FIFRA Sections 12 and 14.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
--	-----------------------------	---

6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other
---	--------------------------------

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name John W. Jones	Title Global Leader Product Stewardship	Telephone No. (Include Area Code) (973) 455-4779
-----------------------	--	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Global Leader Product Stewardship	6. Date Application Received (Stamped)
4. Typed Name John W. Jones	5. Date November 14, 2008	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER! LIQUID AND GAS UNDER PRESSURE. CAUSES EYE AND SKIN BURNS. HARMFUL IF INHALED. HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY AND NERVOUS SYSTEM DAMAGE. **DANGER!** CANCER HAZARD AND REPRODUCTIVE HAZARD.

EFFECTS OF OVEREXPOSURE: May be fatal if inhaled in high concentrations. May cause irritation of respiratory tract, chest tightness, headache, nausea, vomiting, diarrhea, lightheaded feeling, dizziness, weakness, drowsiness, cyanosis, loss of coordination, convulsions, coma, delayed lung injury (fluid in lungs), immediate or delayed skin irritation and blisters, allergic skin reaction.

OTHER POSSIBLE DELAYED HEALTH EFFECTS: May cause nervous system injury, cataracts, adverse reproductive effects, chromosomal and mutagenic changes, and cancer.

PEL: 1PPM-TWA Ethylene Oxide (OSHA-29CFR1910.1047)

EL: 5PPM-excursion limit, 15 minutes.

OXYFUME® 2002

STERILANT-FUMIGANT GAS.

ACTIVE INGREDIENT: ETHYLENE OXIDE (CAS 75-21-8) 10.0%

OTHER INGREDIENT: CHLORODIFLUOROMETHANE (CAS 75-45-6) 27.0%

OTHER INGREDIENT: CHLOROTETRAFLUOROETHANE (CAS 2837-89-0) 63.0%

KEEP OUT OF REACH OF CHILDREN 100.0%

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta la haya sido explicada ampliamente.

Users must follow the requirements of the OSHA occupational exposure standard for ethylene oxide (29 CFR 1910.1047).

BEFORE USING OR HANDLING THIS PRODUCT YOU MUST ALSO READ AND UNDERSTAND THE HONEYWELL MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT.

FOR HEALTH CARE FACILITY AND INDUSTRIAL USE ONLY.

DOT/IMO Shipping Name: Liquefied Gas, N.O.S., (Chlorotetrafluoroethane, Chlorodifluoromethane, Ethylene Oxide)

Hazard Class: 2.2 Honeywell

ID Number: UN 3163 DOT-SP 10184 101 Columbia Rd., Morristown, NJ 07962-1053

EPA Registration No. 67470-9 EPA Establishment No. 67470-AZ-001

BATCH- DO NOT REMOVE THIS LABEL MADE IN USA STB-2002 (11/087)

ODOR: Ether-like at high concentrations. Exposure to toxic levels may occur without warning or detection by the user.

PRECAUTIONS: Do not breathe vapor. Do not swallow. Do not get in eyes, on skin, on clothing. Store and use with adequate ventilation in accordance with 29 CFR 1910.1047

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Use only in closed system. No part of the container may be exposed above 125°F (52°C). Close valve when not in use and when empty. Use in accordance with tag attached to valve.

LEAK: Evacuate area and keep personnel upwind. Use self-contained breathing apparatus and protective clothing, and shut off leak if without risk.

FIRE: Move container away from fire if without risk. Use water spray or fog nozzle to keep container cool.

WARNING: Contains HCFC-22 and HCFC-124, substances which harm public health and environment by destroying ozone in the upper atmosphere.

Personal Protective Equipment

Some materials that are chemical resistant to this product are butyl rubber

All handlers must wear at a minimum:

- > Long-sleeved shirt and long pants,
- > Shoes plus socks,
- > Chemical-resistant gloves, and

> The employer shall provide a respirator that is adequate to protect the health of the employee and ensure compliance with all other OSHA statutory and regulatory requirements (including 29CFR Part 1910.1047 and 29CFR Part 1910.134), under routine and reasonably foreseeable emergency situations.

When handlers could have eye or skin contact with ethylene oxide or ethylene oxide solutions such as during maintenance and repair, vessel cleaning, or cleaning up spills, they must wear:

- > Chemical-resistant attire, such as an apron, protective suit, or footwear that protects the area of the body that might contact ethylene oxide or ethylene oxide solutions, and
- > Face-sealing goggles, a full-face shield, or a full-face respirator.

1. Follow the respirator manufacturer's user's instructions for changing canisters.
2. Respirators must be fit-tested and fit-checked using a program that conforms to OSHA's requirements (see 29CFR Part 1910.134).
3. Respirator users must be trained using a program that confirms to OSHA's requirements (see 29CFR Part 1910.134).
4. Respirator users must be examined by a qualified medical practitioner to ensure physical ability to safely wear the style of respirator to be worn. A qualified medical practitioner is a physician or other licensed health care professional (PLHCP) who will evaluate the ability of a worker to wear a respirator. The initial evaluation consists of a questionnaire that asks about medical conditions (such as a heart condition) that would be problematic for respirator use. If concerns are identified, then additional evaluations, such as a physical exam, might be necessary. The initial evaluation must be done before respirator use begins. It does not need to be repeated unless the health status or respirator use conditions change (see 29CFR Part 1910.134).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

FIRST AID

IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY. CALL THE POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

IF INHALED: Remove exposed person to fresh air, keep warm. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call the Poison Control Center or doctor for advice even if no symptoms are present. Keep under medical observation. Symptoms may be delayed.

IF IN EYES: Hold eyelids open and rinse slowly and gently with water for 15-20 minutes. Call the Poison Control Center or doctor for advice.

IF ON SKIN OR CLOTHING: Immediately rinse with plenty of water for 15-20 minutes while removing contaminated clothing and shoes. Call the Poison Control Center or doctor for advice. Aerate, wash or clean contaminated clothing and discard leather goods.

IF SWALLOWED: Call the Poison Control Center or doctor for advice. Give at least two glasses of water. Do not induce vomiting. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: REFER TO SECTION IV, FIRST AID MEASURES OF THE MSDSs FOR EACH INGREDIENT. To obtain MSDSs, call 1-800-522-8001.

Skin exposure to Ethylene Oxide will commonly result in skin irritation with extensive blister formation. At high concentrations severe conjunctivitis can occur. Irritation of the respiratory tract may occur, but without acute lung edema. Symptoms of systemic intoxication are headache, nausea, vomiting, incoordination, and cardiac irregularities. Treatment is symptomatic.

IN CASE OF EMERGENCY CALL:

1-800-498-5701. Have a copy of the label or the MSDS when calling a poison control center or doctor or going for treatment.