FRONT PANEL

ECTO FLEA & TICK INSECTICIDE

[CAT ICON IN CIRCLE WITH SLASH THROUGH IT)

PLEASANT CITRUS SCENT

FLEA & TICK CONTROL FOR DOGS AND PUPPIES OVER 12 WEEKS OF AGE PROTECTS HORSES FROM FLIES, GNATS, MOSQUITOES AND TICKS DO NOT USE ON CATS

- KILLS & REPELS FLEAS UP TO 3 TO 4 WEEKS!
- KILLS AND REPELS MOSQUITOES!
- PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS!
- KILLS & REPELS TICKS FOR UP TO 4 WEEKS!
- KILLS & REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO 4 WEEKS!
- KILLS & REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 3 TO 4 WEEKS!
- KILLS & REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO 3 TO 4 WEEKS!
- MONTHLY APPLICATION!
- MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO A MONTH!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 3 OR 4 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO [4 WEEKS] [3 TO 4 WEEKS] INCLUDING DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS AND AMERICAN DOG TICKS!
- PROTECTS HORSES FROM HOUSE FLIES, STABLE FLIES, FACE FLIES, HORN FLIES, EYE GNATS AND TICKS!
- KILLS AND REPELS HOUSE FLIES, STABLE FLIES, FACE FLIES, HORN FLIES, EYE GNATS AND TICKS ON HORSES!
- AIDS IN THE CONTROL OF HORSE FLIES, DEER FLIES, MOSQUITOES AND BLACK FLIES ON HORSES!

ACTIVE INGREDIENTS

¹Permethrin (CAS #52645-53-1)...... 45.0% TOTAL 100.0%

1 cis/trans ratio: Max 55% (+) cis and min 45% (+) trans

² Contains petroleum distillate

ACCEPTED APR 1 2 2004

Under the Federal Insecticide, Pungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No.

KEEP OUT OF THE REACH OF CHILDREN CAUTION

DO NOT USE ON CATS

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents:

1[0.03 fl.oz.(1.0 mL)] [.05 fl.oz.(1.5 mL)] [1 fl.oz.(3.0 mL)] Applicator or 3[0.03 fl.oz.(1.0 mL)] [.05 fl.oz.(1.5 mL)] [1 fl.oz.(3.0 mL)] Applicators or 3[0.34 fl.oz.(10.0 mL)] Applicator or 6 [0.34 fl.oz.(10.0 mL)] Applicators

EPA Est. No.: 67517-MO-1 EPA Reg. No.: 67505-4

Manufactured For: Ecto Development Corporation

Excelsior Springs, MO 64024

67505-4

(lot number statement as needed) Mfg. & Printed in U.S.A. Page 1 of 8

(label revision number) (product number) March 08, 2004

E04DL02A.DOC-1

SIDE/BACK PANEL ECTO FLEA & TICK INSECTICIDE

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Hazards to Domestic Animals: FOR EXTERNAL USE ON DOGS AND HORSES ONLY. Do not use on puppies or foals under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs or horses. Consult a veterinarian before using on dogs or horses with known organ dysfunction.

DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats. Cats which actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effects.

Certain medications can interact with pesticides. It is advisable to consult a veterinarian before using this product with any other pesticide or drug.

FIRST AID

- If Swallowed ° Call a poison control center or doctor immediately for treatment advice.
 - ° Do not give any liquid to the person.
 - On ot induce vomiting unless told to do so by a poison control center or doctor.
 - ° Do not give anything by mouth to an unconscious person.

If on Skin

- ° Take off contaminated clothing.
- or Clothing ° Rinse skin immediately with plenty of water for 15-20 minutes.
 - ° Call a poison control center or a doctor for treatment advice.

If In Eyes

- ° Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

_______ HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate-vomiting may cause aspiration

pneumonia.

67505-4 Page 2 of 8 March 08, 2004 E04DL02A.DOC-2

SIDE/BACK PANEL ECTO FLEA & TICK INSECTICIDE

Adverse Reactions: Some animals may be sensitive to ingredients in this product. Reactions in dogs or horses may include skin sensitivity. Dogs or horses may show lethargy, increased pruritis (itchiness), erythema (redness), rash and hair discoloration or hair loss at the application site. Observe the dog or horse following treatment. Sensitivity may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your dog or horse with a mild, non-insecticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMES

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DOGS:

DO NOT USE ON CATS or animals other than dogs or horses. May be toxic or potentially fatal if applied to or ingested by cats. Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 3 weeks, except to reapply after shampooing the dog.

For Dogs Weighing Less Than 33 pounds: {1.5 ml applicator tube} Apply one tube (1.5 mL) of product solution as a spot between the shoulder blades or as a stripe to the dog's back.

For Dogs Weighing More Than 33 pounds: [1.5 ml applicator tube] Apply one tube (1.5 mL) of product solution as a spot to the dog's shoulder blades or as a stripe to the dog's back and apply a second tube (1.5 mL) as a spot directly in front of the base of the tail or as a stripe to the dogs back.

For Dogs Weighing More Than 33 pounds: [3.0 ml applicator tube] Apply approximately half of the tube (1.5 mL) of product solution as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 mL) as a spot or strip to the dog's back directly in front of the base of the tail. Or, apply the entire tube (3.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

67505-4
Page 3 of 8
March 08, 2004
E04DL02A.DOC-3

SIDE/BACK PANEL ECTO FLEA AND TICK INSECTICIDE

DIRECTIONS FOR USE (CONTINUED)

HOW TO APPLY:

FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog,s hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tab and put in trash.

FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointed up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.

FOR FLAT CARD UNIT DOSE PACKAGING: [For push pin type applicator] Remove one product tube from card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dogs skin, squeeze tube to apply product. Wrap empty tube and put in trash.

BLISTER PACKED SARAN TUBES: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, cut narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

PULL AND TWIST APPLICATOR TUBE: Remove applicator tube from package. Hold applicator tube in an upright position. Pull cap off tube. Turn the cap around and place other end of cap back on tube. Twist cap to break seal, then remove cap from tube. The dog should be standing for easy application. Part the hair, place the tip of the tube on the skin and gently squeeze to expel the solution on the skin. Discard empty tube as described in Storage and Disposal.

BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one tube. (Return unused tubes to package) Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

FOR MULTI-DOSE PACKAGING: Withdraw 1.5 mL of solution at a time. Apply entire given dose directly to the skin at the indicated locations.

FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to 1.5 mL line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin.

3 FOR SALE TO VETERINARIANS ONLY

67505-4
Page 4 of 8
March 08, 2004
E04DL02A.DOC-4

SIDE/BACK PANEL ECTO FLEA AND TICK INSECTICIDE

DIRECTION FOR USB (CONTINUED)


HORSES:

DO NOT USE ON HORSES INTENDED FOR FOOD USE DO NOT USE ON FOALS UNDER 12 WEEKS (3 MONTHS) OF AGE

Remove product tube(s) from package. {Fold along perforation between tubes and tear off one tube. return unused tubes to package} Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches.

Apply one tube (10.0 mL) of product solution as follows:

- 5 mL along the back line starting at the poll (top of head behind the ears), along the base of the mane, down the dorsal midline to the dock. (base of the tail)
- ♦ 1 mL to the top of the forehead under the forelock.



- ♦ 1 mL as a stripe to the front of <u>each</u> hindleg, from the ankle up to the hock (2 mL total)
- Do not allow product to contact horses' eyes or mucous membranes.
- Wrap tube and put in trash.
- ♦ Do not reapply for 14 days (2 weeks).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool dry place away from heat and open flame. Protect from freezing.

Disposal: Do Not Puncture or Incinerate! If empty: Place in Trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions:

67505-4 Page 5 of 8 March 08, 2004 E04DL02A.DOC-5

SIDE/BACK PANEL ECTO FLEA AND TICK INSECTICIDE

BCTO FLEA & TICK INSECTICIDE is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. As with all flea and tick control products, This product should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

NOTICE OF WARRANTY 4

ECTO DEVELOPMENT CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

OR

Buyer assumes all responsibility for safety and use not in accordance with directions.

4 The use of any notice of warranty statement is optional.

67505-4
Page 6 of 8
March 08, 2004
E04DL02A.DOC-6

TUBE LABEL (folding card and flat card packaging designs)

ECTO FLRA & TICK INSECTICIDE
{CAT ICON}
PERMETHRIN 45% W/W

KEEP OUT OF THE REACH OF CHILDREN

{DO NOT USE ON CATS}

READ DIRECTIONS AND

PRECAUTIONS BEFORE USING

EPA Reg. No. 67505-4

{USE THIS STATEMENT AND/OR CAT ICON IN CIRCLE WITH SLASH}

67505-4
Page 7 of 8
March 08, 2004
E04DL02A.DOC-7

TAB LABEL (folding card and tabbed card packaging designs)

ECTO FLEA & TICK INSECTICIDE
{CAT ICON}
PERMETHRIN 45% W/W

KEEP OUT OF THE REACH OF CHILDREN
{DO NOT USE ON CATS}
READ DIRECTIONS AND
PRECAUTIONS BEFORE USING

EPA Reg. No. 67505-4

{USE THIS STATEMENT AND/OR CAT ICON IN CIRCLE WITH SLASH}

67505-4 Page 8 of 8 March 08, 2004 E04DL02A.DOC-8